



Makoto Tahara

Kontakt

Makoto Tahara

Publikationen (10)

Harrington K, Burtness B, Greil R, Soulières D, Tahara M, de Castro G, Psyrrri A, Brana I, Basté N, Neupane P, Bratland Å, Fueeder T, Hughes B, Mesia R, Ngamphaiboon N, Rordorf T, Wan Ishak W, Lin J, Gumuscu B, Swaby R, Rischin D. Pembrolizumab With or Without Chemotherapy in Recurrent or Metastatic Head and Neck Squamous Cell Carcinoma: Updated Results of the Phase III KEYNOTE-048 Study. *J Clin Oncol* 2022;JCO2102508.

Müller-Jensen L, Zierold S, Versluis J, Boehmerle W, Huehnchen P, Endres M, Mohr R, Compter A, Blank C, Hagenacker T, Meier F, Reinhardt L, Gesierich A, Salzmann M, Hassel J, Ugurel S, Zimmer L, Banks P, Spain L, Soon J, Enokida T, Tahara M, Kähler K, Seggewiss-Bernhardt R, Harvey C, Long G, Schöberl F, von Baumgarten L, Hundsberger T, Schlaak M, French L, Knauss S, Heinzerling L. Dataset of a retrospective multicenter cohort study on characteristics of immune checkpoint inhibitor-induced encephalitis and comparison with HSV-1 and anti-LG1 encephalitis. *Data Brief* 2022; 45:108649.

Müller-Jensen L, Zierold S, Versluis J, Boehmerle W, Huehnchen P, Endres M, Mohr R, Compter A, Blank C, Hagenacker T, Meier F, Reinhardt L, Gesierich A, Salzmann M, Hassel J, Ugurel S, Zimmer L, Banks P, Spain L, Soon J, Enokida T, Tahara M, Kähler K, Seggewiss-Bernhardt R, Harvey C, Long G, Schöberl F, von Baumgarten L, Hundsberger T, Schlaak M, French L, Knauss S, Heinzerling L. Characteristics of immune checkpoint inhibitor-induced encephalitis and comparison with HSV-1 and anti-LG1 encephalitis: A retrospective multicentre cohort study. *Eur J Cancer* 2022; 175:224-235.

Rischin D, Harrington K, Greil R, Soulières D, Tahara M, de Castro G, Psyrrri A, Brana I, Neupane P, Bratland Å, Fueeder T, Hughes B, Mesia R, Ngamphaiboon N, Rordorf T, Ishak W, Hong R, Mendoza R, Jia L, Chirovsky D, Norquist J, Jin F, Burtness B. Pembrolizumab alone or with chemotherapy for recurrent or metastatic head and neck squamous cell carcinoma: Health-related quality-of-life results from KEYNOTE-048. *Oral Oncol* 2022; 128:105815.

Burtness B, Rischin D, Greil R, Soulières D, Tahara M, de Castro G, Psyrrri A, Brana I, Basté N, Neupane P, Bratland Å, Fueeder T, Hughes B, Mesia R, Ngamphaiboon N, Rordorf T, Wan Ishak W, Ge J, Swaby R, Gumuscu B, Harrington K. Pembrolizumab Alone or With Chemotherapy for Recurrent/Metastatic Head and Neck Squamous Cell Carcinoma in KEYNOTE-048: Subgroup Analysis by Programmed Death Ligand-1 Combined Positive Score. *J Clin Oncol* 2022; 40:2321-2332.

Gillison M, Blumenschein G, Fayette J, Guigay J, Colevas A, Licitra L, Harrington K, Kasper S, Vokes E, Even C, Worden F, Saba N, Iglesias Docampo L, Haddad R, Rordorf T, Kiyota N, Tahara M, Jayaprakash V, Weibel L, Ferris R. Long-term Outcomes with Nivolumab as First-line Treatment in Recurrent or Metastatic Head and Neck Cancer: Subgroup Analysis of CheckMate 141. *Oncologist* 2022; 27:e194-e198.

Burtness B, Harrington K, Greil R, Soulières D, Tahara M, de Castro G, Psyrrri A, Basté N, Neupane P, Bratland Å, Fueeder T, Hughes B, Mesia R, Ngamphaiboon N, Rordorf T, Wan Ishak W, Hong R, González Mendoza R, Roy A, Zhang Y, Gumuscu B, Cheng J, Jin F, Rischin D. Pembrolizumab alone or with chemotherapy versus cetuximab with chemotherapy for recurrent or metastatic squamous cell carcinoma of the head and neck (KEYNOTE-048): a randomised, open-label, phase 3 study. *Lancet* 2019; 394:1915-1928.

Gillison M, Blumenschein G, Fayette J, Guigay J, Colevas A, Licitra L, Harrington K, Kasper S, Vokes E, Even C, Worden F, Saba N, Iglesias Docampo L, Haddad R, Rordorf T, Kiyota N, Tahara M, Monga M, Lynch M, Li L, Ferris R. CheckMate 141: 1-Year Update and Subgroup Analysis of Nivolumab as First-Line Therapy in Patients with Recurrent/Metastatic Head and Neck Cancer. *Oncologist* 2018; 23:1079-1082.

Ferris R, Blumenschein G, Fayette J, Guigay J, Colevas A, Licitra L, Harrington K, Kasper S, Vokes E, Even C, Worden F, Saba N, Docampo L, Haddad R, Rordorf T, Kiyota N, Tahara M, Lynch M, Jayaprakash V, Li L, Gillison M. Nivolumab vs investigator's choice in recurrent or metastatic squamous cell carcinoma of the head and neck: 2-year long-term survival update of CheckMate 141 with analyses by tumor PD-L1 expression. *Oral Oncol* 2018; 81:45-51.

Ferris R, Blumenschein G, Fayette J, Guigay J, Colevas A, Licitra L, Harrington K, Kasper S, Vokes E, Even C, Worden F, Saba N, Iglesias Docampo L, Haddad R, Rordorf T, Kiyota N, Tahara M, Monga M, Lynch M, Geese W, Kopit J, Shaw J, Gillison M. Nivolumab for Recurrent Squamous-Cell Carcinoma of the Head and Neck. *N Engl J Med* 2016; 375:1856-1867.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch