



**Ulrich Herrlinger**

**Kontakt**

Ulrich Herrlinger

## Publikationen (9)

Neurooncology Working Group of the German Cancer Society, Simon M, Tonn J, Stummer W, Schaub C, Weller J, Kebir S, Schäfer N, Stuplich M, Vatter H, Misch M, Keil V, Nelles M, Glas M, Coch C, Pietsch T, Hattingen E, Schmid M, Fimmers R, Weller M, Wick W, Coenen M, Urbach H, Vajkoczy P, Galldiks N, Bullinger L, Goldbrunner R, Grauer O, Krex D, Kortmann R, Hau P, Sabel M, Schlegel U, Steinbach J, Mack F, Tzaridis T, Schnell O, Bähr O, Renovanz M, Weyerbrock A, Brehmer S, Suchorska B, Schmidt-Graf F, Ringel F, Kowalski T, Tabatabai G, Seidel C, Uhl M, Herrlinger U. Lomustine-temozolomide combination therapy versus standard temozolomide therapy in patients with newly diagnosed glioblastoma with methylated MGMT promoter (CeTeG/NOA-09): a randomised, open-label, phase 3 trial. *Lancet* 2019; 393:678–688.

Schäfer N, Proescholdt M, Steinbach J, Weyerbrock A, Hau P, Grauer O, Goldbrunner R, Friedrich F, Rohde V, Ringel F, Schlegel U, Sabel M, Ronellenfitsch M, Uhl M, Grau S, Hänel M, Schnell O, Krex D, Vajkoczy P, Tabatabai G, Mack F, Schaub C, Tzaridis T, Nießen M, Kebir S, Leutgeb B, Urbach H, Belka C, Stummer W, Glas M, Herrlinger U. Quality of life in the GLARIUS trial randomizing bevacizumab/irinotecan versus temozolomide in newly diagnosed, MGMT-nonmethylated glioblastoma. *Neuro Oncol* 2018; 20:975–985.

Schaub C, Kebir S, Junold N, Hattingen E, Schäfer N, Steinbach J, Weyerbrock A, Hau P, Goldbrunner R, Nießen M, Mack F, Stuplich M, Tzaridis T, Bähr O, Kortmann R, Schlegel U, Schmidt-Graf F, Rohde V, Braun C, Hänel M, Sabel M, Gerlach R, Krex D, Belka C, Vatter H, Proescholdt M, Herrlinger U, Glas M. Tumor growth patterns of MGMT-non-methylated glioblastoma in the randomized GLARIUS trial. *J Cancer Res Clin Oncol* 2018; 144:1581–1589.

Beier D, Proescholdt M, Reinert C, Pietsch T, Jones D, Pfister S, Hattingen E, Seidel C, Dirven L, Luerding R, Reijneveld J, Warmuth-Metz M, Bonsanto M, Bremer M, Combs S, Rieken S, Herrlinger U, Kuntze H, Mayer-Steinacker R, Moskopp D, Schneider T, Beringer A, Schlegel U, Stummer W, Welker H, Weyerbrock A, Paulsen F, Rutkowski S, Weller M, Wick W, Kortmann R, Bogdahn U, Hau P. Multicenter pilot study of radiochemotherapy as first-line treatment for adults with medulloblastoma (NOA-07). *Neuro Oncol* 2018; 20:400–410.

Herrlinger U, Kortmann R, Mehdorn M, Tüttenberg J, Mayer-Steinacker R, Fietkau R, Brehmer S, Mack F, Stuplich M, Kebir S, Kohnen R, Dunkl E, Leutgeb B, Proescholdt M, Pietsch T, Urbach H, Belka C, Stummer W, Gerlach R, Vajkoczy P, Schäfer N, Steinbach J, Weyerbrock A, Hau P, Goldbrunner R, Friedrich F, Rohde V, Ringel F, Schlegel U, Sabel M, Ronellenfitsch M, Uhl M, Maciaczyk J, Grau S, Schnell O, Hänel M, Krex D, Glas M. Bevacizumab Plus Irinotecan Versus Temozolomide in Newly Diagnosed O6-Methylguanine-DNA Methyltransferase Nonmethylated Glioblastoma: The Randomized GLARIUS Trial. *J Clin Oncol* 2016; 34:1611–9.

Scholz A, Meinhardt M, Weyerbrock A, Timmer M, Goldbrunner R, Deckert M, Braun C, Schittenhelm J, Frueh J, Ullrich E, Mittelbronn M, Plate K, Krex D, Herrlinger U, Glas M, Harter P, Cremer S, Yalcin B, Gurnik S, Yamaji M, Di Tacchio M, Sommer K, Baumgarten P, Bähr O, Steinbach J, Trojan J, Reiss Y. Endothelial cell-derived angiopoietin-2 is a therapeutic target in treatment-naive and bevacizumab-resistant glioblastoma. *EMBO Mol Med* 2015; 8:39–57.

Korfel A, Junghanß C, Birnbaum T, Fischer L, Jahnke K, Herrlinger U, Roth P, Bamberg M, Pietsch T, Mergenthaler H, Hundsberger T, Thiel E, Martus P, Möhle R, Griesinger F, Rauch M, Röth A, Hertenstein B, Fischer T, Weller M. Randomized phase III study of whole-brain radiotherapy for primary CNS lymphoma. *Neurology* 2015; 84:1242–8.

Thiel E, Birnbaum T, Fischer L, Jahnke K, Herrlinger U, Plasswilm L, Nägele T, Pietsch T, Bamberg M, Leithäuser M, Mergenthaler H, Hundsberger T, Korfel A, Martus P, Kanz L, Griesinger F, Rauch M, Röth A, Hertenstein B, von Toll T, Weller M. High-dose methotrexate with or without whole brain radiotherapy for primary CNS lymphoma (G-PCNSL-SG-1): a phase 3, randomised, non-inferiority trial. *Lancet Oncol* 2010; 11:1036–47.

Herrlinger U, Reifenberger G, Bamberg M, Sommer C, Tan T, Meyermann R, Wick W, Hundsberger T, Steinbach J, Kortmann R, Blaschke B, Loeser S, Koch D, Rieger J, Weller M. Phase II trial of lomustine plus temozolomide chemotherapy in addition to radiotherapy in newly diagnosed glioblastoma: UKT-03. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2006; 24:4412–7.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)