



**Thomas M Kündig**

**Kontakt**

Thomas M Kündig

## Publikationen (10)

Birkenmaier I, Maul L, Oyanguren I, Sorbe C, Fröhlich F, Schlapbach C, Heidemeyer K, Yawalkar N, Boehncke W, Ring H, Thyssen J, Egeberg A, Micheroli R, Thomsen S, Mainetti C, Cozzio A, Kündig T, Levesque M, Navarini A, Maul J. Psoriasis localization patterns in the Swiss Psoriasis Registry (SDNTT) over 11 years: an analysis by sex and age. *Arch Dermatol Res* 2024; 316:654.

Linnemann E, Nielsen M, Maul L, Richter C, Dommann I, Zink A, Schlapbach C, Yawalkar N, Conrad C, Cozzio A, Kündig T, Navarini A, Egeberg A, Maul J. Predictors of initiating biologics in the treatment of psoriasis. *Int J Dermatol* 2024; 63:e231-e239.

Verardi F, Maul L, Borsky K, Steinmann S, Rosset N, Pons H, Sorbe C, Yawalkar N, Micheroli R, Egeberg A, Thyssen J, Heidemeyer K, Boehncke W, Conrad C, Cozzio A, Pinter A, Kündig T, Navarini A, Maul J. Sex differences in adverse events from systemic treatments for psoriasis: A decade of insights from the Swiss Psoriasis Registry (SDNTT). *J Eur Acad Dermatol Venereol* 2023

Nielsen M, Petersen T, Maul L, Thyssen J, Thomsen S, Wu J, Navarini A, Kündig T, Yawalkar N, Schlapbach C, Boehncke W, Conrad C, Cozzio A, Micheroli R, Erik Kristensen L, Egeberg A, Maul J. Predicting Psoriatic Arthritis in Psoriasis Patients - A Swiss Registry Study. *J Psoriasis Psoriatic Arthritis* 2023; 9:41-50.

Paolucci M, Wullemin N, Homère V, Bieli D, Köhli A, Ballmer-Weber B, Waeckerle-Men Y, Pengo N, Kündig T, Sonati T, Johansen P. Targeting Ara h 2 with human-derived monoclonal antibodies prevents peanut-induced anaphylaxis in mice. *Allergy* 2023; 78:1605-1614.

Paolucci M, Wullemin N, Köhli A, Ballmer-Weber B, Severin Y, Waeckerle-Men Y, Arena C, Homère V, Bieli D, Kündig T, Sonati T, Johansen P. Multivariate allergen-specific analysis and profiling of serum antibodies from patients with peanut allergy. *Clin Exp Allergy* 2022; 53:353-358.

Kolios A, Cozzio A, Zinkernagel A, French L, Kündig T. Cutaneous *Corynebacterium* Infection Presenting with Disseminated Skin Nodules and Ulceration. *Case Rep Dermatol* 2017; 9:8-12.

Johansen P, Bot A, Speck R, Gerlach T, Mullhaupt B, Senti G, Lang K, Manolova V, Smith K, Der-Sarkissian A, Qiu Z, Rettig L, Storni T, Kündig T. Antigen kinetics determines immune reactivity. *Proceedings of the National Academy of Sciences of the United States of America* 2008; 105:5189-94.

Heinzerling L, Basch V, Maloy K, Johansen P, Senti G, Wüthrich B, Storni T, Kündig T. Critical role for DNA vaccination frequency in induction of antigen-specific cytotoxic responses. *Vaccine* 2006; 24:1389-94.

Erdmann I, Scheidegger E, Koch F, Heinzerling L, Odermatt B, Burg G, Lowe J, Kündig T. Fucosyltransferase VII-deficient mice with defective E-, P-, and L-selectin ligands show impaired CD4+ and CD8+ T cell migration into the skin, but normal extravasation into visceral organs. *Journal of immunology (Baltimore, Md. : 1950)* 2002; 168:2139-46.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)