



**W Kempf**

**Kontakt**

W Kempf

## Publikationen (10)

Yoo J, Busschots A, Hauben E, Bervoets A, Woei-A-Jin F, Matin R, Collins G, Weatherhead S, Frew J, Bayne M, Dunnill G, McKay P, Ranki A, Vakeva L, Vydianath B, Amel-Kashipaz R, Marinos L, Oikonomidi A, Stratigos A, Vignon-Pennamen M, Climent F, Gonzalez-Barca E, Georgiou E, Senetta R, Zinzani P, Arumainathan A, Azurdia R, Klemke C, Enz P, Pujol R, Quint K, Geskin L, Hong E, Evison F, Vermeer M, Cerroni L, Kempf W, Kim Y, Bur C, Folkes A, Benstead K, Twigger R, Rieger K, Brown R, Sanches J, Miyashiro D, Akilov O, McCann S, Sahi H, Damasco F, Querfeld C, Willemze R, Latzka J, Scarisbrick J, Whittaker S, Nikolaou V, Tomasini C, Amitay I, Prag Naveh H, Ram-Wolff C, Battistella M, Alberti-Violette S, Stranzenbach R, Gargallo V, Muniesa C, Child F, Guenova E, Quaglino P, Prince H, Papadavid E, Hodak E, Bagot M, Servitje O, Berti E, Ortiz-Romero P, Stadler R, Patsatsi A, Knobler R, Koletsas T, Jonak C, Wobser M, Geissinger E, Wehkamp U, Weichenthal M, Cowan R, Parry E, Harris J, Wachsmuth R, Turner D, Bates A, Healy E, Pham-Ledard A, Beylot-Barry M, Porkert S, Mitteldorf C, Estrach T, Combalia A, Marschalko M, Csomor J, Szepesi A, Cozzio A, Dummer R, Pimpinelli N, Grandi V, Trautinger F. The PROCLIP international registry of early-stage mycosis fungoides identifies substantial diagnostic delay in most patients. *Br J Dermatol* 2018; 181:350–357.

Kolios A, Hafner J, Luder C, Guenova E, Kerl K, Kempf W, Nilsson J, French L, Cozzio A. Comparison of pyoderma gangrenosum and hypertensive ischemic leg ulcer Martorell in a Swiss cohort. *Br J Dermatol* 2017

Popp F, Fischer S, Kempf W, von Kempis J, Welcker M, Müller R. Granuloma Annulare, Drug-Induced Lupus and – Case Report. *Clinical Image: Annals of Clinical Case Reports* 2017; 2

Jenni D, Karpova M, Seifert B, Golling P, Cozzio A, Kempf W, French L, Dummer R. Primary cutaneous lymphoma: two-decade comparison in a population of 263 cases from a Swiss tertiary referral centre. *Br J Dermatol* 2011; 164:1071–7.

Lapointe A, Serra A, Pelloni F, Pascual M, Kempf W, Hunger R, Binet F, Arnold A, Anliker M, Hofbauer G, Laffitte E. [Swiss clinical practice guidelines for skin cancer in organ transplant recipients]. *Rev Med Suisse* 2010; 6:854–9.

Hofbauer G, Serra A, Pelloni F, Pascual M, Lapointe A, Laffitte E, Kempf W, Hunger R, Binet F, Arnold A, Anliker M, SGDV working group for organ transplant recipients. Swiss clinical practice guidelines for skin cancer in organ transplant recipients. *Swiss medical weekly : official journal of the Swiss Society of Infectious Diseases, the Swiss Society of Internal Medicine, the Swiss Society of Pneumology* 2009; 139:407–15.

Kempf W, Kutzner H, Cozzio A, Sander C, Pfaltz M, Müller B, Pfaltz M. MUM1 expression in cutaneous CD30+ lymphoproliferative disorders: a valuable tool for the distinction between lymphomatoid papulosis and primary cutaneous anaplastic large-cell lymphoma. *Br J Dermatol* 2008; 158:1280–7.

Michaelis S, Cozzio A, Kempf W, Graf P, Burg G, Dummer R. Combination of bexarotene and psoralen-UVA therapy in a patient with Mycosis fungoides. *Dermatology (Basel)* 2004; 209:72–4.

Heinzerling L, Kempf W, Kamarashev J, Hafner J, Nestle F. Treatment of verrucous carcinoma with imiquimod and CO<sub>2</sub> laser ablation. *Dermatology (Basel, Switzerland)* 2003; 207:119–22.

Heinzerling L, Dummer R, Kempf W, Schmid M, Burg G. Intralesional therapy with anti-CD20 monoclonal antibody rituximab in primary cutaneous B-cell lymphoma. *Archives of dermatology* 2000; 136:374–8.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)