



Stephanie E Wölfle

Kontakt

Stephanie E Wölfle

Publikationen (4)

Brähler S, Kaistha A, Schmidt V, Wölfle S, Busch C, Kaistha B, Kacik M, Hasenau A, Grgic I, Siiskonen H, Bond C, Adelman J, Wulff H, de Wit C, Hoyer J, Köhler R. Genetic deficit of SK3 and IK1 channels disrupts the endothelium-derived hyperpolarizing factor vasodilator pathway and causes hypertension. *Circulation* 2009; 119:2323-32.

Wölfle S, Schmidt V, Hoyer J, Köhler R, de Wit C. Prominent role of KCa3.1 in endothelium-derived hyperpolarizing factor-type dilations and conducted responses in the microcirculation in vivo. *Cardiovasc Res* 2009; 82:476-83.

Schmidt V, Wölfle S, Boettcher M, de Wit C. Gap junctions synchronize vascular tone within the microcirculation. *Pharmacol Rep* 2008; 60:68-74.

Wölfle S, Schmidt V, Hoepfl B, Gebert A, Alcoléa S, Gros D, de Wit C. Connexin45 cannot replace the function of connexin40 in conducting endothelium-dependent dilations along arterioles. *Circ Res* 2007; 101:1292-9.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch