



Masatoshi Koga

Kontakt

Masatoshi Koga

Publikationen (11)

Fischer U, Koga M, Strbian D, Branca M, Abend S, Trelle S, Paciaroni M, Thomalla G, Michel P, Nedeltchev K, Bonati L, Ntaios G, Gattringer T, Sandset E, Kelly P, Lemmens R, Sylaja P, Maurice De Sousa D, Bornstein N, Gdovinova Z, Yoshimoto T, Tiainen M, Thomas H, Krishnan M, Shim G, Gumbinger C, Vehoff J, Zhang L, Matsuzono K, Kristoffersen E, Desfontaines P, Vanacker P, Alonso A, Yakushiji Y, Kulyk C, Hemelsoet D, Poli S, Paiva Nunes A, Caracciolo N, Slade P, Demeestere J, Salerno A, Kneihsl M, Kahles T, Giudici D, Tanaka K, Rätzy S, Hidalgo R, Werring D, Goeldlin M, Arnold M, Ferrari C, Beyeler S, Fung C, Weder B, Tatlisumak T, Fenzl S, Rezny-Kasprzak B, Hakim A, Salanti G, Bassetti C, Gralla J, Seiffge D, Horvath T, Dawson J, Kägi G. Early versus Later Anticoagulation for Stroke with Atrial Fibrillation. *N Engl J Med* 2023; 388:2411-2421.

Lyrer F, Zietz A, Seiffge D, Koga M, Volbers B, Wilson D, Bonetti B, Schaedelin S, Gensicke H, Yoshimura S, Macha K, Ambler G, Thilemann S, Dittrich T, Inoue M, Miwa K, Wang R, Siedler G, Biburger L, Brown M, Jäger R, Muir K, Traenka C, Tanaka K, Shiozawa M, Bonati L, Peters N, Lip G, Lyrer P, Cappellari M, Toyoda K, Kallmünzer B, Schwab S, Werring D, Engelter S, De Marchis G, Polymeris A, NOACISP-LONGTERM, Erlangen Registry, CROMIS-2, SAMURAI-NVAF and Verona Registry collaborators. Atrial Fibrillation Detected before or after Stroke: Role of Anticoagulation. *Ann Neurol* 2023; 94:43-54.

Meinel T, Wilson D, Gensicke H, Scheitz J, Ringleb P, Goganau I, Kaesmacher J, Bae H, Kim D, Kermer P, Suzuki K, Kimura K, Macha K, Koga M, Wada S, Altersberger V, Salerno A, Palanikumar L, Zini A, Forlivesi S, Kellert L, Wischmann J, Kristoffersen E, Beharry J, Barber P, Hong J, Cereda C, Schlemm E, Yakushiji Y, Poli S, Leker R, Romoli M, Zedde M, Curtze S, Ikenberg B, Uphaus T, Giannandrea D, Portela P, Veltkamp R, Ranta A, Arnold M, Fischer U, Cha J, Wu T, Purrucker J, Seiffge D, International DOAC-IVT, TRISP, and CRCS-K-NIH Collaboration, DOAC-IVT Writing Group, Kägi G, Engelter S, Nolte C, Kallmünzer B, Michel P, Kleinig T, Fink J, Rønning O, Campbell B, Nederkoorn P, Thomalla G, Kunieda T, Poli K, Béjot Y, Soo Y, Garcia-Esperon C, Ntaios G, Cordonnier C, Marto J, Bigliardi G, Lun F, Choi P, Steiner T, Ustrell X, Werring D, Wegener S, Pezzini A, Du H, Martí-Fàbregas J, Cánovas-Vergé D, Strbian D, Padjen V, Yaghi S, Stretz C, Kim J. Intravenous Thrombolysis in Patients With Ischemic Stroke and Recent Ingestion of Direct Oral Anticoagulants. *JAMA Neurol* 2023; 80:233-243.

Kimura S, Toyoda K, Yoshimura S, Minematsu K, Yasaka M, Paciaroni M, Werring D, Yamagami H, Nagao T, Yoshimura S, Polymeris A, Zietz A, Engelter S, Kallmünzer B, Cappellari M, Chiba T, Yoshimoto T, Shiozawa M, Kitazono T, Koga M, SAMURAI, RELAXED, RAF, RAF-NOAC, CROMIS-2, NOACISP LONGTERM, Erlangen Registry and Verona Registry Investigators. Practical "1-2-3-4-Day" Rule for Starting Direct Oral Anticoagulants After Ischemic Stroke With Atrial Fibrillation: Combined Hospital-Based Cohort Study. *Stroke* 2022; 53:1540-1549.

Polymeris A, Macha K, Paciaroni M, Wilson D, Koga M, Cappellari M, Schaedelin S, Zietz A, Peters N, Seiffge D, Hauptenthal D, Gassmann L, De Marchis G, Wang R, Gensicke H, Stoll S, Thilemann S, Avramiotis N, Bonetti B, Tsigoulis G, Ambler G, Alberti A, Yoshimura S, Brown M, Shiozawa M, Lip G, Venti M, Acciarresi M, Tanaka K, Mosconi M, Takagi M, Jäger R, Muir K, Inoue M, Schwab S, Bonati L, Lyrer P, Toyoda K, Caso V, Werring D, Kallmünzer B, Engelter S, NOACISP-LONGTERM, Erlangen Registry, CROMIS-2, RAF, RAF-DOAC, SAMURAI-NVAF and Verona Registry Collaborators. Oral Anticoagulants in the Oldest Old with Recent Stroke and Atrial Fibrillation. *Ann Neurol* 2021; 91:78-88.

De Marchis G, Seiffge D, Schaedelin S, Wilson D, Caso V, Acciarresi M, Tsigoulis G, Koga M, Yoshimura S, Toyoda K, Cappellari M, Bonetti B, Macha K, Kallmünzer B, Cereda C, Lyrer P, Bonati L, Paciaroni M, Engelter S, Werring D. Early versus late start of direct oral anticoagulants after acute ischaemic stroke linked to atrial fibrillation: an observational study and individual patient data pooled analysis. *J Neurol Neurosurg Psychiatry* 2021; 93:119-125.

Meya L, Polymeris A, Schaedelin S, Schaub F, Altersberger V, Traenka C, Thilemann S, Wagner B, Fladt J, Hert L, Yoshimura S, Koga M, Zietz A, Dittrich T, Fisch U, Toyoda K, Seiffge D, Peters N, De Marchis G, Gensicke H, Bonati L, Lyrer P, Engelter S. Oral Anticoagulants in Atrial Fibrillation Patients With Recent Stroke Who Are Dependent on the Daily Help of Others. *Stroke* 2021; 52:3472-3481.

Cappellari M, Seiffge D, Koga M, Paciaroni M, Forlivesi S, Turcato G, Bovi P, Yoshimura S, Tanaka K, Shiozawa M, Yoshimoto T, Miwa K, Takagi M, Inoue M, Yamagami H, Caso V, Tsivgoulis G, Venti M, Acciarresi M, Alberti A, Toni D, Polymeris A, Bonetti B, Agnelli G, Toyoda K, Engelter S, De Marchis G, SAMURAI-NVAF, RAF-NOAC, NOACISP LONG-TERM, and Verona Study Groups. A nomogram to predict unfavourable outcome in patients receiving oral anticoagulants for atrial fibrillation after stroke. *Eur Stroke J* 2020; 5:384-393.

Tsivgoulis G, Katsanos A, Seiffge D, Paciaroni M, Wilson D, Koga M, Macha K, Cappellari M, Kallmünzer B, Polymeris A, Toyoda K, Caso V, Werring D, Engelter S, De Marchis G, RAF, RAF-DOAC, CROMIS-2, SAMURAI, NOACISP, Erlangen, Verona registry collaborators. Fatal intracranial haemorrhage occurring after oral anticoagulant treatment initiation for secondary stroke prevention in patients with atrial fibrillation. *Eur J Neurol* 2020; 27:1612-1617.

Seiffge D, De Marchis G, Koga M, Paciaroni M, Wilson D, Cappellari M, Macha M, Tsivgoulis G, Ambler G, Arihiro S, Bonati L, Bonetti B, Kallmünzer B, Muir K, Bovi P, Gensicke H, Inoue M, Schwab S, Yaghi S, Brown M, Lyrer P, Takagi M, Acciarrese M, Jäger H, Polymeris A, Toyoda K, Venti M, Traenka C, Yamagami H, Alberti A, Yoshimura S, Caso V, Engelter S, Werring D, RAF, RAF-DOAC, CROMIS-2, SAMURAI, NOACISP, Erlangen, and Verona registry collaborators. Ischemic Stroke despite Oral Anticoagulant Therapy in Patients with Atrial Fibrillation. *Ann Neurol* 2020; 87:677-87.

Seiffge D, Paciaroni M, Wilson D, Koga M, Macha K, Cappellari M, Schaedelin S, Shakeshaft C, Takagi M, Tsivgoulis G, Bonetti B, Kallmünzer B, Arihiro S, Alberti A, Polymeris A, Ambler G, Yoshimura S, Venti M, Bonati L, Muir K, Yamagami H, Thilemann S, Altavilla R, Peters N, Inoue M, Bobinger T, Agnelli G, Brown M, Sato S, Acciarresi M, Jäger H, Bovi P, Schwab S, Lyrer P, Caso V, Toyoda K, Werring D, Engelter S, De Marchis G, CROMIS-2, RAF, RAF-DOAC, SAMURAI, NOACISP LONGTERM, Erlangen and Verona registry collaborators. Direct oral anticoagulants versus vitamin K antagonists after recent ischemic stroke in patients with atrial fibrillation. *Ann Neurol* 2019; 85:823-834.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch