



Katharina Spanaus

Kontakt

Katharina Spanaus

Publikationen (4)

Honegger T, Schweizer J, Bicvic A, Westphal L, Schütz V, Inauen C, Pokorny T, Bracher K, Arnold M, Fischer U, Bonati L, De Marchis G, Nedeltchev K, Kahles T, Cereda C, Kägi G, Montaner J, Bustamante A, Palà E, Ntaios G, Foerch C, Luft A, Spanaus K, Saleh L, von Eckardstein A, Arnold M, Katan M. Serum S-100B adds incremental value for the prediction of symptomatic intracranial hemorrhage and brain edema after acute ischemic stroke. *Eur Stroke J* 2022; 8:309–319.

Schweizer J, Arnoldini M, König I, Bicvic A, Westphal L, Schütz V, Inauen C, Scherrer N, Luft A, Galovic M, Ferreira Atuesta C, Pokorny T, Arnold M, Fischer U, Bonati L, De Marchis G, Kahles T, Nedeltchev K, Cereda C, Kägi G, Bustamante A, Montaner J, Ntaios G, Sagris D, Foerch C, Spanaus K, von Eckardstein A, Katan M. Measurement of Midregional Pro-Atrial Natriuretic Peptide to Discover Atrial Fibrillation in Patients With Ischemic Stroke. *J Am Coll Cardiol* 2022; 79:1369–1381.

Arnold M, Schweizer J, Nakas C, Schütz V, Westphal L, Inauen C, Pokorny T, Luft A, Leichtle A, Arnold M, Bicvic A, Fischer U, De Marchis G, Bonati L, Delignette-Muller M, Kahles T, Nedeltchev K, Cereda C, Kägi G, Bustamante A, Montaner J, Ntaios G, Foerch C, Spanaus K, von Eckardstein A, Katan M. Lipoprotein(a) is associated with large artery atherosclerosis stroke aetiology and stroke recurrence among patients below the age of 60 years: results from the BIOSIGNAL study. *Eur Heart J* 2021; 42:2186–2196.

Kistler A, Wüthrich R, Spanaus K, Binet F, Senn O, Raina S, Weishaupt D, Krauer F, Poster D, Serra A. Increases in kidney volume in autosomal dominant polycystic kidney disease can be detected within 6 months. *Kidney international* 2009; 75:235–41.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch