



## Dr. med. Evangelos Kogias

### Kontakt

Dr. med. Evangelos Kogias  
Rorschacher Strasse 95  
9007 St. Gallen  
Switzerland

T +41 71 494 3050  
[evangelos.kogias@kssg.ch](mailto:evangelos.kogias@kssg.ch)

### Bereiche

Neurochirurgie

## Publikationen (37)

Vasilikos I, Hubbe U, Beck J, Sircar R, Roelz R, Kogias E, Scholz C, Krüger M, Fistouris P, Klingler J. How Safe Is Minimally Invasive Transforaminal Lumbar Interbody Fusion for Octogenarians?: A Perioperative Complication Analysis. *World Neurosurg* 2020; 139:e754–e760.

Kogias E, Schmeiser B, Doostkam S, Brandt A, Hammen T, Zentner J, Ramantani G. Multilobar Resections for 3T MRI-Negative Epilepsy: Worth the Trouble?. *World Neurosurg* 2018; 123:e338–e347.

Kogias E. Multilobar Resections for 3T MRI-Negative Epilepsy: Worth the Trouble?. *World Neurosurg* 2018; 2018 Nov 28

Kogias E. Histopathology of 3 Tesla MRI-negative extratemporal focal epilepsies. *J Clin Neurosci* 2018; 2018 Nov

Kogias E, Altenmüller D, Klingler J, Schmeiser B, Urbach H, Doostkam S. Histopathology of 3 Tesla MRI-negative extratemporal focal epilepsies. *J Clin Neurosci* 2018; 50:232–236.

Kogias E. The oxymoron of image-guided resection in 3 T MRI-negative extratemporal epilepsy: Technique and postoperative results. *Clin Neurol Neurosurg* 2018; 2018 Mar

Kogias E, Evangelou P, Schmeiser B, Reinacher P, Altenmüller D. The oxymoron of image-guided resection in 3 T MRI-negative extratemporal epilepsy: Technique and postoperative results. *Clin Neurol Neurosurg* 2018; 166:16–22.

Kogias E. Histopathology of 3 Tesla MRI-negative temporal lobe epilepsies. *J Clin Neurosci* 2018; 2018 Jan

Kogias E, Klingler J, Franco Jimenez P, Vasilikos I, Sircar R, Scholz C, Hubbe U. Incidental Durotomy in Open Versus Tubular Revision Microdiscectomy: A Retrospective Controlled Study on Incidence, Management, and Outcome. *Clin Spine Surg* 2017; 30:E1333–E1337.

Peto I, Scheiwe C, Kogias E, Hubbe U. Minimally Invasive Posterior Cervical Foraminotomy: Freiburg Experience With 34 Patients. *Clin Spine Surg* 2017; 30:E1419–E1425.

Kogias E, Klingler J, Urbach H, Scheiwe C, Schmeiser B, Doostkam S, Zentner J, Altenmüller D. 3 Tesla MRI-negative focal epilepsies: Presurgical evaluation, postoperative outcome and predictive factors. *Clin Neurol Neurosurg* 2017; 163:116–120.

Schmeiser B, Zentner J, Steinhoff B, Schulze-Bonhage A, Kogias E, Wendling A, Hammen T. Functional hemispherectomy is safe and effective in adult patients with epilepsy. *Epilepsy Behav* 2017; 77:19–25.

Kogias E, Altenmüller D, Klingler J, Schmeiser B, Urbach H, Doostkam S. Histopathology of 3 Tesla MRI-negative temporal lobe epilepsies. *J Clin Neurosci* 2017; 47:273–277.

Schmeiser B, Lagrèze W, Zentner J, Steinhoff B, Schulze-Bonhage A, Foit N, Yang S, Egger K, Böhringer D, Kogias E, Daniel M, Gross N. Visual field defects following different resective procedures for mesiotemporal lobe epilepsy. *Epilepsy Behav* 2017; 76:39–45.

<p>Schmeiser B, Zentner J, Steinhoff B, Brandt A, Schulze-Bonhage A, Kogias E, Hammen T. The role of presurgical EEG parameters and of reoperation for seizure outcome in temporal lobe epilepsy. <i>Seizure</i> 2017; 51:174-179.</p>
<p>Klingler J, Sircar R, Scheiwe C, Kogias E, Krüger M, Scholz C, Hubbe U. Comparative Study of C-Arms for Intraoperative 3-dimensional Imaging and Navigation in Minimally Invasive Spine Surgery Part II: Radiation Exposure. <i>Clin Spine Surg</i> 2017; 30:E669-E676.</p>
<p>Klingler J, Sircar R, Scheiwe C, Kogias E, Volz F, Krüger M, Hubbe U. Comparative Study of C-arms for Intraoperative 3-dimensional Imaging and Navigation in Minimally Invasive Spine Surgery Part I: Applicability and Image Quality. <i>Clin Spine Surg</i> 2017; 30:276-284.</p>
<p>Scholz C, Hubbe U, Kogias E, Roelz R, Klingler J. Microsurgical resection of juxtafacet cysts without concomitant fusion-Long-term follow-up of 74 patients. <i>Clin Neurol Neurosurg</i> 2016; 153:35-40.</p>
<p>Hubbe U, Franco-Jimenez P, Klingler J, Vasilikos I, Scholz C, Kogias E. Minimally invasive tubular microdiscectomy for recurrent lumbar disc herniation. <i>J Neurosurg Spine</i> 2015; 24:48-53.</p>
<p>Klingler J, Krüger M, Kogias E, Brendecke S, Hubbe U, Scheiwe C. Minimally invasive resection and vertebroplasty for an osteolytic C-1 metastasis of malignant meningioma: case report. <i>J Neurosurg Spine</i> 2015; 23:602-606.</p>
<p>Kogias E, Franco Jimenez P, Klingler J, Hubbe U. Minimally invasive redo discectomy for recurrent lumbar disc herniations. <i>J Clin Neurosci</i> 2015; 22:1382-6.</p>
<p>Scholz C, Hubbe U, Kogias E, Klingler J. Incomplete resection of lumbar synovial cysts – Evaluating the risk of recurrence. <i>Clin Neurol Neurosurg</i> 2015; 136:29-32.</p>
<p>Klingler J, Volz F, Krüger M, Kogias E, Rölz R, Scholz C, Sircar R, Hubbe U. Accidental Durotomy in Minimally Invasive Transforaminal Lumbar Interbody Fusion: Frequency, Risk Factors, and Management. <i>ScientificWorldJournal</i> 2015; 2015:532628.</p>
<p>Klingler J, Scholz C, Kogias E, Sircar R, Krüger M, Volz F, Scheiwe C, Hubbe U. Minimally Invasive Technique for PMMA Augmentation of Fenestrated Screws. <i>ScientificWorldJournal</i> 2015; 2015:979186.</p>
<p>Hubbe U, Sircar R, Scheiwe C, Scholz C, Kogias E, Krüger M, Volz F, Klingler J. Surgeon, staff, and patient radiation exposure in minimally invasive transforaminal lumbar interbody fusion: impact of 3D fluoroscopy-based navigation partially replacing conventional fluoroscopy: study protocol for a randomized controlled trial. <i>Trials</i> 2015; 16:142.</p>
<p>Kogias E, Jimenez P, Hubbe U. Microendoscopic lumbar discectomy: Technique and results of 188 cases. <i>Indian J Orthop</i> 2015; 49:262-3.</p>
<p>Klingler J, Krüger M, Sircar R, Kogias E, Scholz C, Volz F, Scheiwe C, Hubbe U. PEEK cages versus PMMA spacers in anterior cervical discectomy: comparison of fusion, subsidence, sagittal alignment, and clinical outcome with a minimum 1-year follow-up. <i>ScientificWorldJournal</i> 2014; 2014:398396.</p>
<p>Kogias E, Klingler J, Sircar R, Deininger M, Hubbe U. Minimally invasive revision of a C2 isthmus screw. <i>J Neurol Surg A Cent Eur Neurosurg</i> 2013; 74 Suppl 1:e211-4.</p>

Klingler J, Kluge P, Sircar R, Kogias E, Scholz C, Krüger M, Scheiwe C, Hubbe U. First experience using navigation-guided radiofrequency kyphoplasty for sacroplasty in sacral insufficiency fractures. *Rofo* 2013; 185:733-40.

Klingler J, Sircar R, Deininger M, Scheiwe C, Kogias E, Hubbe U. Vesselplasty: a new minimally invasive approach to treat pathological vertebral fractures in selected tumor patients - preliminary results. *Rofo* 2013; 185:340-50.

Weyerbrock A, Keefer L, Saavedra J, Bette S, Werres A, Kogias E, Baumer B, Psarras N, Osterberg N, Papazoglou A. JS-K, a glutathione S-transferase-activated nitric oxide donor with antineoplastic activity in malignant gliomas. *Neurosurgery* 2012; 70:497-510; discussion 510.

Kogias E, Kircher A, Deininger M, Psarras N, Keck T, Schäfer A, Hubbe U. A very rare cause of low-back pain and sciatica: deep vein thrombosis due to absence of the inferior vena cava mimicking the clinical and radiological signs of lumbar disc herniation. *J Neurosurg Spine* 2011; 15:164-7.

Kogias E, Osterberg N, Baumer B, Psarras N, Koentges C, Papazoglou A, Saavedra J, Keefer L, Weyerbrock A. Growth-inhibitory and chemosensitizing effects of the glutathione-S-transferase- $\pi$ -activated nitric oxide donor PABA/NO in malignant gliomas. *Int J Cancer* 2011; 130:1184-94.

Kogias E, Sircar R, Klingler J, Deininger M, Hubbe U. Retropsoas iliac artery: potential cause of complications in lumbar spine surgery. *J Neurosurg Spine* 2011; 15:210.

Vougioukas V, Hubbe U, Kogias E, Psarras N, Halatsch M. Vertebroplasty combined with image-guided percutaneous cement augmented transpedicular fixation for the treatment of complex vertebral fractures in osteoporotic patients. *J Neurosurg Sci* 2010; 54:135-41.

Hubbe U, Kogias E, Vougioukas V. Image guided percutaneous trans-pedicular screw fixation of the thoracic spine. A clinical evaluation. *Acta Neurochir (Wien)* 2009; 151:545-9; discussion 549.

Kogias E, Vougioukas V, Hubbe U, Halatsch M. Minimally invasive approach for the treatment of lateral lumbar disc herniations. Technique and results. *Minim Invasive Neurosurg* 2007; 50:160-2.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)