



**Rainer Hoffmann**

**Kontakt**

Rainer Hoffmann

## Publikationen (11)

Hoffmann R, Haager P, Suliman H, Christott P, Radke P, Blindt R, Kelm M. Effect of statin therapy before Q-wave myocardial infarction on myocardial perfusion. *The American journal of cardiology* 2008; 101:139-43.

Hoffmann R, Hanrath P, Blindt R, Ortlepp J, Radke P, Lepper W, Christott P, Haager P, Suliman H, Weber C. Association of C-reactive protein and myocardial perfusion in patients with ST-elevation acute myocardial infarction. *Atherosclerosis* 2006; 186:177-83.

Iofina E, Haager P, Radke P, Langenberg R, Blindt R, Ortlepp J, Kühl H, Hanrath P, Hoffmann R. Sirolimus- and paclitaxel-eluting stents in comparison with balloon angioplasty for treatment of in-stent restenosis. *Catheterization and cardiovascular interventions : official journal of the Society for Cardiac Angiography & Interventions* 2005; 64:28-34.

Hoffmann R, Weber C, Langenberg R, Franke A, Iofina E, Blindt R, Haager P, Ortlepp J, Radke P, Hanrath P. Intravascular ultrasonic comparative analysis of degree of intimal hyperplasia produced by four different stents in the coronary arteries. *The American journal of cardiology* 2004; 94:1548-50.

Radke P, Voswinkel M, Reith M, Kaiser A, Haager P, Hanrath P, Hoffmann R. Relation of fasting insulin plasma levels to restenosis after elective coronary stent implantation in patients without diabetes mellitus. *The American journal of cardiology* 2004; 93:639-41.

Hoffmann R, Haager P, Arning J, Christott P, Radke P, Blindt R, Ortlepp J, Lepper W, Hanrath P. Usefulness of myocardial blush grade early and late after primary coronary angioplasty for acute myocardial infarction in predicting left ventricular function. *The American journal of cardiology* 2003; 92:1015-9.

Haager P, vom Dahl J, Klues H, Radke P, Hoffmann R, Horn B, Reineke T, di Mario C, Dietz U, Mudra H, Bedossa M, Garcia E, Buettner H, Schiele F, ARTIST Investigators. Insufficient tissue ablation by rotational atherectomy leads to worse long-term results in comparison with balloon angioplasty alone for the treatment of diffuse in-stent restenosis: insights from the intravascular ultrasound substudy of the ARTIST randomized multicenter trial. *Catheterization and cardiovascular interventions : official journal of the Society for Cardiac Angiography & Interventions* 2003; 60:25-31.

Haager P, Christott P, Heussen N, Lepper W, Hanrath P, Hoffmann R. Prediction of clinical outcome after mechanical revascularization in acute myocardial infarction by markers of myocardial reperfusion. *Journal of the American College of Cardiology* 2003; 41:532-8.

Hoffmann R, vom Dahl J, Mudra H, Beythien C, Gross M, Grube E, Bozoglu T, Haager P, Mintz G, Hanrath P. Relation of stent design and stent surface material to subsequent in-stent intimal hyperplasia in coronary arteries determined by intravascular ultrasound. *The American journal of cardiology* 2002; 89:1360-4.

vom Dahl J, Reineke T, Hoffmann R, Hamm C, Cattelaens N, Kromer E, Beythien C, Gross M, Grube E, Haager P, Klues H. Effects of gold coating of coronary stents on neointimal proliferation following stent implantation. *The American journal of cardiology* 2002; 89:801-5.

vom Dahl J, Reineke T, Hoffmann R, Hamm C, Garcia E, Ramsdale D, Commeau P, Thomas M, Schiele F, Buettner H, Niccoli L, Silber S, Haager P, Dietz U, Klues H. Rotational atherectomy does not reduce recurrent in-stent restenosis: results of the angioplasty versus rotational atherectomy for treatment of diffuse in-stent restenosis trial (ARTIST). *Circulation* 2002; 105:583-8.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)