



**Rüdiger Blöndt**

**Kontakt**

Rüdiger Blöndt

## Publikationen (5)

Hoffmann R, Haager P, Suliman H, Christott P, Radke P, Blindt R, Kelm M. Effect of statin therapy before Q-wave myocardial infarction on myocardial perfusion. *The American journal of cardiology* 2008; 101:139–43.

Hoffmann R, Hanrath P, Blindt R, Ortlepp J, Radke P, Lepper W, Christott P, Haager P, Suliman H, Weber C. Association of C-reactive protein and myocardial perfusion in patients with ST-elevation acute myocardial infarction. *Atherosclerosis* 2006; 186:177–83.

Iofina E, Haager P, Radke P, Langenberg R, Blindt R, Ortlepp J, Kühl H, Hanrath P, Hoffmann R. Sirolimus- and paclitaxel-eluting stents in comparison with balloon angioplasty for treatment of in-stent restenosis. *Catheterization and cardiovascular interventions : official journal of the Society for Cardiac Angiography & Interventions* 2005; 64:28–34.

Hoffmann R, Weber C, Langenberg R, Franke A, Iofina E, Blindt R, Haager P, Ortlepp J, Radke P, Hanrath P. Intravascular ultrasonic comparative analysis of degree of intimal hyperplasia produced by four different stents in the coronary arteries. *The American journal of cardiology* 2004; 94:1548–50.

Hoffmann R, Haager P, Arning J, Christott P, Radke P, Blindt R, Ortlepp J, Lepper W, Hanrath P. Usefulness of myocardial blush grade early and late after primary coronary angioplasty for acute myocardial infarction in predicting left ventricular function. *The American journal of cardiology* 2003; 92:1015–9.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)