



Gwendoline Boillat

Kontakt

Gwendoline Boillat

Publikationen (6)

Boillat G, Franssen T, Wanderer S, Rey J, Casoni D, Andereggen L, Marbacher S, Grüter B. Anatomical Variations of the Common Carotid Arteries and Neck Structures of the New Zealand White Rabbit and Their Implications for the Development of Preclinical Extracranial Aneurysm Models. *Brain Sci* 2023; 13

Wanderer S, Grüter B, Kumin J, Boillat G, Sivanrupan S, Catalano K, von Gunten M, Widmer H, Marbacher S, Andereggen L. Using a Cell-Tracer Injection to Investigate the Origin of Neointima-Forming Cells in a Rat Saccular Side Wall Model. *J Vis Exp* 2022

Wanderer S, Grüter B, Boillat G, Sivanrupan S, Rey J, Catalano K, vonGunten M, Widmer H, Andereggen L, Marbacher S. Parent artery-initiated and stent-mediated neointima formation in a rat saccular side wall model. *J Neurointerv Surg* 2022; 14:1258-1263.

Boillat G, Franssen T, Grüter B, Wanderer S, Catalano K, Casoni D, Andereggen L, Marbacher S. Creation of Two Saccular Elastase-Digested Aneurysms with Different Hemodynamics in One Rabbit. *J Vis Exp* 2021

Wanderer S, Grüter B, Strange F, Boillat G, Sivanrupan S, Rey J, von Gunten M, Remonda L, Widmer H, Casoni D, Andereggen L, Fandino J, Marbacher S. Aspirin treatment prevents inflammation in experimental bifurcation aneurysms in New Zealand White rabbits. *J Neurointerv Surg* 2021; 14:189-195.

Grüter B, Wanderer S, Strange F, Boillat G, Täschler D, Rey J, Croci D, Grandgirard D, Leib S, von Gunten M, Di Santo S, Widmer H, Remonda L, Andereggen L, Nevzati E, Coluccia D, Fandino J, Marbacher S. Patterns of Neointima Formation After Coil or Stent Treatment in a Rat Saccular Sidewall Aneurysm Model. *Stroke* 2021; 52:1043-1052.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch