



Hendrik Lehnert

Kontakt

Hendrik Lehnert

Publikationen (7)

Schmid S, Hallschmid M, Jauch-Chara K, Lehnert H, Schultes B. Sleep timing may modulate the effect of sleep loss on testosterone. *Clin Endocrinol (Oxf)* 2012; 77:749-54.

Ott V, Friedrich M, Zemlin J, Lehnert H, Schultes B, Born J, Hallschmid M. Meal anticipation potentiates postprandial ghrelin suppression in humans. *Psychoneuroendocrinology* 2011; 37:1096-100.

Schmid S, Hallschmid M, Jauch-Chara K, Wilms B, Lehnert H, Born J, Schultes B. Disturbed gluco-regulatory response to food intake after moderate sleep restriction. *Sleep* 2011; 34:371-7.

Schmid S, Hallschmid M, Lehnert H, Schultes B. Response to the Letter to the editor "Short sleep duration is associated with reduced leptin levels and increased adiposity: results from the Quebec family study" by Chaput et al. *Am J Clin Nutr* 2010; 91:823-824.

Denecke B, Bigalke B, Haap M, Overkamp D, Lehnert H, Haas C. Hantavirus infection: a neglected diagnosis in thrombocytopenia and fever?. *Mayo Clin Proc* 2010; 85:1016-20.

Benedict C, Brede S, Schiöth H, Lehnert H, Schultes B, Born J, Hallschmid M. Intranasal insulin enhances postprandial thermogenesis and lowers postprandial serum insulin levels in healthy men. *Diabetes* 2010; 60:114-8.

Schmid S, Hallschmid M, Jauch-Chara K, Wilms B, Benedict C, Lehnert H, Born J, Schultes B. Short-term sleep loss decreases physical activity under free-living conditions but does not increase food intake under time-deprived laboratory conditions in healthy men. *The American journal of clinical nutrition* 2009; 90:1476-82.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch