



Hans Scheffel

Kontakt

Hans Scheffel

Publikationen (66)

Scheffel H, Stolzmann P, Leschka S, Desbiolles L, Seifert B, Marincek B, Alkadhi H. Ventricular short-axis measurements in patients with pulmonary embolism: Effect of ECG-gating on variability, accuracy, and risk prediction. *Eur J Radiol* 2011

Feuchtner G, Leschka S, Alkadhi H, Falk V, Schnabl J, Donati O, Stolzmann P, Wyss C, Scheffel H, Wieser M, Plass A, Goetti R, Cury R. Adenosine stress high-pitch 128-slice dual-source myocardial computed tomography perfusion for imaging of reversible myocardial ischemia: comparison with magnetic resonance imaging. *Circ Cardiovasc Imaging* 2011; 4:540-9.

Donati O, Leschka S, Falk V, Kozerke S, Plass A, Azemaj N, Wyss C, Hennemuth A, Kuehnel C, Scheffel H, Alkadhi H, Stolzmann P. 3D fusion of functional cardiac magnetic resonance imaging and computed tomography coronary angiography: accuracy and added clinical value. *Invest Radiol* 2011; 46:331-40.

Baumuegger S, Desbiolles L, Scheffel H, Feuchtner G, Falk V, Plass A, Schertler T, Goetti R, Frauenfelder T, Stolzmann P, Alkadhi H, Leschka S. Computed tomography of the lung in the high-pitch mode: is breath holding still required?. *Invest Radiol* 2011; 46:240-5.

Stolzmann P, Donati O, Desbiolles L, Kozerke S, Hoffmann U, Alkadhi H, Scheffel H. Coronary artery plaques and myocardial ischaemia. *Eur Radiol* 2011; 21:1628-34.

Feuchtner G, Jaschke W, Wolf F, Scheffel H, Klauser A, Mueller S, Leschka S, Plass A, Dichtl W, Lessick J, Spoeck A, Alkadhi H. Quantification of aortic regurgitant fraction and volume with multi-detector computed tomography comparison with echocardiography. *Acad Radiol* 2011; 18:334-42.

Fornaro J, Alkadhi H, Wildermuth S, Scheffel H, Pache G, Anderson N, Butler A, Hibbeln D, Leschka S, Stolzmann P. Dual- and multi-energy CT: approach to functional imaging. *Insights Imaging* 2011; 2:149-159.

Guggenberger R, Andreisek G, Scheffel H, Wildermuth S, Leschka S, Stolzmann P. Absent cervical spine pedicle and associated congenital spinal abnormalities - a diagnostic trap in a setting of acute trauma: case report. *BMC Med Imaging* 2010; 10:25.

Stolzmann P, Alkadhi H, Scheffel H, Plass A, Leschka S, Falk V, Kozerke S, Wyss C, Donati O. Combining cardiac magnetic resonance and computed tomography coronary calcium scoring: added value for the assessment of morphological coronary disease?. *Int J Cardiovasc Imaging* 2010

Karlo C, Lauber A, Goetti R, Baumuegger S, Stolzmann P, Scheffel H, Desbiolles L, Schmidt B, Marincek B, Alkadhi H, Leschka S. Dual-energy CT with tin filter technology for the discrimination of renal lesion proxies containing blood, protein, and contrast-agent. An experimental phantom study. *Eur Radiol* 2010; 21:385-92.

Donati O, Alkadhi H, Marincek B, Falk V, Wyss C, Plass A, Kozerke S, Leschka S, Desbiolles L, Stolzmann P, Scheffel H. Coronary artery disease: Which degree of coronary artery stenosis is indicative of ischemia?. *Eur J Radiol* 2010

Fischer M, Marincek B, Stolzmann P, Alkadhi H, Leschka S, Breitenstein S, Montani M, Reiner C, Nanz D, Scheffel H. Diagnostic performance and accuracy of 3-D spoiled gradient-dual-echo MRI with water- and fat-signal separation in liver-fat quantification: comparison to liver biopsy. *Invest Radiol* 2010; 45:465-70.

Mader C, Stolzmann P, Leschka S, Alkadhi H, Scheffel H. Hemoptysis--a sign of primary cardiac malignancy. *Herz* 2010; 35:355-7.

Goetti R, Marincek B, Knuth A, Scheffel H, Stolzmann P, Reiner C, Stenner F, von Boehmer L, Samaras P, Klotz E, Desbiolles L, Leschka S, Alkadhi H. Quantitative computed tomography liver perfusion imaging using dynamic spiral scanning with variable pitch: feasibility and initial results in patients with cancer metastases. *Invest Radiol* 2010; 45:419-26.

Goetti R, Alkadhi H, Scheffel H, Baumüller S, Karlo C, Fischer M, Desbiolles L, Stolzmann P, Feuchtner G, Leschka S. High-pitch dual-source CT coronary angiography: systolic data acquisition at high heart rates. *Eur Radiol* 2010; 20:2565-71.

Leschka S, Jochum W, Marincek B, Oehlschlegel C, Wildermuth S, Wunnicke K, Feuchtner G, Scheffel H, Goetti R, Stolzmann P, Baumüller S, Dettmer M, Seitun S, Alkadhi H. Ex vivo evaluation of coronary atherosclerotic plaques: characterization with dual-source CT in comparison with histopathology. *J Cardiovasc Comput Tomogr* 2010; 4:301-8.

Alkadhi H, Marincek B, Falk V, Feuchtner G, Scheffel H, Plass A, Goetti R, Baumüller S, Desbiolles L, Stolzmann P, Leschka S. Low-dose, 128-slice, dual-source CT coronary angiography: accuracy and radiation dose of the high-pitch and the step-and-shoot mode. *Heart* 2010; 96:933-8.

Schertler T, Trindade P, Leschka S, Stolzmann P, Scheffel H, Alkadhi H. Biventricular noncompaction and bilateral outflow obstruction. Echocardiographic and computed tomography imaging features. *Herz* 2010; 35:211-2.

Feuchtner G, Alkadhi H, Marincek B, Wieser M, Scheffel H, Stolzmann P, Baumüller S, Plass A, Goetti R, Leschka S. Dual-step prospective ECG-triggered 128-slice dual-source CT for evaluation of coronary arteries and cardiac function without heart rate control: a technical note. *Eur Radiol* 2010; 20:2092-9.

Donati O, Scheffel H, Stolzmann P, Baumüller S, Plass A, Leschka S, Alkadhi H. Combined cardiac CT and MRI for the comprehensive workup of hemodynamically relevant coronary stenoses. *AJR Am J Roentgenol* 2010; 194:920-6.

Leschka S, Stolzmann P, Baumüller S, Scheffel H, Desbiolles L, Schmid B, Marincek B, Alkadhi H. Performance of dual-energy CT with tin filter technology for the discrimination of renal cysts and enhancing masses. *Acad Radiol* 2010; 17:526-34.

Leschka S, Kim C, Baumüller S, Stolzmann P, Scheffel H, Marincek B, Alkadhi H. Scan length adjustment of CT coronary angiography using the calcium scoring scan: effect on radiation dose. *AJR Am J Roentgenol* 2010; 194:W272-7.

Scheffel H, Marincek B, Wyss C, Boesiger P, Falk V, Kozerke S, Leschka S, Desbiolles L, Baumüller S, Plass A, Azemaj N, Alkadhi H, Stolzmann P, Donati O. Low-dose CT and cardiac MR for the diagnosis of coronary artery disease: accuracy of single and combined approaches. *Int J Cardiovasc Imaging* 2010; 26:579-90.

Saur S, Székely G, Fuchs T, Desbiolles L, Scheffel H, Leschka S, Baumüller S, Stolzmann P, Alkadhi H, Cattin P. Effect of reader experience on variability, evaluation time and accuracy of coronary plaque detection with computed tomography coronary angiography. *Eur Radiol* 2010; 20:1599-606.

Scheffel H, Stolzmann P, Plass A, Leschka S, Grünenfelder J, Falk V, Marincek B, Alkadhi H. Coronary artery disease in patients with cardiac tumors: preoperative assessment by computed tomography coronary angiography. *Interact Cardiovasc Thorac Surg* 2010; 10:513-8.

Stolzmann P, Alkadhi H, Marincek B, Feuchtner G, Scheffel H, Falk V, Plass A, Baumuegger S, Goetti R, Leschka S. Prospective and retrospective ECG-gating for CT coronary angiography perform similarly accurate at low heart rates. 2010
Stolzmann P, Leschka S, Scheffel H, Rentsch K, Baumüller S, Desbiolles L, Schmidt B, Marincek B, Alkadhi H. Characterization of urinary stones with dual-energy CT: improved differentiation using a tin filter. Invest Radiol 2010; 45:1-6.
Stolzmann P, Marincek B, Boesiger P, Grünenfelder J, Leschka S, Kozerke S, Plass A, Baumuegger S, Azemaj N, Scheffel H, Donati O, Alkadhi H. Low-dose CT coronary angiography for the prediction of myocardial ischaemia. Eur Radiol 2010; 20:56-64.
Leschka S, Wildermuth S, Flohr T, Scheffel H, Stolzmann P, Baumuegger S, Thurnheer M, Schultes B, Schmid F, Stinn B, Alkadhi H. Dual source CT coronary angiography in severely obese patients: trading off temporal resolution and image noise. Invest Radiol 2009; 44:720-7.
Donati O, Stolzmann P, Leschka S, Simmen H, Marincek B, Alkadhi H, Scheffel H. Magnetic resonance imaging of cardiac contusion. Herz 2009; 34:562-3.
Leschka S, Marincek B, Feuchtner G, Falk V, Plass A, Scheffel H, Schertler T, Goetti R, Baumuegger S, Desbiolles L, Stolzmann P, Alkadhi H. Diagnostic accuracy of high-pitch dual-source CT for the assessment of coronary stenoses: first experience. Eur Radiol 2009; 19:2896-903.
Stolzmann P, Kozomara M, Chuck N, Müntener M, Leschka S, Scheffel H, Alkadhi H. In vivo identification of uric acid stones with dual-energy CT: diagnostic performance evaluation in patients. Abdom Imaging 2009
Plass A, Azemaj N, Scheffel H, Desbiolles L, Alkadhi H, Genoni M, Falk V, Grünenfelder J. Accuracy of dual-source computed tomography coronary angiography: evaluation with a standardised protocol for cardiac surgeons. Eur J Cardiothorac Surg. 2009; 36:1011-7.
Baumüller S, Leschka S, Desbiolles L, Stolzmann P, Scheffel H, Seifert B, Marincek B, Alkadhi H. Dual-source versus 64-section CT coronary angiography at lower heart rates: comparison of accuracy and radiation dose. Radiology 2009; 253:56-64.
Schertler T, Frauenfelder T, Stolzmann P, Scheffel H, Desbiolles L, Marincek B, Kaplan V, Kucher N, Alkadhi H. Triple rule-out CT in patients with suspicion of acute pulmonary embolism: findings and accuracy. Acad Radiol 2009; 16:708-17.
Scheffel H, Marincek B, Schertler T, Frauenfelder T, Leschka S, Desbiolles L, Lachat M, Wilhelm M, Stolzmann P, Alkadhi H. Conventional radiography and computed tomography of cardiac assist devices. Eur Radiol 2009; 19:2097-106.
Alkadhi H, Marincek B, Cattin P, Genoni M, Trindade P, Schertler T, Plass A, Scheffel H, Leschka S, Stolzmann P, Desbiolles L, Frauenfelder T. Mitral annular shape, size, and motion in normals and in patients with cardiomyopathy: evaluation with computed tomography. Invest Radiol 2009; 44:218-25.
Scheffel H, Baumuegger S, Stolzmann P, Leschka S, Plass A, Alkadhi H, Schertler T. Atrial myxomas and thrombi: comparison of imaging features on CT. AJR Am J Roentgenol 2009; 192:639-45.

Stolzmann P, Marincek B, Poulikakos D, Leschka S, Kurtcuoglu V, Plass A, Scheffel H, Maier W, Desbiolles L, Knight J, Alkadhi H. Remodelling of the aortic root in severe tricuspid aortic stenosis: implications for transcatheter aortic valve implantation. <i>Eur Radiol</i> 2009; 19:1316–23.
Leschka S, Stolzmann P, Scheffel H, Wildermuth S, Plass A, Genoni M, Marincek B, Alkadhi H. Prevalence and morphology of coronary artery ectasia with dual-source CT coronary angiography. <i>Eur Radiol</i> 2008; 18:2776–84.
Stolzmann P, Scheffel H, Leschka S, Plass A, Baumüller S, Marincek B, Alkadhi H. Influence of calcifications on diagnostic accuracy of coronary CT angiography using prospective ECG triggering. <i>AJR Am J Roentgenol</i> 2008; 191:1684–9.
Frauenfelder T, Appenzeller P, Karlo C, Scheffel H, Desbiolles L, Stolzmann P, Marincek B, Alkadhi H, Schertler T. Triple rule-out CT in the emergency department: protocols and spectrum of imaging findings. <i>Eur Radiol</i> 2008; 19:789–99.
Alkadhi H, Stolzmann P, Scheffel H, Desbiolles L, Baumüller S, Plass A, Genoni M, Marincek B, Leschka S. Radiation dose of cardiac dual-source CT: the effect of tailoring the protocol to patient-specific parameters. <i>Eur J Radiol</i> 2008; 68:385–91.
Stolzmann P, Marincek B, Wildermuth S, Flohr T, Genoni M, Plass A, Desbiolles L, Krauss T, Scheffel H, Leschka S, Alkadhi H. Dual-source CT in step-and-shoot mode: noninvasive coronary angiography with low radiation dose. <i>Radiology</i> 2008; 249:71–80.
Leschka S, Marincek B, Flohr T, Stinn B, Scheffel H, Leschka S, Schmid F, Stolzmann P, Alkadhi H, Wildermuth S. Mono- versus bisegment reconstruction algorithms for dual-source computed tomography coronary angiography. <i>Invest Radiol</i> 2008; 43:703–11.
Gaemperli O, Alkadhi H, Lüscher T, Eberli F, Leschka S, Scheffel H, Husmann L, Koepfli P, Valenta I, Schepis T, Kaufmann P. Functionally relevant coronary artery disease: comparison of 64-section CT angiography with myocardial perfusion SPECT. <i>Radiology</i> 2008; 248:414–23.
Stolzmann P, Scheffel H, Rentsch K, Schertler T, Frauenfelder T, Leschka S, Sulser T, Marincek B, Alkadhi H. Dual-energy computed tomography for the differentiation of uric acid stones: ex vivo performance evaluation. <i>Urol Res</i> 2008; 36:133–8.
Stolzmann P, Scheffel H, Leschka S, Schertler T, Frauenfelder T, Kaufmann P, Marincek B, Alkadhi H. Reference values for quantitative left ventricular and left atrial measurements in cardiac computed tomography. <i>Eur Radiol</i> 2008; 18:1625–34.
Husmann L, Alkadhi H, Marincek B, Leschka S, Herzog B, Desbiolles L, Stolzmann P, Hoefflinghaus T, Valenta I, Scheffel H, Schepis T, Gaemperli O, Kaufmann P. Accuracy of quantitative coronary angiography with computed tomography and its dependency on plaque composition: plaque composition and accuracy of cardiac CT. <i>Int J Cardiovasc Imaging</i> 2008; 24:895–904.
Leschka S, Scheffel H, Husmann L, Gämperli O, Marincek B, Kaufmann P, Alkadhi H. Effect of decrease in heart rate variability on the diagnostic accuracy of 64-MDCT coronary angiography. <i>AJR Am J Roentgenol</i> 2008; 190:1583–90.
Stolzmann P, Kaufmann P, Marincek B, Genoni M, Leschka S, Husmann L, Plass A, Trindade P, Scheffel H, Alkadhi H. Left ventricular and left atrial dimensions and volumes: comparison between dual-source CT and echocardiography. <i>Invest Radiol</i> 2008; 43:284–9.

Husmann L, Alkadhi H, Marincek B, Stolzmann P, Desbiolles L, Koepfli P, Valenta I, Leschka S, Gaemperli O, Scheffel H, Schepis T, Kaufmann P. Comparison of diagnostic accuracy of 64-slice computed tomography coronary angiography in patients with low, intermediate, and high cardiovascular risk. <i>Acad Radiol</i> 2008; 15:452-61.
Leschka S, Stolzmann P, Schmid F, Scheffel H, Stinn B, Marincek B, Alkadhi H, Wildermuth S. Low kilovoltage cardiac dual-source CT: attenuation, noise, and radiation dose. <i>Eur Radiol</i> 2008; 18:1809-17.
Husmann L, Alkadhi H, Marincek B, Stolzmann P, Desbiolles L, Leschka S, Siegrist P, Aepli U, Gaemperli O, Schepis T, Valenta I, Scheffel H, Kaufmann P. Impact of hypertension on the diagnostic accuracy of coronary angiography with computed tomography. <i>Int J Cardiovasc Imaging</i> 2008; 24:763-70.
Stolzmann P, Kaufmann P, Marincek B, Flohr T, Husmann L, Leschka S, Frauenfelder T, Schertler T, Scheffel H, Alkadhi H. Radiation dose estimates in dual-source computed tomography coronary angiography. <i>Eur Radiol</i> 2008; 18:592-9.
Alkadhi H, Kaufmann P, Marincek B, Genoni M, Luescher T, Goerres G, Plass A, Stolzmann P, Gaemperli O, Desbiolles L, Scheffel H, Leschka S. Dual-source computed tomography coronary angiography: influence of obesity, calcium load, and heart rate on diagnostic accuracy. <i>Eur Heart J</i> 2008; 29:766-76.
Gaemperli O, Valenta I, Schepis T, Husmann L, Scheffel H, Desbiolles L, Leschka S, Alkadhi H, Kaufmann P. Coronary 64-slice CT angiography predicts outcome in patients with known or suspected coronary artery disease. <i>Eur Radiol</i> 2008; 18:1162-73.
Scheffel H, Stolzmann P, Frauenfelder T, Schertler T, Desbiolles L, Leschka S, Marincek B, Alkadhi H. Dual-energy contrast-enhanced computed tomography for the detection of urinary stone disease. <i>Invest Radiol</i> 2007; 42:823-9.
Schertler T, Marincek B, Flohr T, Seifert B, Stolzmann P, Leschka S, Desbiolles L, Frauenfelder T, Scheffel H, Alkadhi H. Dual-source computed tomography in patients with acute chest pain: feasibility and image quality. <i>Eur Radiol</i> 2007; 17:3179-88.
Schepis T, Alkadhi H, Lüscher T, Eberli F, Husmann L, Leschka S, Scheffel H, Valenta I, Namdar M, Koepfli P, Gaemperli O, Kaufmann P. Added value of coronary artery calcium score as an adjunct to gated SPECT for the evaluation of coronary artery disease in an intermediate-risk population. <i>J Nucl Med</i> 2007; 48:1424-30.
Matt D, Scheffel H, Leschka S, Flohr T, Marincek B, Kaufmann P, Alkadhi H. Dual-source CT coronary angiography: image quality, mean heart rate, and heart rate variability. <i>AJR Am J Roentgenol</i> 2007; 189:567-73.
Alkadhi H, Kaufmann P, Jenni R, Marincek B, Genoni M, Flohr T, Gaemperli O, Schepis T, Vachenaue R, Scheffel H, Leschka S, Plass A, Husmann L, Desbiolles L, Frauenfelder T. Aortic regurgitation: assessment with 64-section CT. <i>Radiology</i> 2007; 245:111-21.
Leschka S, Kaufmann P, Marincek B, Genoni M, Flohr T, Husmann L, Valenta I, Gaemperli O, Plass A, Desbiolles L, Scheffel H, Alkadhi H. Image quality and reconstruction intervals of dual-source CT coronary angiography: recommendations for ECG-pulsing windowing. <i>Invest Radiol</i> 2007; 42:543-9.
Scheffel H, Kaufmann P, Marincek B, Genoni M, Garzoli E, Gaemperli O, Vachenaue R, Plass A, Leschka S, Alkadhi H. Accuracy of 64-slice computed tomography for the preoperative detection of coronary artery disease in patients with chronic aortic regurgitation. <i>Am J Cardiol</i> 2007; 100:701-6.

Desbiolles L, Kaufmann P, Marincek B, Garzoli E, Gaemperli O, Husmann L, Scheffel H, Plass A, Leschka S, Alkadhi H. Evaluation of temporal windows for coronary artery bypass graft imaging with 64-slice CT. *Eur Radiol* 2007; 17:2819-28.

Scheffel H, Marincek B, Kaufmann P, Genoni M, Grünenfelder J, Husmann L, Schertler T, Frauenfelder T, Schepis T, Gaemperli O, Desbiolles L, Vachenauer R, Plass A, Alkadhi H, Leschka S. Accuracy of dual-source CT coronary angiography: First experience in a high pre-test probability population without heart rate control. *Eur Radiol* 2006; 16:2739-47.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch