



**Giuseppe Viale**

**Kontakt**

Giuseppe Viale

## Publikationen (27)

Luen S, Viale G, Nik-Zainal S, Savas P, Kammler R, Dell'Orto P, Biasi O, Degasperi A, Brown L, Láng I, MacGrogan G, Tondini C, Bellet M, Villa F, Bernardo A, Ciruelos E, Karlsson P, Neven P, Climent M, Müller-Hübenthal B, Jochum W, Bonnefoi H, Martino S, Davidson N, Geyer C, Chia S, Ingle J, Coleman R, Solbach C, Thürlimann B, Colleoni M, Coates A, Goldhirsch A, Fleming G, Francis P, Speed T, Regan M, Loi S. Genomic characterisation of hormone receptor-positive breast cancer arising in very young women. *Ann Oncol* 2023; 34:397-409.

Buechler S, Badve S, Leyland-Jones B, Viale G, Kammler R, Thürlimann B, Willis S, Gökmen-Polar Y, Gray K, Regan M. Independent Validation of EarlyR Gene Signature in BIG 1-98: A Randomized, Double-Blind, Phase III Trial Comparing Letrozole and Tamoxifen as Adjuvant Endocrine Therapy for Postmenopausal Women With Hormone Receptor-Positive, Early Breast Cancer. *JNCI Cancer Spectr* 2019; 3:pkz051.

Denkert C, Müller V, Klauschen F, Ataseven B, Engels K, Kammler R, Pfitzner B, Dietel M, Fasching P, Colleoni M, Blohmer J, Mehta K, Budczies J, Regan M, Loibl S, Dell'Orto P, von Minckwitz G, Mastropasqua M, Solbach C, Thürlimann B, Viale G. Clinical and analytical validation of Ki-67 in 9069 patients from IBCSG VIII + IX, BIG1-98 and GeparTrio trial: systematic modulation of interobserver variance in a comprehensive in silico ring trial. *Breast Cancer Res Treat* 2019; 176:557-568.

Kensler K, Brown M, Viale G, Colleoni M, Thürlimann B, Kammler R, Hazra A, Schnitt S, Pyle M, Baker G, Heng Y, Regan M, Tamimi R. Prognostic and predictive value of androgen receptor expression in postmenopausal women with estrogen receptor-positive breast cancer: results from the Breast International Group Trial 1-98. *Breast Cancer Res* 2019; 21:30.

Galimberti V, Knauer M, Tondini C, Di Leo A, Colleoni M, Regan M, Coates A, Gelber R, Goldhirsch A, Littlejohn D, Taffurelli M, Cole B, Viale G, Veronesi P, Vicini E, Intra M, Mazzarol G, Massarut S, Zgajnar J, International Breast Cancer Study Group Trial 23-01. Axillary dissection versus no axillary dissection in patients with breast cancer and sentinel-node micrometastases (IBCSG 23-01): 10-year follow-up of a randomised, controlled phase 3 trial. *Lancet Oncol* 2018

Van Asten K, Van Calster B, Christodoulou E, Vergote I, Thürlimann B, Viale G, Regan M, Giobbie-Hurder A, Paridaens R, Smeets A, Weltens C, Van Limbergen E, Floris G, Wildiers H, Brouckaert O, Jongen L, Olbrecht S, Slembrouck L, Neven P. Prognostic Value of the Progesterone Receptor by Subtype in Patients with Estrogen Receptor-Positive, HER-2 Negative Breast Cancer. *Oncologist* 2018

Luen S, Regan M, Colleoni M, Viale G, Thürlimann B, Hackl W, Dolan S, JeBailey L, Demanse D, Biasi O, Dell'Orto P, Kammler R, Savas P, Lee C, Asher R, Loi S. Association of Somatic Driver Alterations With Prognosis in Postmenopausal, Hormone Receptor-Positive, HER2-Negative Early Breast Cancer: A Secondary Analysis of the BIG 1-98 Randomized Clinical Trial. *JAMA Oncol* 2018

Dowsett M, Sestak I, Regan M, Dodson A, Viale G, Thürlimann B, Colleoni M, Cuzick J. Integration of Clinical Variables for the Prediction of Late Distant Recurrence in Patients With Estrogen Receptor-Positive Breast Cancer Treated With 5 Years of Endocrine Therapy: CTS5. *J Clin Oncol* 2018; 36:1941-1948.

Munzone E, Barberis M, Goldhirsch A, Regan M, Gelber R, Coates A, Di Leo A, Viale G, Kammler R, Gianni L, Ruhstaller T, Láng I, Guerini-Rocco E, Fumagalli C, Gray K, Colleoni M. Mutational analysis of triple-negative breast cancers within the International Breast Cancer Study Group (IBCSG) Trial 22-00. *Breast Cancer Res Treat* 2018; 170:351-360.

Colleoni M, Di Lauro V, Gombos A, Ruhstaller T, Burstein H, Ribi K, Bernhard J, Viale G, Maibach R, Rabaglio-Poretti M, Gelber R, Coates A, Di Leo A, Regan M, Goldhirsch A, O'Reilly S, Müller B, Marth C, Luo W, Karlsson P, Chirgwin J, Aebi S, Jerusalem G, Neven P, Hitre E, Graas M, Simoncini E, Kamby C, Thompson A, Loibl S, Gavilá J, Kuroi K, SOLE Investigators. Extended adjuvant intermittent letrozole versus continuous letrozole in postmenopausal women with breast cancer (SOLE): a multicentre, open-label, randomised, phase 3 trial. *Lancet Oncol* 2017; 19:127-138.

Bartlett J, Rea D, Dowsett M, Cuzick J, Viale G, Forbes J, Brookes C, Van de Velde C, Putter H, Seynaeve C, Thürlimann B, Dell'Orto P, Mallon E, Sestak I, Regan M, Ahmed I. HER2 status predicts for upfront AI benefit: A TRANS-AIOG meta-analysis of 12,129 patients from ATAC, BIG 1-98 and TEAM with centrally determined HER2. *Eur J Cancer* 2017; 79:129-138.

Pruneri G, Regan M, Gelber R, Munzone E, Canello G, Price K, Kammler R, Goldhirsch A, Gianni L, Ruhstaller T, Láng I, Criscitiello C, Curigliano G, Viale G, Vingiani A, Gray K, Colleoni M. Tumor-infiltrating lymphocytes (TILs) are a powerful prognostic marker in patients with triple-negative breast cancer enrolled in the IBCSG phase III randomized clinical trial 22-00. *Breast Cancer Res Treat* 2016; 158:323-31.

Colleoni M, Eniu A, Cagossi K, Rauch D, Chirgwin J, Gelber R, Regan M, Coates A, Price K, Viale G, Kralidis E, Tondini C, Gray K, Gelber S, Láng I, Thürlimann B, Gianni L, Abdi E, Gomez H, Linderholm B, Puglisi F, Goldhirsch A. Low-Dose Oral Cyclophosphamide and Methotrexate Maintenance For Hormone Receptor-Negative Early Breast Cancer: International Breast Cancer Study Group Trial 22-00. *J Clin Oncol* 2016

Leyland-Jones B, Maibach R, Price K, Coates A, Goldhirsch A, Gelber R, Pagani O, Viale G, Rae J, Regan M, Arnould L, Neven P, Harvey V, Gray K, Abramovitz M, Bouzyk M, Young B, Long B, Kammler R, Dell'Orto P, Biasi M, Thürlimann B, BIG 1-98 Collaborative Group. ESR1 and ESR2 polymorphisms in the BIG 1-98 trial comparing adjuvant letrozole versus tamoxifen or their sequence for early breast cancer. *Breast Cancer Res Treat* 2015; 154:543-55.

Regan M, Sessa F, Peg Cámara V, Rodríguez Peralto J, MacGrogan G, Colleoni M, Goldhirsch A, Price K, Coates A, Gelber R, Viale G, Öhlschlegel C, Pizzolitto S, Pagani O, Francis P, Fleming G, Walley B, Kammler R, Dell'Orto P, Russo L, Szóke J, Doimi F, Villani L, SOFT and TEXT Investigators and International Breast Cancer Study Group. Predictive value and clinical utility of centrally assessed ER, PgR, and Ki-67 to select adjuvant endocrine therapy for premenopausal women with hormone receptor-positive, HER2-negative early breast cancer: TEXT and SOFT trials. *Breast Cancer Res Treat* 2015

Metzger Filho O, Coates A, Regan M, Price K, Debled M, Ejlertsen B, Colleoni M, Gelber R, Thürlimann B, Winer E, Viale G, Gusterson B, Mallon E, Giobbie-Hurder A, Goldhirsch A. Relative Effectiveness of Letrozole Compared With Tamoxifen for Patients With Lobular Carcinoma in the BIG 1-98 Trial. *J Clin Oncol* 2015; 33:2772-9.

Leyland-Jones B, Neven P, Treilleux I, Rasmussen B, Maibach R, Price K, Coates A, Goldhirsch A, Pagani O, Viale G, Rae J, Harvey V, Ditzel H, Gray K, Abramovitz M, Bouzyk M, Young B, Long B, Kammler R, Dell'Orto P, Biasi M, Thürlimann B, Lyng M, Regan M. CYP19A1 polymorphisms and clinical outcomes in postmenopausal women with hormone receptor-positive breast cancer in the BIG 1-98 trial. *Breast Cancer Res Treat* 2015; 151:373-84.

Pagani O, Winer E, Rabaglio-Poretti M, Maibach R, Ruepp B, Giobbie-Hurder A, Price K, Bernhard J, Luo W, Ribi K, Viale G, Coates A, Gelber R, Goldhirsch A, Francis P, TEXT and SOFT Investigators, Ruhstaller T, Crivellari D, Puglisi F, Regan M, Walley B, Fleming G, Colleoni M, Láng I, Gomez H, Tondini C, Burstein H, Perez E, Ciruelos E, Stearns V, Bonnefoi H, Martino S, Geyer C, Pinotti G, International Breast Cancer Study Group. Adjuvant exemestane with ovarian suppression in premenopausal breast cancer. *N Engl J Med* 2014; 371:107-18.

Varga Z, Viale G, Mastropasqua M, Wagner U, Tapia C, Singer G, Schreiber-Facklam H, Schobinger-Clement S, Sancho Oliver S, Rakoczy C, Padberg B, Öhlschlegel C, Obermann E, Noske A, Kaup D, Frick H, Dommann-Scherrer C, Diebold J, Lehr H. How reliable is Ki-67 immunohistochemistry in grade 2 breast carcinomas? A QA study of the Swiss Working Group of Breast- and Gynecopathologists. *PLoS one* 2012; 7:e37379.

Regan M, Debled M, Maibach R, Price K, Gelber R, Coates A, Goldhirsch A, Rae J, Viale G, Neven P, Ditzel H, Lyng M, Leyland-Jones B, Bouzyk M, Pagani O, Tang W, Kammler R, Dell'Orto P, Biasi M, Thürlimann B, Breast International Group (BIG) 1-98 Collaborative Group. CYP2D6 genotype and tamoxifen response in postmenopausal women with endocrine-responsive breast cancer: the breast international group 1-98 trial. *J Natl Cancer Inst* 2012; 104:441-51.

Antonov J, Aebi S, Altermatt H, Viale G, Giobbie-Hurder A, Thürlimann B, Oberli A, Baltzer A, Wirapati P, Delorenzi M, Popovici V, Jaggi R. Molecular risk assessment of BIG 1-98 participants by expression profiling using RNA from archival tissue. *BMC cancer* 2010; 10:37.

Viale G, Olszewski W, Knox F, Thürlimann B, Price K, Castiglione-Gertsch M, Gelber R, Gusterson B, Goldhirsch A, Orosz Z, Neven P, Öhlschlegel C, Giobbie-Hurder A, Regan M, Coates A, Mastropasqua M, Dell'Orto P, Maiorano E, MacGrogan G, Braye S, Breast International Group Trial 1-98. Prognostic and predictive value of centrally reviewed Ki-67 labeling index in postmenopausal women with endocrine-responsive breast cancer: results from Breast International Group Trial 1-98 comparing adjuvant tamoxifen with letrozole. *J Clin Oncol* 2008; 26:5569-75.

Pestalozzi B, Goldhirsch A, Coates A, Castiglione-Gertsch M, Viale G, Murray E, Thürlimann B, Snyder R, Lindtner J, Holmberg S, Gelber R, Price K, Gusterson B, Mallon E, Zahrieh D, International Breast Cancer Study Group. Distinct clinical and prognostic features of infiltrating lobular carcinoma of the breast: combined results of 15 International Breast Cancer Study Group clinical trials. *JCO* 2008; 26:3006-14.

Viale G, Gusterson B, Goldhirsch A, Price K, Castiglione-Gertsch M, Gelber R, Rusca T, Grigolato P, Braye S, Öhlschlegel C, Pillay K, Kovács A, Brown R, Perin T, Golouh R, Mastropasqua M, Maiorano E, Regan M, Coates A. Chemoendocrine compared with endocrine adjuvant therapies for node-negative breast cancer: predictive value of centrally reviewed expression of estrogen and progesterone receptors--International Breast Cancer Study Group. *J Clin Oncol* 2008; 26:1404-10.

Viale G, Coates A, Goldhirsch A, Gelber R, Castiglione-Gertsch M, Gusterson B, Öhlschlegel C, Pillay K, Kovács A, Brown R, Perin T, Golouh R, Price K, Colleoni M, Maiorano E, Maffini F, Mastropasqua M, Regan M, International Breast Cancer Study Group. Predictive value of tumor Ki-67 expression in two randomized trials of adjuvant chemoendocrine therapy for node-negative breast cancer. *J Natl Cancer Inst* 2008; 100:207-12.

Rasmussen B, Altermatt H, Gelber R, Castiglione-Gertsch M, Goldhirsch A, Gusterson B, Thürlimann B, Coates A, Viale G, Braye S, Lacroix-Triki M, Regan M, Lykkesfeldt A, Dell'Orto P, Del Curto B, Henriksen K, Mastropasqua M, Price K, Méry E, BIG 1-98 Collaborative and International Breast Cancer Study Groups. Adjuvant letrozole versus tamoxifen according to centrally-assessed ERBB2 status for postmenopausal women with endocrine-responsive early breast cancer: supplementary results from the BIG 1-98 randomised trial. *The Lancet* 2008; 9:23-8.

Viale G, Gusterson B, Goldhirsch A, Price K, Castiglione-Gertsch M, Gelber R, Thürlimann B, Öhlschlegel C, Braye S, Orosz Z, Neven P, Raffoul J, Rasmussen B, Dell'Orto P, Mastropasqua M, Maiorano E, Regan M, Coates A. Prognostic and predictive value of centrally reviewed expression of estrogen and progesterone receptors in a randomized trial comparing letrozole and tamoxifen adjuvant therapy for postmenopausal early breast cancer: BIG 1-98. *J Clin Oncol* 2007; 25:3846-52.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)