



## **Beatrice Beck-Schimmer**

### **Kontakt**

Beatrice Beck-Schimmer

## Publikationen (10)

Beck-Schimmer B, Schadde E, Pietsch U, Filipovic M, Dübendorfer-Dalbert S, Fodor P, Hübner T, Schuepbach R, Steiger P, David S, Krüger B, Neff T, Schläpfer M. Correction: Early sevoflurane sedation in severe COVID19-related lung injury patients. A pilot randomized controlled trial. *Ann Intensive Care* 2024; 14:90.

Beck-Schimmer B, Schadde E, Pietsch U, Filipovic M, Dübendorfer-Dalbert S, Fodor P, Hübner T, Schuepbach R, Steiger P, David S, Krüger B, Neff T, Schläpfer M. Early sevoflurane sedation in severe COVID-19-related lung injury patients. A pilot randomized controlled trial. *Ann Intensive Care* 2024; 14:41.

Lurati Buse G, Larmann J, Gillmann H, Kotfis K, Ganter M, Bolliger D, Filipovic M, Guzzetti L, Chammartin F, Mauermann E, Ionescu D, Szczeklik W, De Hert S, Beck-Schimmer B, Howell S, METREPAIR NTproBNP Subcohort Investigators. NT-proBNP or Self-Reported Functional Capacity in Estimating Risk of Cardiovascular Events After Noncardiac Surgery. *JAMA Netw Open* 2023; 6:e2342527.

Schnider T, Nieuwenhuijs-Moeke G, Beck-Schimmer B, Hemmerling T. Pro-Con Debate: Should All General Anesthesia Be Done Using Target-Controlled Propofol Infusion Guided by Objective Monitoring of Depth of Anesthesia?. *Anesth Analg* 2023; 137:565-575.

Lurati Buse G, Mauermann E, Ionescu D, Szczeklik W, De Hert S, Filipovic M, Beck-Schimmer B, Spadaro S, Matute P, Bolliger D, Turhan S, van Waes J, Lagarto F, Theodoraki K, Gupta A, Gillmann H, Guzzetti L, Kotfis K, Wulf H, Larmann J, Corneci D, Chammartin-Basnet F, Howell S, MET: Reevaluation for Perioperative Cardiac Risk Investigators, European Society of Anaesthesiology and Intensive Care. Risk assessment for major adverse cardiovascular events after noncardiac surgery using self-reported functional capacity: international prospective cohort study. *Br J Anaesth* 2023; 130:655-665.

Neff T, Braun J, Rana D, Puhan M, Filipovic M, Seeberger M, Stuber F, Neff S, Beck-Schimmer B, Schläpfer M. Interleukin-6 Is an Early Plasma Marker of Severe Postoperative Complications in Thoracic Surgery: Exploratory Results From a Substudy of a Randomized Controlled Multicenter Trial. *Anesth Analg* 2022; 134:123-132.

Beck-Schimmer B, Filipovic M, Schneiter D, Weder W, Vogt A, Stuber F, Risch T, Neff T, Seeberger M, Braun J, Bonvini J, Puhan M. Which Anesthesia Regimen Is Best to Reduce Morbidity and Mortality in Lung Surgery?: A Multicenter Randomized Controlled Trial. *Anesthesiology* 2016; 125:313-21.

Piegeler T, Dreessen P, Graber S, Haile S, Schmid D, Beck-Schimmer B. Impact of intraoperative fluid administration on outcome in patients undergoing robotic-assisted laparoscopic prostatectomy - a retrospective analysis. *BMC Anesthesiol* 2014; 14:61.

Meerwein C, Pezier T, Beck-Schimmer B, Schmid S, Huber G. Airway management in head and neck cancer patients undergoing microvascular free tissue transfer: delayed extubation as an alternative to routine tracheotomy. *Swiss Med Wkly* 2014; 144:w13941.

Beck-Schimmer B, Graf R, Spahn D, Jochum W, Puhan M, Wittlinger M, De Conno E, Urech S, Breitenstein S, Clavien P. A randomized controlled trial on pharmacological preconditioning in liver surgery using a volatile anesthetic. *Annals of surgery* 2008; 248:909-18.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)