



Marc-Oliver Riener

Kontakt

Marc-Oliver Riener

Publikationen (7)

Mazur P, Riener M, Jochum W, Kristiansen G, Weber A, Schmid R, Siveke J. Expression and clinicopathological significance of notch signaling and cell-fate genes in biliary tract cancer. *Am J Gastroenterol* 2011; 107:126-35.

Riener M, Vogetseder A, Pestalozzi B, Clavien P, Probst-Hensch N, Kristiansen G, Jochum W. Cell adhesion molecules P-cadherin and CD24 are markers for carcinoma and dysplasia in the biliary tract. *Hum Pathol* 2010; 41:1558-65.

Riener M, Moch H, Soltermann A, Jochum W, Clavien P, Probst-Hensch N, Pestalozzi B, Soll C, Fritzsche F, Kristiansen G. Expression of the extracellular matrix protein periostin in liver tumours and bile duct carcinomas. *Histopathology* 2010; 56:600-6.

Riener M, Fritzsche F, Clavien P, Pestalozzi B, Probst-Hensch N, Jochum W, Kristiansen G. IMP3 expression in lesions of the biliary tract: a marker for high-grade dysplasia and an independent prognostic factor in bile duct carcinomas. *Human pathology* 2009; 40:1377-83.

Riener M, Jochum W, Moch H, Fritzsche F, Wild P, Neuhaus P, Bahra M, Clavien P, Mullhaupt B, Hellerbrand C, Probst-Hensch N, Samaras P, Pestalozzi B, Breitenstein S, Soll C, Liewen H, Stenner F, Kristiansen G. Golgi phosphoprotein 2 (GOLPH2) expression in liver tumors and its value as a serum marker in hepatocellular carcinomas. *Hepatology (Baltimore, Md.)* 2009; 49:1602-9.

Riener M, Moch H, Clavien P, Hellerbrand C, Jungbluth A, Jin B, Knuth A, Soll C, Wild P, Jochum W. Frequent expression of the novel cancer testis antigen MAGE-C2/CT-10 in hepatocellular carcinoma. *International journal of cancer. Journal international du cancer* 2009; 124:352-7.

Riener M, Bawohl M, Clavien P, Jochum W. Rare PIK3CA hotspot mutations in carcinomas of the biliary tract. *Genes, chromosomes & cancer* 2008; 47:363-7.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch