



Prof. Dr. med. Gerhard Huber

Kontakt

Prof. Dr. med. Gerhard Huber
Switzerland

T +41 71 494 6433
gerhard.huber@kssg.ch

Weitere Informationen

Vorsitzender der Arbeitsgruppe für Kopf-Halschirurgie der SGORL (seit 2015)
President Swiss Head & Neck Society (seit 2017)

Bereiche

Hals-Nasen-Ohrenklinik

Frühere Positionen

07/2004-06/2006 Fellow in Head & Neck Surgery and Head & Neck surgical oncology, Foothills University Hospital of Calgary, Alberta, Canada

07/2006-09/2007 Oberarzt ORL-Klinik Kantonsspital Aarau (Prof. Podvinec)

10/2007-12/2007 Oberarzt ORL-Klinik UniversitätsSpital Zürich (Prof. Probst)

01/2008-03/2012 Leitender Arzt a.i. UniversitätsSpital Zürich (Prof. Probst)

04/2012-12/2018 Leitender Arzt UniversitätsSpital Zürich, Abteilungsleiter Kopf-/Halschirurgie (Prof. Probst / Prof. Huber)

ab 10/2013 Leiter Organumorzentrums des Cancer Center Zurich

- Klinikdelegierter der Kinderschutzgruppe
- Ethikverantwortlicher der Klinik

Funktion

Leitende(r) Arzt/Ärztin

Forschungsgebiet

- Klinische Fragestellungen rund um die Behandlung von Kopf-Halstumoren (outcome Research)
- Evaluation prädiktiver Marker bei Karzinomen des Kopf-Halsbereiches
- Evaluation neuer funktioneller Tracer in der Diagnostik von Nebenschilddrüsenerkrankungen

Mitgliedschaften

Verband Schweizerischer Assistenz- und Oberärzte (VSAO)

FMH

Schweizer ORL Gesellschaft (SGORL)

Zürcher ORL Gesellschaft

Ärztegesellschaft des Kanton Zürich (AGZ)

Mitglied der Examenskommission

Publikationen (83)

Huber G. Opportunities and Limits in Salvage Surgery in Persistent or Recurrent Head and Neck Squamous Cell Carcinoma. *Cancers (Basel)* 2021; 13

Ammann Y, Beutner U, Vital D, Morand G, Broglie Daeppen M, Born D, Stöckli S, Huber G. Impact of the new TNM Staging System (8th edition) on oral tongue cancers. *Swiss Med Wkly* 2021; 151:w20493.

Rupp N, Nemes C, Rushing E, Huber G, Freiberger S. High-grade Salivary Gland Adenocarcinoma Harboring ETV6-NTRK3 Fusion: Defined by Morphology or Molecular Aberration?. *Head Neck Pathol* 2021; 15:1082-1084.

Riesterer O, Pruschy M, Bender S, Sharma A, Bogowicz M, Tanadini-Lang S, Stieb S, Bertogg K, Weber S, Ikenberg K, Huber G, Schmid S, Bredell M, Veit-Haibach P, Rordorf T, Held U, Glanzmann C, Studer G. Consolidation cetuximab after concurrent triplet radiochemotherapy+cetuximab in patients with advanced head and neck cancer: A randomized phase II study. *Radiother Oncol* 2020; 150:62-69.

de Galiza Barbosa F, Stolzmann P, Huellner M, Huber G, Pruschy M, Studer G, Stieb S, Tanadini-Lang S, Riesterer O, Veit-Haibach P. Evaluation of 18F-FDG PET/CT as an early imaging biomarker for response monitoring after radiochemotherapy using cetuximab in head and neck squamous cell carcinoma. *Head & neck* 2019; 42:163-170.

Broglie M, Negri S, Rothschild S, Giger R, Beffa L, Ballerini G, Huber G, Zwahlen D, Simon C, Putora P, Siano M, Henke G, Dulguerov P, Elicin O. A Review of Controversial Issues in the Management of Head and Neck Cancer: A Swiss Multidisciplinary and Multi-Institutional Patterns of Care Study-Part 4 (Biomarkers). *Front Oncol* 2019; 9:1128.

Siano M, Negri S, Rothschild S, Giger R, Beffa L, Ballerini G, Huber G, Zwahlen D, Simon C, Putora P, Henke G, Broglie M, Dulguerov P, Elicin O. A Review of Controversial Issues in the Management of Head and Neck Cancer: A Swiss Multidisciplinary and Multi-Institutional Patterns of Care Study-Part 3 (Medical Oncology). *Front Oncol* 2019; 9:1127.

Elicin O, Dulguerov P, Negri S, Rothschild S, Giger R, Beffa L, Ballerini G, Huber G, Zwahlen D, Simon C, Broglie M, Siano M, Putora P, Henke G. A Review of Controversial Issues in the Management of Head and Neck Cancer: A Swiss Multidisciplinary and Multi-Institutional Patterns of Care Study-Part 2 (Radiation Oncology). *Front Oncol* 2019; 9:1126.

Den Hollander J, Negri S, Rothschild S, Giger R, Beffa L, Ballerini G, Huber G, Zwahlen D, Simon C, Putora P, Siano M, Henke G, Broglie M, Elicin O. A Review of Controversial Issues in the Management of Head and Neck Cancer: A Swiss Multidisciplinary and Multi-Institutional Patterns of Care Study-Part 1 (Head and Neck Surgery). *Front Oncol* 2019; 9:1125.

Vital D, Ikenberg K, Moch H, Rössle M, Huber G. The expression of PD-L1 in salivary gland carcinomas. *Sci Rep* 2019; 9:12724.

Werner J, Hüllner M, Rupp N, Huber A, Broglie M, Huber G, Morand G. Predictive Value of Pretherapeutic Maximum Standardized Uptake Value (Suv) In Laryngeal and Hypopharyngeal Cancer. *Sci Rep* 2019; 9:8972.

Rupp N, Schibli R, Eberli D, Huber G, Morand G, Messerli M, Ferraro D, Mühlematter U, Müller J, Töpfer A, Lenggenhager D, Pizzuto D, Umbricht C, Burger I. First clinico-pathological evidence of a non PSMA-related uptake mechanism for Ga-PSMA-11 in salivary glands. *J Nucl Med* 2019

Romer C, Broglie Daepfen M, Mueller M, Huber G, Gusewell S, Stöckli S. Long-term speech and swallowing function after primary resection and sentinel node biopsy for early oral squamous cell carcinoma. *Oral Oncol* 2019; 89:127-132.

Péus D, Kollias S, Huber G. Recurrent unilateral peripheral facial palsy in a patient with an enlarged styloid process. *Head & neck* 2018

Morand G, Ikenberg K, Vital D, Cardona I, Moch H, Stöckli S, Huber G. Preoperative assessment of CD44-mediated depth of invasion as predictor of occult metastases in early oral squamous cell carcinoma. *Head & neck* 2018; 41:950-958.

Meerwein C, Pizzuto D, Vital D, Morand G, Stolzmann P, Huber G, Huellner M. Use of MRI and FDG-PET/CT to predict fixation of advanced hypopharyngeal squamous cell carcinoma to prevertebral space. *Head & neck* 2018

Kiessling S, Broglie M, Soltermann A, Huber G, Stöckli S. Comparison of PI3K Pathway in HPV-Associated Oropharyngeal Cancer With and Without Tobacco Exposure. *Laryngoscope Investig Otolaryngol* 2018; 3:283-289.

Morand G, Vital D, Kudura K, Werner J, Stöckli S, Huber G, Huellner M. Maximum Standardized Uptake Value (SUV) of Primary Tumor Predicts Occult Neck Metastasis in Oral Cancer. *Sci Rep* 2018; 8:11817.

Meerwein C, Nakadate M, Stolzmann P, Vital D, Morand G, Zweifel D, Huber G, Huellner M. Contrast-enhanced 18F-FDG-PET/CT for Differentiating Tumour and Radionecrosis in Head and Neck Cancer: Our experience in 37 Patients. *Clin Otolaryngol* 2018; 43:1594-1599.

Vital D, Ikenberg K, Moch H, Roessle M, Huber G. The expression of the cancer testis antigen MAGE A4: A favorable prognostic biomarker in salivary gland carcinomas related to low tumor grading. *Laryngoscope Investig Otolaryngol* 2018; 3:182-190.

Finazzi T, Rordorf T, Ikenberg K, Huber G, Guckenberger M, Garcia Schueler H. Radiotherapy-induced anti-tumor immune response and immune-related adverse events in a case of recurrent nasopharyngeal carcinoma undergoing anti-PD-1 immunotherapy. *BMC cancer* 2018; 18:395.

Vital D, Holzmann D, Huber G, Moch H, Morand G, Ikenberg K. PD-L1 is a positive prognostic factor in squamous cell carcinoma of the nasal vestibule. *Rhinology* 2018

Huber G, Dort J. Reducing morbidity and complications after major head and neck cancer surgery: the (future) role of enhanced recovery after surgery protocols. *Curr Opin Otolaryngol Head Neck Surg* 2018

Huber G, Hüllner M, Schmid C, Brunner A, Sah B, Vetter D, Kaufmann P, von Schulthess G. Benefit of F-fluorocholine PET imaging in parathyroid surgery. *Eur Radiol* 2018

Alharbi A, Alshehri F, Albatly A, Sah B, Schmid C, Huber G, Huellner M. [F]Fluorocholine Uptake of Parathyroid Adenoma Is Correlated with Parathyroid Hormone Level. *Mol Imaging Biol* 2018; 20:857-867.

Morand G, Anderegg N, Vital D, Ikenberg K, Huber G, Soyka M, Egger M, Holzmann D. Outcome by treatment modality in sinonasal undifferentiated carcinoma (SNUC): A case-series, systematic review and meta-analysis. *Oral Oncol* 2017; 75:28-34.

Vital D, Morand G, Meerwein C, Laske R, Steinert H, Schmid C, Brown M, Huber G. Early Timing of Thyroidectomy for Hyperthyroidism in Graves' Disease Improves Biochemical Recovery. *World J Surg* 2017; 41:2545-2550.

Vital D, Huber G, Holzmann D, Moch H, Ikenberg K. The presence of aberrant p53 pattern is a negative prognostic predictor in squamous cell carcinoma of the nasal vestibule. *Eur Arch Otorhinolaryngol* 2017; 274:3503-3512.

Sekine T, Veit-Haibach P, von Schulthess G, Kollias S, Huber G, Ter Voert E, Stolzmann P, Burger I, Delso G, Barbosa F, Huellner M. Local resectability assessment of head and neck cancer: Positron emission tomography/MRI versus positron emission tomography/CT. *Head & neck* 2017; 39:1550-1558.

Schnyder M, Stolzmann P, Huber G, Schmid C. A patient with a history of breast cancer and multiple bone lesions: a case report. *J Med Case Rep* 2017; 11:127.

Vital D, Holzmann D, Huber G, Soyka M, Moch H, Zimmermann D, Ikenberg K. p16: A surrogate marker of high-risk human papillomavirus infection in squamous cell carcinoma of the nasal vestibule. *Head & neck* 2017; 39:1392-1398.

Dort J, Ljungqvist O, Zygun D, Uppington J, Simon C, Shea-Budgell M, Kerr P, Huber G, Findlay M, Farwell D, Harris J. Optimal Perioperative Care in Major Head and Neck Cancer Surgery With Free Flap Reconstruction: A Consensus Review and Recommendations From the Enhanced Recovery After Surgery Society. *JAMA Otolaryngol Head Neck Surg* 2017; 143:292-303.

Pézier T, Widmer G, Huber G. Pneumo-thorax/mediastinum/(retro)peritoneum/ scrotum - a full house of complications following JET ventilation. *Acta Otorhinolaryngol Ital* 2017; 37:72-75.

Sekine T, Veit-Haibach P, von Schulthess G, Kollias S, Huber G, Stolzmann P, Burger I, Kuhn F, de Galiza Barbosa F, Huellner M. PET+MR versus PET/CT in the initial staging of head and neck cancer, using a trimodality PET/CT+MR system. *Clin Imaging* 2017; 42:232-239.

Ernst J, Ikenberg K, Apel B, Schumann D, Huber G, Studer G, Rordorf T, Riesterer O, Rössle M, Korol D, Bredell M. Expression of CK19 is an independent predictor of negative outcome for patients with squamous cell carcinoma of the tongue. *Oncotarget* 2016; 7:76151-76158.

Meerwein C, Sekine T, Veit-Haibach P, Bredell M, Huber G, Huellner M. Multi-slice SPECT/CT vs. lymphoscintigraphy and intraoperative gamma ray probe for sentinel node mapping in HNSCC. *Eur Arch Otorhinolaryngol* 2016; 274:1633-1642.

Kiessling S, Soyka M, Huber G, Holzmann D, Laske R. Delayed diagnosis of sinonasal lymphoma due to bilateral manifestation. *Eur Arch Otorhinolaryngol* 2016; 274:823-827.

Brown M, Glanzmann C, Huber G, Bredell M, Rordorf T, Studer G. IMRT/VMAT for malignancies in the head-and-neck region : Outcome in patients aged 80. *Strahlenther Onkol* 2016; 192:526-36.

Klein H, Fuchs N, Mehra T, Schweizer R, Giesen T, Calcagni M, Huber G, Giovanoli P, Plock J. Extending the limits of reconstructive microsurgery in elderly patients. *J Plast Reconstr Aesthet Surg* 2016; 69:1017-23.

Laske R, Scholz I, Ikenberg K, Meerwein C, Vital D, Studer G, Rössle M, Huber G. Perineural Invasion in Squamous Cell Carcinoma of the Oral Cavity: Histology, Tumor Stage, and Outcome. *Laryngoscope Investig Otolaryngol* 2016; 1:13-18.

Pietsch C, de Galiza Barbosa F, Hüllner M, Schmid D, Haerle S, Huber G, Studer G, Hany T, Veit-Haibach P. Combined PET/CT-perfusion in patients with head and neck cancers might predict failure after radio-chemotherapy: a proof of concept study. *BMC Med Imaging* 2015; 15:60.

Bächinger D, Bolliger S, Huber G, Laske R. Ballistic Reconstruction of a Migrating Bullet in the Parapharyngeal Space. *Case Rep Otolaryngol* 2015; 2015:245360.

Ture M, Martin-Soelch C, Walt H, Huber G, Fuchs B, Imesch P, Renner C, Perseus J, Zerkiebel N, Schnyder U, Aeschlimann A, Angst F, Barth J, Jenewein J. Use of inpatient rehabilitation for cancer patients in Switzerland: who undergoes cancer rehabilitation?. *Swiss Med Wkly* 2015; 145:w14214.

Schariatzadeh R, Pezier T, Studer G, Schmid S, Huber G. Does airway intervention before primary nonsurgical therapy for T3/T4 laryngeal squamous cell carcinoma impact on oncological or functional outcomes?. *Swiss Med Wkly* 2015; 145:w14213.

Morand G, Fellmann J, Laske R, Weisert J, Soltermann A, Zbinden R, Probst R, Huber G. Detection of *Helicobacter pylori* in patients with head and neck cancer: Results from a prospective comparative study combining serology, polymerase chain reaction, and rapid urease test. *Head & neck* 2015; 38:769-74.

Studer G, Huber G, Holz E, Glanzmann C. Less may be more: nodal treatment in neck positive head neck cancer patients. *Eur Arch Otorhinolaryngol* 2015; 273:1549-56.

Müller J, Hüllner M, Strobel K, Huber G, Burger I, Haerle S. The value of (18) F-FDG-PET/CT imaging in oral cavity cancer patients following surgical reconstruction. *Laryngoscope* 2015; 125:1861-8.

Meerwein C, Queiroz M, Kollias S, Hüllner M, Veit-Haibach P, Huber G. Post-treatment surveillance of head and neck cancer: pitfalls in the interpretation of FDG PET-CT/MRI. *Swiss Med Wkly* 2015; 145:w14116.

Matoscevic K, Pezier T, Huber G. Success of salvage treatment: a critical appraisal of salvage rates for different subsites of HNSCC. *Otolaryngol Head Neck Surg* 2014; 151:454-61.

Stanimirov Rossi O, Vital D, Soyka M, Roth T, Huber G, Holzmann D. Multilocular sinonasal malignant melanoma: a poor prognostic subgroup?. *Eur Arch Otorhinolaryngol* 2014; 272:123-9.

Pezier T, Kastrinidis N, Widmer G, Huber G, Probst R. Fatally invasive actinomycosis masquerading as a tonsillar carcinoma. *Head & neck* 2014; 36:E129-30.

Vital D, Morand G, Huber G, Studer G, Holzmann D. Outcome in squamous cell carcinoma of the nasal vestibule: a single center experience. *Head & neck* 2014; 37:46-51.

Huber G. Modern management of Merkel cell carcinoma. *Curr Opin Otolaryngol Head Neck Surg* 2014; 22:109-15.

Meerwein C, Pezier T, Beck-Schimmer B, Schmid S, Huber G. Airway management in head and neck cancer patients undergoing microvascular free tissue transfer: delayed extubation as an alternative to routine tracheotomy. *Swiss Med Wkly* 2014; 144:w13941.

Kuhn F, Hüllner M, Mader C, Kastrinidis N, Huber G, von Schulthess G, Kollias S, Veit-Haibach P. Contrast-enhanced PET/MR imaging versus contrast-enhanced PET/CT in head and neck cancer: how much MR information is needed?. *J Nucl Med* 2014; 55:551-8.

Meerwein C, Vital D, Greutmann M, Schmid C, Huber G. [Total thyroidectomy in patients with amiodarone-induced hyperthyroidism: when does the risk of conservative treatment exceed the risk of surgery?]. *HNO* 2014; 62:100-5.

Vital D, Huber G, Pezier T, Rössle M, Probst R, Widmer G. Epithelial cyst in the posterior triangle of the neck: atypical branchial cyst or cystic lymph node metastasis?. *Case Rep Otolaryngol* 2014; 2014:912347.

Fellmann J, Weisert J, Soltermann A, Morand G, Morra L, Moch H, Huber G, Probst R. Helicobacter pylori detected in pharyngeal and laryngeal pathologies in patients with proven gastric colonization. *Head & neck* 2013; 36:1562-6.

Studer G, Linsenmeier C, Riesterer O, Najafi Y, Brown M, Yousefi B, Bredell M, Huber G, Schmid S, Studer S, Zwahlen R, Rordorf T, Glanzmann C. Late term tolerance in head neck cancer patients irradiated in the IMRT era. *Radiat Oncol* 2013; 8:259.

Tordella L, Moch H, Rössle M, Huber G, Fritzsche F, Tavassoli M, McKeon F, Lozano G, Goldin R, Zhong S, Ratnayaka I, Feller S, Doondeea J, Pagotto A, Salter V, Koch S, Lu X. ASP2 suppresses squamous cell carcinoma via RelA/p65-mediated repression of p63. *Proc Natl Acad Sci USA* 2013; 110:17969-74.

Meerwein C, Laske R, Castiglioni K, Bohlender J, Huber G. Secondary voice prosthesis insertion in patients without direct access to the upper esophagus. *Laryngoscope* 2013; 124:469-71.

de Trey L, Schmid S, Huber G. Multifocal adult rhabdomyoma of the head and neck manifestation in 7 locations and review of the literature. *Case Rep Otolaryngol* 2013; 2013:758416.

Kastrinidis N, Kuhn F, Hany T, Ahmad N, Huber G, Haerle S. 18F-FDG-PET/CT for the assessment of the contralateral neck in patients with head and neck squamous cell carcinoma. *Laryngoscope* 2013; 123:1210-5.

Haerle S, Hany T, Ahmad N, Burger I, Huber G, Schmid D. Physiologic [18F]fluorodeoxyglucose uptake of floor of mouth muscles in PET/CT imaging: a problem of body position during FDG uptake?. *Cancer Imaging* 2013; 13:1-7.

Studer G, Brown M, Bredell M, Graetz K, Huber G, Linsenmeier C, Najafi Y, Riesterer O, Rordorf T, Schmid S, Glanzmann C. Follow up after IMRT in oral cavity cancer: update. *Radiat Oncol* 2012; 7:84.

McGurk M, Zuazua J, Ross G, Rahimi S, Poli T, O'Doherty M, Odell E, Mastronicola R, Silini E, Mabelle G, Santini S, Sebbesen L, Shoaib T, Wiegand S, Werner J, von Buchwald C, Villarreal P, Vigili M, Therkildsen M, Soutar D, Sorensen J, Sloan P, Lothaire P, Leroux A, Lawson G, Bloemena E, Bilde A, Barzan L, Barbier Herrero L, Bakholdt V, Alvarez A, Alkureishi L, Putcha V, Schilling C, Salces C, Dalla Palma P, de Bree R, Hunter K, Huber G, Haerle S, Grandi C, Fresno M, Flach G, Donner D, Dolivet G, Dequanter D, Gurney B. Implications of a positive sentinel node in oral squamous cell carcinoma. *Head & neck* 2012; 34:1580-5.

Haerle S, Soyka M, Schmid D, Ahmad N, Huber G, Crook D, Hany T. Improved treatment outcomes with (18) F-FDG PET/CT for patients with advanced head and neck squamous cell carcinoma. *Head & neck* 2011; 34:1205-11.

Haerle S, Fischer D, Schmid D, Ahmad N, Huber G, Buck A. 18F-FET PET/CT in advanced head and neck squamous cell carcinoma: an intra-individual comparison with 18F-FDG PET/CT. *Mol Imaging Biol* 2011; 13:1036-42.

Huber G, Albinger-Hegyí A, Soltermann A, Roessle M, Haerle S, Holzmann D, Moch H, Hegyí I. Expression patterns of Bmi-1 and p16 significantly correlate with overall, disease-specific, and recurrence-free survival in oropharyngeal squamous cell carcinoma. *Cancer* 2011; 117:4659-70.

Huber G, Gengler C, Walter C, Roth T, Huber A, Holzmann D. Adenocarcinoma of the nasal cavity and paranasal sinuses: single-institution review of diagnosis, histology, and outcome. *J Otolaryngol Head Neck Surg* 2011; 40:34-9.

Roth T, Gengler C, Huber G, Holzmann D. Outcome of sinonasal melanoma: clinical experience and review of the literature. *Head & neck* 2010; 32:1385-92.

Haerle S, Huber G, Hany T, Ahmad N, Schmid D. Is there a correlation between 18F-FDG-PET standardized uptake value, T-classification, histological grading and the anatomic subsites in newly diagnosed squamous cell carcinoma of the head and neck?. *Eur Arch Otorhinolaryngol* 2010; 267:1635-40.

Schrepfer T, Haerle S, Strobel K, Schaefer N, Hälg R, Huber G. The value of (18)F-fluorodeoxyglucose positron emission tomography/computed tomography for staging of primary extranodal head and neck lymphomas. *Laryngoscope* 2010; 120:937-44.

Huber G, Dziegielewski P, Wayne Matthews T, Dort J. Head and neck osteosarcoma in adults: the province of alberta experience over 26 years. *J Otolaryngol Head Neck Surg* 2008; 37:738-43.

Huber G, Khalil M, Falck V, Matthews T, Dort J. Merkel cell carcinoma with solitary parotid metastasis: diagnostic dilemma in the absence of a primary site. *J Otolaryngol Head Neck Surg* 2008; 37:E19-21.

Huber G, Khalil M, Falck V, Matthews T, Dort J. Merkel cell carcinoma with solitary parotid metastasis: diagnostic dilemma in the absence of a primary site. *J Otolaryngol* 2007; 36:E70-2.

Huber G, Dziegielewski P, Matthews T, Warshawski S, Kmet L, Faris P, Khalil M, Dort J. Intraoperative frozen-section analysis for thyroid nodules: a step toward clarity or confusion?. *Arch Otolaryngol Head Neck Surg* 2007; 133:874-81.

Huber G, Matthews T, Dort J. Radiation-induced soft tissue sarcomas of the head and neck. *J Otolaryngol* 2007; 36:93-7.

Huber G, Park P. Superior nasal hinge approach: an alternative access to tumors of the frontal skull base and paranasal sinuses. *Laryngoscope* 2007; 117:559-62.

Huber G, Matthews T, McFadden S, Beriault M, Dort J. Giant multinodular goitre: multidisciplinary approach to management. *J Otolaryngol* 2006; 35:199-202.

Huber G, Matthews T, Dort J. Soft-tissue sarcomas of the head and neck: a retrospective analysis of the Alberta experience 1974 to 1999. *Laryngoscope* 2006; 116:780-5.

Glatzel M, Stamm B, Podvinec M, Moch H, Huber G, Wüst W, Gmür A, Gebbers J, Linder T, Ott P, Aguzzi A. Human prion diseases: epidemiology and integrated risk assessment. *Lancet Neurol* 2003; 2:757-63.

Stierli P, Huber G, Marty R, Eugster T, Gürke L. [Differential diagnosis of groin pain: isolated, symptomatic dissection of the infrarenal aorta and iliac arteries]. *Chirurg* 2001; 72:940-4.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch