



**Wolfgang Kiowski**

**Kontakt**

Wolfgang Kiowski

## Publikationen (8)

Brunner-La Rocca H, Rickli H, Pfisterer M, Osswald S, Pfister O, Leventhal M, Kiowski W, Jeker U, Maeder M, Schindler R, Muzzarelli S, Rickenbacher P, TIME-CHF Investigators. End-of-life preferences of elderly patients with chronic heart failure. *Eur Heart J* 2011; 33:752-9.

Pfisterer M, Kaiser C, De Servi S, Rickli H, Pedrazzini G, Pachinger O, Kiowski W, Hornig B, Galatius S, Erne P, Eberli F, Brunner-La Rocca H, Bonetti P, Bertel O, BASKET-PROVE Investigators. Drug-eluting or bare-metal stents for large coronary vessel stenting? The BASKET-PROVE (PROspective Validation Examination) trial: study protocol and design. *American heart journal* 2008; 155:609-14.

Maeder M, Ammann P, Kiowski W, Rickli H. B-type natriuretic peptide in patients with sepsis and preserved left ventricular ejection fraction. *European journal of heart failure : journal of the Working Group on Heart Failure of the European Society of Cardiology* 2005; 7:1164-7.

Bernheim A, Fatio R, Kiowski W, Weilenmann D, Rickli H, Brunner-La Rocca H. Atropine often results in complete atrioventricular block or sinus arrest after cardiac transplantation: an unpredictable and dose-independent phenomenon. *Transplantation* 2004; 77:1181-5.

Schalcher C, Rickli H, Brehm M, Weilenmann D, Oechslin E, Kiowski W, Brunner-La Rocca H. Prolonged oxygen uptake kinetics during low-intensity exercise are related to poor prognosis in patients with mild-to-moderate congestive heart failure. *Chest* 2003; 124:580-6.

Rickli H, Kiowski W, Brehm M, Weilenmann D, Schalcher C, Bernheim A, Oechslin E, Brunner-La Rocca H. Combining low-intensity and maximal exercise test results improves prognostic prediction in chronic heart failure. *Journal of the American College of Cardiology* 2003; 42:116-22.

Bürgi Wegmann B, Sütsch G, Rickli H, Seifert B, Muntwyler J, Lüscher T, Kiowski W, Attenhofer Jost C. Gender and noninvasive diagnosis of coronary artery disease in women and men. *J Womens Health (Larchmt)* 2003; 12:51-9.

Weilenmann D, Rickli H, Follath F, Kiowski W, Brunner-La Rocca H. Noninvasive evaluation of pulmonary capillary wedge pressure by BP response to the Valsalva maneuver. *Chest* 2002; 122:140-5.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)