



**Cornelia Zwimpfer**

**Kontakt**

Cornelia Zwimpfer

## Publikationen (12)

Neidert M, Zeitlberger A, Leske H, Tschopp O, Sze L, Zwimpfer C, Wiesli P, Bellut D, Bernays R, Rushing E, Schmid C. Association of pre- and postoperative  $\alpha$ Klotho levels with long-term remission after pituitary surgery for acromegaly. *Sci Rep* 2022; 12:14765.

Sze L, Tschopp O, Neidert M, Bernays R, Ghirlanda C, Zwimpfer C, Wiesli P, Schmid C. Corrigendum to Soluble delta-like 1 homolog decreases in patients with acromegaly following pituitary surgery: A potential mediator of adipogenesis suppression by growth hormone? *Growth Hormone & IGF Research* 45 (2019) 20–24. *Growth Horm IGF Res* 2019; 51:77.

Sze L, Tschopp O, Neidert M, Bernays R, Ghirlanda C, Zwimpfer C, Wiesli P, Schmid C. Soluble delta-like 1 homolog decreases in patients with acromegaly following pituitary surgery: A potential mediator of adipogenesis suppression by growth hormone?. *Growth Horm IGF Res* 2019; 45:20–24.

Sze L, Neidert M, Bernays R, Zwimpfer C, Wiesli P, Haile S, Brändle M, Schmid C. Gender dependence of serum soluble Klotho in acromegaly. *Clin Endocrinol (Oxf)* 2014; 80:869–73.

Sze L, Bernays R, Zwimpfer C, Wiesli P, Brändle M, Schmid C. Impact of Growth Hormone on Cystatin C. *Nephron Extra* 2013; 3:118–124.

Neidert M, Schmid C, Rushing E, Leske H, Frei K, Seifert B, Sarnthein J, Zwimpfer C, Sze L, Bernays R. Soluble  $\alpha$ -klotho: a novel serum biomarker for the activity of GH-producing pituitary adenomas. *Eur J Endocrinol* 2013; 168:575–83.

Goede D, Wiesli P, Brändle M, Bestmann L, Bernays R, Zwimpfer C, Schmid C. Effects of thyroxine replacement on serum creatinine and cystatin C in patients with primary and central hypothyroidism. *Swiss medical weekly : official journal of the Swiss Society of Infectious Diseases, the Swiss Society of Internal Medicine, the Swiss Society of Pneumology* 2009; 139:339–44.

Schmid C, Zwimpfer C, Brändle M, Krayenbühl P, Zapf J, Wiesli P. Effect of thyroxine replacement on serum IGF-I, IGFBP-3 and the acid-labile subunit in patients with hypothyroidism and hypopituitarism. *Clinical endocrinology* 2006; 65:706–11.

Wiesli P, Bernays R, Brändle M, Zwimpfer C, Seiler H, Zapf J, A Spinas G, Schmid C. Effect of pituitary surgery in patients with acromegaly on adiponectin serum concentrations and alanine aminotransferase activity. *Clinica chimica acta; international journal of clinical chemistry* 2005; 352:175–81.

Wiesli P, Brändle M, Zapf J, Seiler H, Zwimpfer C, Spinas G, Schmid C. Assessment of hyperinsulinaemia at the termination of the prolonged fast. *Clinica chimica acta; international journal of clinical chemistry* 2004; 342:227–31.

Schmid C, Wiesli P, Bernays R, Bloch K, Zapf J, Zwimpfer C, Ghirlanda C, Brändle M. Decrease in sE-selectin after pituitary surgery in patients with acromegaly. *Clinical chemistry* 2004; 50:650–2.

Schmid C, Brändle M, Zwimpfer C, Zapf J, Wiesli P. Effect of thyroxine replacement on creatinine, insulin-like growth factor 1, acid-labile subunit, and vascular endothelial growth factor. *Clinical chemistry* 2004; 50:228–31.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)