



P Wiesli

Kontakt

P Wiesli

Publikationen (4)

Köhler S, Tschopp O, Sze L, Neidert M, Bernays R, Spanaus K, Wiesli P, Schmid C. Monitoring for potential residual disease activity by serum insulin-like growth factor 1 and soluble Klotho in patients with acromegaly after pituitary surgery: is there an impact of the genomic deletion of exon 3 in the growth hormone receptor (d3-GHR) gene on "safe" GH cut-off values?. *Gen Comp Endocrinol* 2013; 188:282-7.

Sze L, Bernays R, Zwimpfer C, Wiesli P, Brändle M, Schmid C. Excessively high soluble Klotho in patients with acromegaly. *J Intern Med* 2012; 272:93-7.

Wiesli P, Brändle M, Brandner S, Kollias S, Bernays R. Extensive spherical amyloid deposition presenting as a pituitary tumor. *Journal of endocrinological investigation* 2003; 26:552-5.

Wiesli P, Brändle M, Schwegler B, Lehmann R, Spinass G, Schmid C. A plasma glucose concentration below 2.5 mmol L⁻¹ is not an appropriate criterion to end the 72-h fast. *Journal of internal medicine* 2002; 252:504-9.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch