



Prof Dr med Bruno Schmied

Chefarzt/Chefärztin

Allgemein-, Viszeral-, Endokrin- und Transplantationschirurgie · Dept. II

Kontakt

Prof Dr med Bruno Schmied

T +41 71 494 1311

Orcid

0000-0003-4552-7386

Bereiche

Allgemein-, Viszeral-, Endokrin- und Transplantationschirurgie

Funktion

Chefarzt/Chefärztin

Publikationen (84)

Sparn M, Teixeira H, Chatziisaak D, Schmied B, Hahnloser D, Bischofberger S. Virtual reality simulation training in laparoscopic surgery – does it really matter, what simulator to use? Results of a cross-sectional study. *BMC Med Educ* 2024; 24:589.

Klein M, Warschkow R, Ukegjini K, Krstic D, Burri P, Chatziisaak D, Steffen T, Schmied B, Probst P, Tarantino I. The influence of delayed gastric emptying on quality of life after partial duodenopancreatectomy. *Langenbecks Arch Surg* 2024; 409:155.

Wczynsla K, Sparn M, Schmied B, Hahnloser D, Bischofberger S. There is a need for a paradigm shift in laparoscopic surgical training: results of a nationwide survey among teaching hospitals in Switzerland. *BMC Med Educ* 2024; 24:205.

Ammann Y, Warschkow R, Schmied B, De Lorenzi D, Reißfelder C, Bischofberger S, Marti L, Brunner W. Is survival after transanal total mesorectal excision (taTME) worse than that after traditional total mesorectal excision? A retrospective propensity score-adjusted cohort study. *Int J Colorectal Dis* 2024; 39:28.

Schreiber P, Hoessly L, Boggian K, Neofytos D, Van Delden C, Egli A, Dickenmann M, Hirzel C, Manuel O, Koller M, Rossi S, Banz V, Schmied B, Gürke L, Matter M, de Rougemont O, Bonani M, Golshayan D, Schnyder A, Sidler D, Haidar F, Kuster S, Stampf S, Müller N, members of the Swiss Transplant Cohort Study (STCS). Surgical site infections after kidney transplantation are independently associated with graft loss. *Am J Transplant* 2023

Erdem S, Warschkow R, Studer P, Tsai C, Nussbaum D, Schmied B, Blazer D, Worni M. The Impact of Age in the Treatment of Non-comorbid Patients with Rectal Cancer: Survival Outcomes from the National Cancer Database. *World J Surg* 2023

Uthayanan U, Kolb W, Schmied B, Bischofberger S. Surgical approach for appendicitis in neutropenia: a case report and review of the literature. *Surg Case Rep* 2022; 8:208.

Abbassi F, Müller S, Steffen T, Schmied B, Warschkow R, Beutner U, Tarantino I. Caffeine for intestinal transit after laparoscopic colectomy: randomized clinical trial (CaCo trial). *Br J Surg* 2022; 109:1216-1223.

Schreiber P, Laager M, Boggian K, Neofytos D, van Delden C, Egli A, Dickenmann M, Hirzel C, Manuel O, Koller M, Rossi S, Schmied B, Gürke L, Matter M, Berney T, de Rougemont O, Kuster S, Stampf S, Mueller N, Swiss Transplant Cohort Study. Surgical site infections after simultaneous pancreas kidney and pancreas transplantation in the Swiss Transplant Cohort Study. *J Hosp Infect* 2022; 128:47-53.

Sinz S, Schmied B, Ukegjini K. Diagnostik und Behandlung des akuten Abdomens. *Swiss Med Forum* 2021; 21:803-809.

Tarantino I, Schmied B, Sortino R, Abbassi F, Roeske S, Bock S, Weitzendorfer M, Warschkow R, Widmann B, Steffen T. Impact of precoding on reimbursement in diagnosis-related group systems: Randomized controlled trial. *Int J Surg* 2021; 96:106173.

Cristaudi A, Kremer M, Hartel M, Metzger J, Schmied B, Majno-Hurst P, Wiencierz A, Scheiwiller A, Tarantino I, Manzini G. Diagnostic role of the 'white test' with lipidic solution in the early intraoperative identification of open bile ducts for the prevention of bile leakage after liver resection: study protocol for a randomised controlled multicentric superiority trial (BiLe-Trial). *BMJ Open* 2021; 11:e049449.

Sortino R, Schmid M, El Baz Y, Loosen A, Tarantino I, Steffen T, Schmied B, Abbassi F. Indeterminate dendritic cell tumor in the pancreas. *J Surg Case Rep* 2020; 2020:rjaa208.

Widmann B, Warschkow R, Beutner U, Weitzendorfer M, Ukegini K, Schmied B, Tarantino I, Steffen T. Effect of lymphadenectomy in curative gallbladder cancer treatment: a systematic review and meta-analysis. *Langenbecks Arch Surg* 2020

Warschkow R, Blazer D, Müller S, Gloor B, Nussbaum D, Schmied B, Erdem S, Köhn N, Tsai C, Worni M. Role of lymphadenectomy, adjuvant chemotherapy, and treatment at high-volume centers in patients with resected pancreatic cancer—a distinct view on lymph node yield. *Langenbecks Arch Surg* 2020; 405:43–54.

Ukegini K, Schmied B. [Diagnosis and treatment of acute cholecystitis]. *Ther Umsch* 2020; 77:133–146.

Erdem S, Worni M, Hartwig M, Blazer D, Stettler C, Schmied B, Yerokun B, Tsai C, Warschkow R, Troxler E, Gloor B. Is There a Role for Surgery in Patients with Neuroendocrine Tumors of the Esophagus? A Contemporary View from the NCDB. *Ann Surg Oncol* 2019

Tsai C, Mueller A, Maubach J, Warschkow R, Nussbaum D, Schmied B, Blazer D, Gloor B, Worni M. No Difference in Survival between Neo-Adjuvant Chemotherapy and Neo-Adjuvant Chemoradiation Therapy in Gastric Cardia Cancer Patients: A Contemporary View from the National Cancer Database. *Dig Surg* 2019; 37:249–257.

Wurster E, Tarantino I, Büchler M, Schmied B, Weigand M, Brenner T, Antony P, Warschkow R, Pianka F, Ulrich A. Peridural analgesia does not impact survival in patients after colon cancer resection: a retrospective propensity score-adjusted analysis. *Int J Colorectal Dis* 2019; 34:1283–1293.

Antony P, Harnoss J, Warschkow R, Schmied B, Schneider M, Tarantino I, Ulrich A. Urgent surgery in colon cancer has no impact on survival. *J Surg Oncol* 2019; 119:1170–1178.

Widmann B, Galata C, Warschkow R, Beutner U, Ögredici Ö, Hetzer F, Schmied B, Post S, Marti L. Success and Complication Rates After Sacral Neuromodulation for Fecal Incontinence and Constipation: A Single-center Follow-up Study. *J Neurogastroenterol Motil* 2019; 25:159–170.

Köhn N, Blazer D, Schmied B, Gloor B, Candinas D, Nussbaum D, Tsai C, Warschkow R, Maubach J, Worni M. High rate of positive lymph nodes in T1a gallbladder cancer does not translate to decreased survival: a population-based, propensity score adjusted analysis. *HPB (Oxford)* 2018; 20:1073–1081.

Ackermann C, Gueller U, Jochum W, Schmied B, Warschkow R. The prognostic value of signet ring cell histology in stage I/II colon cancer—a population-based, propensity score-matched analysis. *Int J Colorectal Dis* 2018

Hüttner F, Warschkow R, Schmied B, Diener M, Tarantino I, Ulrich A. Prognostic impact of anastomotic leakage after elective colon resection for cancer – A propensity score matched analysis of 628 patients. *Eur J Surg Oncol* 2018

Guebeli N, Warschkow R, Ackermann C, Schmied B, Cerny T, et al. Reply to technical comment on: Güller et al. Lower hospital volume is associated with higher mortality after oesophageal, gastric, pancreatic and rectal cancer resection. *Swiss Med Wkly* 2018; 148:w14583.

Wilhelm A, Galata C, Beutner U, Schmied B, Warschkow R, Steffen T, Brunner W, Post S, Marti L. Duodenal localization is a negative predictor of survival after small bowel adenocarcinoma resection: A population-based, propensity score-matched analysis. *J Surg Oncol* 2017

Elias H, Galata C, Warschkow R, Schmied B, Steffen T, Post S, Marti L. Survival after resection of appendiceal carcinoma by hemicolectomy and less radical than hemicolectomy: a population-based propensity score matched analysis. *Colorectal Dis* 2017; 19:895-906.

Gueller U, Warschkow R, Ackermann C, Schmied B, Cerny T, et al. Lower hospital volume is associated with higher mortality after oesophageal, gastric, pancreatic and rectal cancer resection. *Swiss Med Wkly* 2017; 147:w14473.

Fleischmann I, Warschkow R, Beutner U, Marti L, Schmied B, Steffen T. Improved survival after retrieval of 12 or more regional lymph nodes in appendiceal cancer. *Eur J Surg Oncol* 2017; 43:1876-1885.

Warschkow R, Baechtold M, Leung K, Schmied B, Nussbaum D, Gloor B, Blazer Iii D, Worni M. Selective survival advantage associated with primary tumor resection for metastatic gastric cancer in a Western population. *Gastric Cancer* 2017

Lutz M, Maisonneuve P, Mayerle J, Martignoni M, Neoptolemos J, Rhim A, Schmied B, Seufferlein T, Werner J, van Laethem J, Lordick F, Laurent-Puig P, Huguet F, Zalberg J, Ducreux M, Aust D, Bruno M, Büchler M, Delpero J, Gloor B, Glynne-Jones R, Hartwig W, Otto F. 3rd St. Gallen EORTC Gastrointestinal Cancer Conference: Consensus recommendations on controversial issues in the primary treatment of pancreatic cancer. *Eur J Cancer* 2017; 79:41-49.

Ebinger S, Hardt J, Warschkow R, Schmied B, Herold A, Post S, Marti L. Operative and medical treatment of chronic anal fissures—a review and network meta-analysis of randomized controlled trials. *J Gastroenterol* 2017; 52:663-676.

Warschkow R, Gueller U, Cerny T, Schmied B, Plasswilm L, Putora P. Secondary malignancies after rectal cancer resection with and without radiation therapy: A propensity-adjusted, population-based SEER analysis. *Radiother Oncol* 2017; 123:139-146.

Warschkow R, Widmann B, Beutner U, Marti L, Steffen T, Schiesser M, Schmied B. The More the Better—Lower Rate of Stage Migration and Better Survival in Patients With Retrieval of 20 or More Regional Lymph Nodes in Pancreatic Cancer: A Population-Based Propensity Score Matched and Trend SEER Analysis. *Pancreas* 2017; 46:648-657.

Tarantino I, Warschkow R, Hackert T, Schmied B, Büchler M, Strobel O, Ulrich A. Staging of pancreatic cancer based on the number of positive lymph nodes. *Br J Surg* 2017; 104:608-618.

Warschkow R, Ebinger S, Brunner W, Schmied B, Marti L. Survival after Abdominoperineal and Sphincter-Preserving Resection in Nonmetastatic Rectal Cancer: A Population-Based Time-Trend and Propensity Score-Matched SEER Analysis. *Gastroenterol Res Pract* 2017; 2017:6058907.

Warschkow R, Sulz M, Marti L, Tarantino I, Schmied B, Cerny T, Gueller U. Better survival in right-sided versus left-sided stage I - III colon cancer patients. *BMC cancer* 2016; 16:554.

Warschkow R, Gueller U, Tarantino I, Cerny T, Schmied B, Thürlimann B, Jörgler M. Improved Survival After Primary Tumor Surgery in Metastatic Breast Cancer: A Propensity-adjusted, Population-based SEER Trend Analysis. *Ann Surg* 2016; 263:1188-98.

Warschkow R, Cerny T, Schmied B, Gueller U, Thürlimann B, Jörgler M. A population-based analysis of secondary malignancies in breast cancer patients receiving breast reconstruction. *Br J Cancer* 2016; 115:80-4.

Widmann B, Warschkow R, Schmied B, Marti L, Steffen T. Impact of Mucinous Histology on the Prognosis of Stage I-III Adenocarcinomas of the Appendix: a Population-Based, Propensity Score-Matched Analysis. *J Gastrointest Surg* 2016; 20:1493-502.

Hummel B, Schmied B, Widmann B, Brunner W, Zadnikar M, Warschkow R, Hetzer F, Bischofberger S, Hardt J, Marti L. New kid on the block: perineal stapled prolapse resection (PSP) is it worthwhile in the long-term?. *Langenbecks Arch Surg* 2016; 401:519-29.

Ukegini K, Zadnikar M, Warschkow R, Mueller S, Schmied B, Marti L. Baseline mortality-adjusted survival in colon cancer patients. *Langenbecks Arch Surg* 2016; 401:633-41.

Tarantino I, Warschkow R, Schmied B, Gueller U, Mieth M, Cerny T, Büchler M, Ulrich A. Predictive Value of CEA for Survival in Stage I Rectal Cancer: a Population-Based Propensity Score-Matched Analysis. *J Gastrointest Surg* 2016; 20:1213-22.

Kruse C, Tarantino I, Schmied B, Sulz M, Marti L, Brunner W, Luethi C, Warschkow R, Mueller S, Beutner U. Does caffeine reduce postoperative bowel paralysis after elective laparoscopic colectomy? (CaCo trial): study protocol for a randomized controlled trial. *Trials* 2016; 17:186.

Warschkow R, Tarantino I, Hüttner F, Schmied B, Gueller U, Diener M, Ulrich A. Predictive value of mucinous histology in colon cancer: a population-based, propensity score matched analysis. *Br J Cancer* 2016; 114:1027-32.

Brunner W, Widmann B, Marti L, Tarantino I, Schmied B, Warschkow R. Predictors for regional lymph node metastasis in T1 rectal cancer: a population-based SEER analysis. *Surg Endosc* 2016; 30:4405-15.

Tarantino I, Hüttner F, Warschkow R, Schmied B, Diener M, Ulrich A. Prognostic Relevance of Mucinous Subtype in a Population-based Propensity Score Analysis of 40,083 Rectal Cancer Patients. *Ann Surg Oncol* 2015; 23:1576-1586.

Gueller U, Tarantino I, Cerny T, Ulrich A, Schmied B, Warschkow R. Revisiting a dogma: similar survival of patients with small bowel and gastric GIST. A population-based propensity score SEER analysis. *Gastric Cancer* 2015

Müller-Stich B, Gutt C, Zerz A, Fischer L, Borovicka J, Schmied B, Marra F, Warschkow R, Diener M, Müller P, Achtstätter V, Senft J, Linke G, Büchler M. Laparoscopic Mesh-augmented HiatoPlasty With Cardiophrenicopexy Versus Laparoscopic Nissen Fundoplication for the Treatment of Gastroesophageal Reflux Disease: A Double-center Randomized Controlled Trial. *Ann Surg* 2015; 262:721-7.

Wilhelm A, Mueller S, Steffen T, Schmied B, Beutner U, Warschkow R. Patients with Adenocarcinoma of the Small Intestine with 9 or More Regional Lymph Nodes Retrieved Have a Higher Rate of Positive Lymph Nodes and Improved Survival. *J Gastrointest Surg* 2015

Tarantino I, Warschkow R, Beutner U, Kolb W, Lüthi A, Luethi C, Schmied B, Clerici T. Efficacy of a Single Preoperative Dexamethasone Dose to Prevent Nausea and Vomiting After Thyroidectomy (the tPONV Study): A Randomized, Double-blind, Placebo-controlled Clinical Trial. *Ann Surg* 2015; 262:934-940.

Ebinger S, Warschkow R, Tarantino I, Schmied B, Gueller U, Schiesser M. Modest overall survival improvements from 1998 to 2009 in metastatic gastric cancer patients: a population-based SEER analysis. *Gastric Cancer* 2015

Ebinger S, Warschkow R, Tarantino I, Schmied B, Marti L. Anastomotic leakage after curative rectal cancer resection has no impact on long-term survival: a propensity score analysis. *Int J Colorectal Dis* 2015; 30:1667-1675.

Gueller U, Tarantino I, Cerny T, Schmied B, Warschkow R. Population-based SEER trend analysis of overall and cancer-specific survival in 5138 patients with gastrointestinal stromal tumor. *BMC cancer* 2015; 15:557.

Steffen T, Ebinger S, Warschkow R, Luethi C, Schmied B, Clerici T. Long-Term Survival is not Impaired After the Complete Resection of Neuroendocrine Tumors of the Appendix. *World J Surg* 2015; 39:2670-6-2670.

Hüttner F, Schneider L, Tarantino I, Warschkow R, Schmied B, Hackert T, Diener M, Büchler M, Ulrich A. Palliative resection of the primary tumor in 442 metastasized neuroendocrine tumors of the pancreas: a population-based, propensity score-matched survival analysis. *Langenbecks Arch Surg* 2015; 400:715-723.

Beutner U, Schmied B, Büchler M, Wente M, Pahernik S, Tarantino I, Luethi C, Bork U, Leowardi C, Mueller S. Survival after renal cell carcinoma metastasis to the thyroid: single center experience and systematic review of the literature. *Thyroid* 2015; 25:314-24.

Tarantino I, Warschkow R, Worni M, Cerny T, Ulrich A, Schmied B, Gueller U. Prognostic Relevance of Palliative Primary Tumor Removal in 37,793 Metastatic Colorectal Cancer Patients: A Population-Based, Propensity Score-Adjusted Trend Analysis. *Ann Surg* 2014; 262:112-120.

Kulu Y, Tarantino I, Warschkow R, Kny S, Schneider M, Schmied B, Büchler M, Ulrich A. Anastomotic Leakage Is Associated with Impaired Overall and Disease-Free Survival after Curative Rectal Cancer Resection: A Propensity Score Analysis. *Ann Surg Oncol* 2014; 22:2059-2067.

Tarantino I, Mueller S, Warschkow R, Kulu Y, Schmied B, Büchler M, Ulrich A. Baseline mortality-adjusted survival in resected rectal cancer patients. *J Gastrointest Surg* 2014; 18:1837-1844.

Mueller S, Warschkow R, Beutner U, Luethi C, Ukegini K, Schmied B, Tarantino I. Use of human fibrin glue (Tisseel) versus staples for mesh fixation in laparoscopic transabdominal preperitoneal hernioplasty (TISTA): a randomized controlled trial (NCT01641718). *BMC Surg* 2014; 14:18.

Tarantino I, Beutner U, Kolb W, Mueller S, Luethi C, Lüthi A, Schmied B, Clerici T, Warschkow R. Study protocol for a randomized, double-blind, placebo-controlled trial of a single preoperative steroid dose to prevent nausea and vomiting after thyroidectomy: the tPONV study. *BMC Anesthesiol* 2013; 13:19.

Käppeli R, Schmied B, Zadnikar M, Wilhelm A, Fornaro J, Müller P, Kruse C, Hummel B, Mueller S, Tarantino I. IPMN: surgical treatment. *Langenbecks Arch Surg* 2013; 398:1029-1037.

Mueller S, Schmied B, Schemmer P, Tarantino I, Fonouni H, Leowardi C, Elbers H, Warschkow R, Rahbari N, Mehrabi A, Büchler M. Allogeneic Blood Transfusion Does Not Affect Outcome After Curative Resection for Advanced Cholangiocarcinoma. *Ann Surg Oncol* 2013; 21:155-164.

Tarantino I, Achermann P, Gueller U, Ulrich A, Schmied B, Horber D, Cerny T, Stanga Z, Warschkow R. Relative Survival is an Adequate Estimate of Cancer-Specific Survival: Baseline Mortality-Adjusted 10-Year Survival of 771 Rectal Cancer Patients. *Ann Surg Oncol* 2013; 20:3877-2884.

Tarantino I, Ukegini K, Warschkow R, Schmied B, Steffen T, Ulrich A, Mueller S. Blood transfusion does not adversely affect survival after elective colon cancer resection: a propensity score analysis. *Langenbecks Arch Surg* 2013; 398:841-9.

Mueller S, Tarantino I, Corazza M, Pianka F, Fornaro J, Beutner U, Luethi C, Schmied B. A rapid and accurate new bedside test to assess maximal liver function: a case report. *Patient Saf Surg* 2013; 7:11.

Warschkow R, Gueller U, Köberle D, Mueller S, Steffen T, Thurnheer M, Schmied B, Tarantino I. Perioperative Blood Transfusions Do Not Impact Overall and Disease-Free Survival After Curative Rectal Cancer Resection: A Propensity Score Analysis. *Ann Surg* 2013; 259:131-138.

Warschkow R, Tarantino I, Ukegini K, Beutner U, Gueller U, Schmied B, Mueller S, Schultes B, Thurnheer M. Concomitant cholecystectomy during laparoscopic Roux-en-Y gastric bypass in obese patients is not justified: a meta-analysis. *Obes Surg* 2013; 23:397-407.

Mueller S, Käppeli R, Fornaro J, Schmied B, Tarantino I. LiMax-Test: einfache und verlässliche Leberfunktionsmessung. *Leading Opinions Gastroenterologie* 2013; 13:50-52.

Mueller S, Rahbari N, Schmied B, Büchler M. Can postoperative coffee perk up recovery time after colon surgery?. *Expert Rev Gastroenterol Hepatol* 2013; 7:91-93.

Bock S, Wolff K, Marti L, Schmied B, Hetzer F. Long-term Outcome After Transanal Rectal Resection in Patients With Obstructed Defecation Syndrome. *Dis Colon Rectum* 2013; 56:246-52.

Mueller S, Schmied B, Bege H, Büchler M, Dralle H, Lerch M, Malfertheiner P, Mössner J, Riemann J. Technik der Nieren- und Pankreastransplantation und der alleinigen Pankreastransplantation. In: *Erkrankungen des Pankreas: Evidenz in Diagnostik, Therapie und Langzeitverlauf*. Heidelberg: Springer, 2013. ISBN 978-3642379635. S. 476-480.

Linke G, Luz S, Janczak J, Zerz A, Schmied B, Siercks I, Warschkow R, Beutner U, Tarantino I. Evaluation of sexual function in sexually active women 1 year after transvaginal NOTES: a prospective cohort study of 106 patients. *Langenbecks Arch Surg* 2012; 398:139-45.

Warschkow R, Beutner U, Steffen T, Mueller S, Schmied B, Gueller U, Tarantino I. Safe and early discharge after colorectal surgery due to C-reactive protein: a diagnostic meta-analysis of 1832 patients. *Ann Surg* 2012; 256:245-50.

Warschkow R, Ukegini K, Tarantino I, Steffen T, Mueller S, Schmied B, Marti L. Diagnostic study and meta-analysis of C-reactive protein as a predictor of postoperative inflammatory complications after pancreatic surgery. *J Hepatobiliary Pancreat Sci* 2012; 19:492-500.

Warschkow R, Tarantino I, Lange J, Müller S, Schmied B, Zünd M, Steffen T. Does hyperthermic intraoperative chemotherapy lead to improved outcomes in patients with ovarian cancer? A single center cohort study in 111 consecutive patients. *Patient Saf Surg* 2012; 6:12.

Warschkow R, Tarantino I, Folie P, Beutner U, Schmied B, Bisang P, Schultes B, Thurnheer M. C-reactive protein 2 days after laparoscopic gastric bypass surgery reliably indicates leaks and moderately predicts morbidity. *J Gastrointest Surg* 2012; 16:1128-35.

Warschkow R, Tarantino I, Ukegini K, Beutner U, Mueller S, Schmied B, Steffen T. Diagnostic study and meta-analysis of C-reactive protein as a predictor of postoperative inflammatory complications after gastroesophageal cancer surgery. *Langenbecks Arch Surg* 2012; 397:727-36.

Bock S, Schmied B, Adamina M. Entfernung des Primärtumors bei metastatischer Erkrankung: Wann macht es Sinn?. *Leading Opinions Hämatologie / Onkologie* 2012; 2:48-50.

Mueller S, Tarantino I, Martin D, Schmied B. Pancreatic surgery: beyond the traditional limits. *Recent Results Cancer Res* 2012; 196:53-64.

Warschkow R, Steffen T, Beutner U, Mueller S, Schmied B, Tarantino I. Diagnostic accuracy of C-reactive protein and white blood cell counts in the early detection of inflammatory complications after open resection of colorectal cancer: a retrospective study of 1,187 patients. *Int J Colorectal Dis* 2011; 27:1377.

Warschkow R, Tarantino I, Jensen K, Beutner U, Clerici T, Schmied B, Steffen T. Bilateral superficial cervical plexus block in combination with general anesthesia has a low efficacy in thyroid surgery: a meta-analysis of randomized controlled trials. *Thyroid* 2011; 22:44-52.

Warschkow R, Steffen T, Lüthi A, Filipovic M, Beutner U, Schmied B, Müller S, Tarantino I. Epidural analgesia in open resection of colorectal cancer: is there a clinical benefit? a retrospective study on 1,470 patients. *J Gastrointest Surg* 2011; 15:1386-93.

Projekte (4)

Partial pancreatoduodenectomy versus total pancreatectomy in patients with preoperative diabetes mellitus: Comparison of surgical outcomes and quality of life.

Klinische Forschung - 01.01.2022 - 01.06.2024

Automatisch geschlossen

Prolonged antibiotic prophylaxis do not impact perioperative outcomes after pancreatoduodenectomy in patients with biliary stent. A Propensity Score and Mediation Analysis

Klinische Forschung - 01.01.2022 - 01.06.2024

Automatisch geschlossen

Discharge Serum C-Reactive Protein Concentration Predicts Readmission Following Pancreaticoduodenectomy

Klinische Forschung - 01.01.2022 - 01.06.2024

Automatisch geschlossen

The influence of Delayed Gastric Emptying on Quality of Life after partial Duodenopancreatectomy

Klinische Forschung - 01.01.2022 - 01.06.2024

Automatisch geschlossen