



Andreas du Bois

Kontakt

Andreas du Bois

Publikationen (16)

Bachmann H, Aminossadati B, Schmalfeldt B, Burges A, Hillemanns P, Huober J, Wollschlaeger K, Sehouli J, Siffert W, Kuhlmann J, Kimmig R, du Bois A, Meier W, Wimberger P. The FNTB promoter polymorphism rs11623866 as a potential predictive biomarker for lonafarnib treatment of ovarian cancer patients. *Br J Clin Pharmacol* 2015; 80:1139-48.

Moebus V, Untch M, Kreienberg R, Hinke A, Runnebaum I, Nitz U, Kuhn W, Kurbacher C, Thomssen C, du Bois A, Lueck H, Huober J, Schneeweiss A, Jackisch C, AGO Breast Study Group. Response. *J Natl Cancer Inst* 2014; 106:djt452.

Moebus V, Untch M, Kreienberg R, Hinke A, Runnebaum I, Nitz U, Kuhn W, Kurbacher C, Thomssen C, du Bois A, Lueck H, Huober J, Schneeweiss A, Jackisch C, AGO Breast Study Group. Adding epoetin alfa to intense dose-dense adjuvant chemotherapy for breast cancer: randomized clinical trial. *J Natl Cancer Inst* 2013; 105:1018-26.

Lück H, Schuster T, Wollschläger K, Untch M, Thomssen C, Eidtmann H, Stickeler E, Richter B, Hubalek M, Jackisch C, Stähler A, Beckmann M, Heilmann V, Huober J, Schrader I, Loibl S, du Bois A, von Minckwitz G. Capecitabine plus paclitaxel versus epirubicin plus paclitaxel as first-line treatment for metastatic breast cancer: efficacy and safety results of a randomized, phase III trial by the AGO Breast Cancer Study Group. *Breast Cancer Res Treat* 2013; 139:779-87.

Meier W, Burges A, Stähle A, Belau A, Schröder W, Richter B, Wimberger P, Schmalfeldt B, Canzler U, Kreienberg R, Wollschlaeger K, Huober J, Baumann K, Gropp-Meier M, Rau J, du Bois A, Sehouli J. Randomized phase II trial of carboplatin and paclitaxel with or without lonafarnib in first-line treatment of epithelial ovarian cancer stage IIB-IV. *Gynecol Oncol* 2012; 126:236-40.

von Minckwitz G, Zahm D, Khandan F, Hoffmann G, Gerber B, Eidtmann H, Fend F, Dietel M, Mehta K, du Bois A, Blohmer J, Müller B, Loibl S, Budczies J, Hanusch C, Darb-Esfahani S, Hilfrich J, Weiss E, Huober J, Denkert C. Cytoplasmic poly(adenosine diphosphate-ribose) polymerase expression is predictive and prognostic in patients with breast cancer treated with neoadjuvant chemotherapy. *J Clin Oncol* 2011; 29:2150-7.

von Minckwitz G, Gerber B, du Bois A, Huober J, Hanusch C, Konecny G, Fett W, Stickeler E, Harbeck N, Müller V, Jackisch C, Hilfrich J, Mehta K, Untch M, Nüesch E, Loibl S, Kaufmann M, Kümmel S, Fasching P, Eiermann W, Blohmer J, Costa S, Jüni P. Impact of treatment characteristics on response of different breast cancer phenotypes: pooled analysis of the German neo-adjuvant chemotherapy trials. *Breast Cancer Res Treat* 2010; 125:145-56.

du Bois A, Jelic S, Pujade-Lauraine E, Burges A, Pfisterer J, Gropp M, Staehle A, Wimberger P, Jackisch C, Kurzeder C, Weber B, Herrstedt J, Hardy-Bessard A, Müller H, Harter P, Kristensen G, Joly F, Huober J, Avall-Lundqvist E, Sehouli J. Phase III trial of carboplatin plus paclitaxel with or without gemcitabine in first-line treatment of epithelial ovarian cancer. *J Clin Oncol* 2010; 28:4162-9.

Moebus V, Konecny G, Kreienberg R, Hinke A, Runnebaum I, von Minckwitz G, Harbeck N, Huober J, Schneeweiss A, Nitz U, Kuhn W, Kurbacher C, Thomssen C, du Bois A, Lueck H, Jackisch C, Untch M. Intense dose-dense sequential chemotherapy with epirubicin, paclitaxel, and cyclophosphamide compared with conventionally scheduled chemotherapy in high-risk primary breast cancer: mature results of an AGO phase III study. *J Clin Oncol* 2010; 28:2874-80.

von Minckwitz G, Kühn T, du Bois A, Blohmer J, Thomssen C, Dan Costa S, Jackisch C, Kaufmann M, Mehta K, Hanusch C, Gerber B, Rezai M, Loibl S, Fasching P, Huober J, Tesch H, Bauerfeind I, Hilfrich J, Eidtmann H, Untch M. Capecitabine in addition to anthracycline- and taxane-based neoadjuvant treatment in patients with primary breast cancer: phase III GeparQuattro study. *J Clin Oncol* 2010; 28:2015-23.

Untch M, Kühn T, du Bois A, Blohmer J, Thomssen C, Dan Costa S, Jackisch C, Kaufmann M, Mehta K, Hanusch C, Gerber B, Rezai M, Loibl S, Fasching P, Huober J, Tesch H, Bauerfeind I, Hilfrich J, Eidtmann H, von Minckwitz G. Neoadjuvant treatment with trastuzumab in HER2-positive breast cancer: results from the GeparQuattro study. *J Clin Oncol* 2010; 28:2024-31.

Costa S, Tesch H, Gerber B, Baumann K, Thomssen C, Breitbach G, Ibishi S, Jackisch C, Mehta K, Weiss E, Ataseven B, Loibl S, Kaufmann M, Zahm D, Hilfrich J, Huober J, Eidtmann H, du Bois A, Blohmer J, von Minckwitz G. Neoadjuvant chemotherapy shows similar response in patients with inflammatory or locally advanced breast cancer when compared with operable breast cancer: a secondary analysis of the GeparTrio trial data. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2010; 28:83-91.

Chan S, Frimodt-Møller B, Vaury A, Carrasco E, Jones A, Harrison M, Antón A, Mayordomo J, Kreienberg R, du Bois A, Llombart A, Lluch A, Schneeweiss A, Tubiana-Hulin M, Delozier T, Huober J, Romieu G, Fumoleau P. Phase III study of gemcitabine plus docetaxel compared with capecitabine plus docetaxel for anthracycline-pretreated patients with metastatic breast cancer. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2009; 27:1753-60.

Pfisterer J, Arnold N, Burchardi N, Schmalfeldt B, Huober J, Harter P, Kommos F, Bentz E, du Bois A, Hilpert F. Prognostic value of human epidermal growth factor receptor 2 (Her-2)/neu in patients with advanced ovarian cancer treated with platinum/paclitaxel as first-line chemotherapy: a retrospective evaluation of the AGO-OVAR 3 Trial by the AGO OVAR Germany. *International journal of gynecological cancer : official journal of the International Gynecological Cancer Society* 2009; 19:109-15.

Wagner U, Jackisch C, Meier W, Schmalfeldt B, Stähle A, Gropp M, Sehouli J, Lück H, Loibl S, Huober J, Pfisterer J, du Bois A, AGO Ovarian Cancer Study Group. Gefitinib in combination with tamoxifen in patients with ovarian cancer refractory or resistant to platinum-taxane based therapy--a phase II trial of the AGO Ovarian Cancer Study Group (AGO-OVAR 2.6). *Gynecologic oncology* 2007; 105:132-7.

Harter P, Emons G, Pfisterer J, Wollschlaeger K, Meerpohl H, Breitbach G, Tanner B, Sehouli J, Arbeitsgemeinschaft Gynaekologische Onkologie Ovarian Committee, Schmalfeldt B, Muenstedt K, Schröder W, du Bois A, Hahmann M, Hasenburg A, Burges A, Loibl S, Gropp M, Huober J, Fink D, AGO Ovarian Cancer Study Group. Surgery in recurrent ovarian cancer: the Arbeitsgemeinschaft Gynaekologische Onkologie (AGO) DESKTOP OVAR trial. *Annals of surgical oncology* 2006; 13:1702-10.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch