



**M Untch**

**Kontakt**

M Untch

## Publikationen (19)

Loibl S, Staib P, Link T, Rhiem K, Solbach C, Fasching P, Nekljudova V, Denkert C, Untch M, Jackisch C, Thomalla J, Schneeweiss A, Huober J, Braun M, Rey J, Blohmer J, Furlanetto J, Zahm D, Hanusch C, GBG and AGO-B. Neoadjuvant durvalumab improves survival in early triple-negative breast cancer independent of pathological complete response. *Ann Oncol* 2022

Loibl S, Schmitt W, von Minckwitz G, Thomalla J, Kümmel S, Rautenberg B, Fasching P, Weber K, Rhiem K, Denkert C, Jackisch C, Rezai M, Engels K, Untch M, Burchardi N, Huober J, Sinn B, Blohmer J, Grischke E, Furlanetto J, Tesch H, Hanusch C, Schneeweiss A. Corrigendum to "A randomised phase II study investigating durvalumab in addition to an anthracycline taxane-based neoadjuvant therapy in early triple-negative breast cancer: clinical results and biomarker analysis of GeparNuevo study": [*Annals of Oncology* (2019), volume 30:1279-1288]. *Ann Oncol* 2022; 33:743-744.

Geyer C, Symmans W, Rastogi P, Sohn J, Young R, Wright G, Harkness C, McIntyre K, Yardley D, Dunbar M, Metzger O, Ponce Lorenzo J, Sikov W, Huober J, Rugo H, Wolmark N, O'Shaughnessy J, Maag D, Untch M, Golshan M, Loibl S. Long-term efficacy and safety of addition of carboplatin with or without veliparib to standard neoadjuvant chemotherapy in triple-negative breast cancer: 4-year follow-up data from BrighTNess, a randomized phase 3 trial. *Ann Oncol* 2022

Fasching P, Rhiem K, Schneeweiss A, Engels K, Denkert C, Schmutzler R, Hahnen E, Untch M, Burchardi N, Blohmer J, Loibl S, Doering G, Uleer C, Schmitt W, Link T, Hauke J, Seither F, Jackisch C, Klare P, Schmatloch S, Hanusch C, Huober J, Stefek A, Seiler S, German Breast Group and Arbeitsgemeinschaft Gynäkologische Onkologie Breast. Neoadjuvant paclitaxel/olaparib in comparison to paclitaxel/carboplatinum in patients with HER2-negative breast cancer and homologous recombination deficiency (GeparOLA study). *Ann Oncol* 2020; 32:49-57.

Karn T, Schmitt W, Wu S, van Mackelenbergh M, Müller V, Schem C, Stickeler E, Fasching P, Jackisch C, Untch M, Schneeweiss A, Marmé F, Blohmer J, Denkert C, Weber K, Holtrich U, Hanusch C, Sinn B, Higgs B, Jank P, Sinn H, Huober J, Becker C, Loibl S. Tumor mutational burden and immune infiltration as independent predictors of response to neoadjuvant immune checkpoint inhibition in early TNBC in GeparNuevo. *Ann Oncol* 2020; 31:1216-1222.

Loibl S, Schmitt W, von Minckwitz G, Thomalla J, Kümmel S, Rautenberg B, Fasching P, Weber K, Rhiem K, Denkert C, Jackisch C, Rezai M, Engels K, Untch M, Burchardi N, Huober J, Sinn B, Blohmer J, Grischke E, Furlanetto J, Tesch H, Hanusch C, Schneeweiss A. A randomised phase II study investigating durvalumab in addition to an anthracycline taxane-based neoadjuvant therapy in early triple-negative breast cancer: clinical results and biomarker analysis of GeparNuevo study. *Ann Oncol* 2019; 30:1279-1288.

Möbus V, Kurbacher C, Untch M, Konecny G, Hinke A, Runnebaum I, von Minckwitz G, Harbeck N, Huober J, Schneeweiss A, Nitz U, Kuhn W, Thomssen C, du Bois A, Lück H, Jackisch C, AGO Breast Study Group (AGO-B). Ten-year results of intense dose-dense chemotherapy show superior survival compared with a conventional schedule in high-risk primary breast cancer: final results of AGO phase III iddEPC trial. *Ann Oncol* 2018; 29:178-185.

Möbus V, Thomssen C, Untch M, Nekljudova V, Loibl S, du Bois A, Bauerfeind I, Müller V, Huober J, Fehm T, Conrad B, Harbeck N, Elling D, Tesch H, Schneeweiss A, Lück H, Jackisch C, von Minckwitz G, German Breast Group (GBG), the AGO Breast Study Group (AGO-B) and NOGGO Study Groups. German Adjuvant Intergroup Node-positive Study (GAIN): a phase III trial comparing two dose-dense regimens (iddEPC versus ddEC-PwX) in high-risk early breast cancer patients. *Ann Oncol* 2017; 28:1803-1810.

von Minckwitz G, Jackisch C, Kümmel S, Fasching P, Schneeweiss A, Paepke S, Untch M, Burchardi N, Mehta K, Loibl S, Hanusch C, Denkert C, Rezai M, Tesch H, Huober J, Gerber B, Zahm D, Hilfrich J, Costa S, Dubsky P, Blohmer J, German Breast Group and Austrian Breast and Colon Cancer Study Group Investigators. Zoledronate for patients with invasive residual disease after anthracyclines-taxane-based chemotherapy for early breast cancer - The Phase III NeoAdjuvant Trial Add-on (NaTaN) study (GBG 36/ABCSG 29). *Eur J Cancer* 2016; 64:12-21.

Hadji P, Gnant M, Gray R, Harbeck N, Thürlimann B, Untch M, Cortes J, Martin M, Albert U, Conte P, Ejlertsen B, Bergh J, Kaufmann M, Smith I, Dodwell D, Coleman R, Wilson C, Powles T, Clézardin P, Aapro M, Costa L, Body J, Markopoulos C, Santini D, Diel I, Di Leo A, Cameron D, Holen I. Adjuvant bisphosphonates in early breast cancer: Consensus guidance for clinical practice from a European Panel. *Ann Oncol* 2015

Dabakuyo-Yonli T, Russell N, Roché H, Pruneri G, Penault Llorca F, Offersen B, Negreiros I, Michiels S, Macgrogan G, Kirkove C, Schmitt F, Servent V, Bellera C, Mathoulin-Pélissier S, Bonnetain F, Yarnold J, Wildiers H, van Tienhoven G, van der Hage J, Untch M, Thürlimann B, Jacot W, Gutowski M, Gligorov J, Bonnefoi H, Bogaerts J, Bliss J, A'Hern R, Cardoso F, Azria D, Asselain B, Poortmans P, Cameron D, Brain E, Cardoso M, Filleron T, Delaloge S, Debled M, De Azambuja E, Dalenc F, Dal Lago L, Cufer T, Coleman R, Chibaudel B, Gourgou-Bourgade S. Guidelines for time-to-event end point definitions in breast cancer trials: results of the DATECAN initiative (Definition for the Assessment of Time-to-event Endpoints in CANcer trials). *Ann Oncol* 2015

Untch M, Blohmer J, Costa S, Decker T, Diel I, Fasching P, Fehm T, Janni W, Lück H, Maass N, Scharl A, Beckmann M, Jackisch C, Thomssen C, Harbeck N, Huober J, von Minckwitz G, Gerber B, Kreipe H, Liedtke C, Marschner N, Möbus V, Scheithauer H, Schneeweiss A, Loibl S. Primary Therapy of Patients with Early Breast Cancer: Evidence, Controversies, Consensus: Opinions of German Specialists to the 14th St. Gallen International Breast Cancer Conference 2015 (Vienna 2015). *Geburtshilfe Frauenheilkd* 2015; 75:556-565.

Dabakuyo-Yonli T, Russell N, Roché H, Pruneri G, Penault Llorca F, Offersen B, Negreiros I, Michiels S, Macgrogan G, Kirkove C, Schmitt F, Servent V, Bellera C, Mathoulin-Pélissier S, Bonnetain F, Yarnold J, Wildiers H, van Tienhoven G, van der Hage J, Untch M, Thürlimann B, Jacot W, Gutowski M, Gligorov J, Bonnefoi H, Bogaerts J, Bliss J, A'Hern R, Cardoso F, Azria D, Asselain B, Poortmans P, Cameron D, Brain E, Cardoso M, Filleron T, Delaloge S, Debled M, De Azambuja E, Dalenc F, Dal Lago L, Cufer T, Coleman R, Chibaudel B, Gourgou-Bourgade S. Guidelines for time-to-event end point definitions in breast cancer trials: results of the DATECAN initiative (Definition for the Assessment of Time-to-event Endpoints in CANcer trials)†. *Ann Oncol* 2015; 26:873-9.

Lindner J, Tesch H, Karn T, Pommerenke F, Liedtke C, Untch M, Müller V, Rack B, Schem C, Engels K, Huober J, Sinn B, Loibl S, Denkert C, Ataseven B, Fasching P, Pfitzner B, Gerber B, Gade S, Darb-Esfahani S, von Minckwitz G. Expression of secreted protein acidic and rich in cysteine (SPARC) in breast cancer and response to neoadjuvant chemotherapy. *Ann Oncol* 2014; 26:95-100.

Deuker J, Kohls A, Weikel W, Bischoff J, Freese K, Schmidt M, Wiest W, Sütterlin M, Dietrich M, Griebhammer M, Burgmann D, Rack B, Salat C, Sattler D, Tio J, von Abel E, Fischer D, Ober A, Strumberg D, Uleer C, Solomayer E, Runnebaum I, Link H, Tomé O, Ulmer H, Conrad B, Feisel-Schwickardi G, Schumacher C, Steinmetz T, Bauerfeind I, Kremers S, Langanke D, Kullmer U, Christensen B, Burkamp U, Hofmann M, Schuster J, Simon W, Kronawitter U, Clemens M, Janni W, Latos K, Bauer W, Roßmann A, Bauer L, Lampe D, Heyl V, Hoffmann G, Lorenz-Salehi F, Hackmann J, Ruhland F, Stefek A, Köhne C, Meinerz W, Grasshoff S, Decker T, Overkamp F, Thalmann I, Sallmann A, Beck T, Reimer T, Bartzke G, Deryal M, Weigel M, Weder P, Steffens C, Lemster S, Schlag R, Müller T, von Minckwitz G, Nekljudova V, Gerber B, GBG/AGO-B study groups, Gnauert K, Heinrich B, Prätz T, Groh U, Tanzer H, Villena C, Tulusan A, Liedtke B, Blohmer J, Mau C, Potenberg J, Schilling J, Fehm T, Hauschild M, Loibl S, Untch M, Eidtmann H, Rezai M, Fasching P, Tesch H, Eggemann H, Schrader I, Kittel K, Hanusch C, Huober J, Solbach C, Jackisch C, Kunz G, Blohmer J, Just M, Weiss E, Möbus V, Stickeler E, Heinrich G, Wagner H, Abdallah A, Dewitz T, Emons G, Belau A, Rethwisch V, Lantzsich T, Thomssen C, Mattner U, Nugent A, Müller V, Noesselt T, Khandan F, Kühn T, Bückner U, Wolfgarten M, Lorenz R, Doering G, Feidicker S, Krabisch P, Deichert U, Augustin D, Kast K, Nestle-Krämling C, HÖB C, Terhaag J, Fasching P, Staib P, Aktas B, Holms F. Survival after neoadjuvant chemotherapy with or without bevacizumab or everolimus for HER2-negative primary breast cancer (GBG 44-GeparQuinto)†. *Ann Oncol* 2014; 25:2363-2372.

von Minckwitz G, Costa S, Jackisch C, Paepke S, Schneeweiss A, Kümmel S, Denkert C, Mehta K, Loibl S, Blohmer J, Hanusch C, Rezai M, Fasching P, Huober J, Tesch H, Bauerfeind I, Hilfrich J, Eidtmann H, Gerber B, Untch M. Survival after adding capecitabine and trastuzumab to neoadjuvant anthracycline-taxane-based chemotherapy for primary breast cancer (GBG 40--GeparQuattro). *Ann Oncol* 2013; 25:81-9.

Gerber B, Jackisch C, Kunz G, Blohmer J, Huober J, Hauschild M, Nekljudova V, Untch M, von Minckwitz G, Solbach C, Kreienberg R, Hanusch C, Loibl S, Eidtmann H, Rezai M, Fasching P, Tesch H, Eggemann H, Schrader I, Kittel K, German Breast Group Investigators. Neoadjuvant bevacizumab and anthracycline-taxane-based chemotherapy in 678 triple-negative primary breast cancers; results from the geparquinto study (GBG 44). *Ann Oncol* 2013; 24:2978-84.

Witzel I, Rack B, Meinhold-Heerlein I, Liedtke C, Karn T, Huober J, Zu Eulenburg C, Issa-Nummer Y, Untch M, Schem C, Mau C, Fasching P, Loibl S, von Minckwitz G, Eidtmann H, Fehm T, Khandan F, Schmatloch S, Hauschild M, Bischoff J, Müller V. Predictive value of HER2 serum levels in patients treated with lapatinib or trastuzumab -- a translational project in the neoadjuvant GeparQuinto trial. *Br J Cancer* 2012; 107:956-60.

Huober J, Jackisch C, Untch M, Möbus V, Wallwiener D, Kaufmann M, Minkwitz G. [Adjuvant therapy with trastuzumab (Herceptin) in primary breast cancer]. *Zentralblatt für Gynäkologie* 2006; 128:30-7.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)