



**Olivia Pagani**

**Kontakt**

Olivia Pagani

## Publikationen (18)

Eppenberger-Castori S, Klingbiel D, Ruhstaller T, Dietrich D, Ruffe D, Rothgiesser K, Pagani O, Thürlimann B. Plasma HER2ECD a promising test for patient prognosis and prediction of response in HER2 positive breast cancer: results of a randomized study – SAKK 22/99. *BMC cancer* 2020; 20:114.

Schmid S, Zaman K, Weder P, von Moos R, Thürlimann B, Rochlitz C, Pestalozzi B, Pagani O, Oehlschlegel C, Nolè F, Munzone E, Mamot C, Goldhirsch A, Aebi S, Klingbiel D, Ruhstaller T. Long-term responders to trastuzumab monotherapy in first-line HER-2+ advanced breast cancer: characteristics and survival data. *BMC cancer* 2019; 19:902.

Huober J, Bartsch R, Marme F, Pagani O, Thomssen C. Luminal Metastatic Breast Cancer. *Breast Care (Basel)* 2019; 14:99-101.

Francis P, Pavesi L, Ruhstaller T, Davidson N, Coleman R, Debled M, Buchholz S, Ingle J, Winer E, Maibach R, Rabaglio-Poretti M, Ruepp B, Di Leo A, Coates A, Gelber R, Goldhirsch A, Regan M, Climent M, Spazzapan S, Puglisi F, Pagani O, Fleming G, Walley B, Colleoni M, Láng I, Gomez H, Tondini C, Ciruelos E, Burstein H, Bonnefoi H, Bellet M, Martino S, Geyer C, Goetz M, Stearns V, Pinotti G, SOFT and TEXT Investigators and the International Breast Cancer Study Group. Tailoring Adjuvant Endocrine Therapy for Premenopausal Breast Cancer. *N Engl J Med* 2018; 379:122-137.

Zweifel M, Sessa C, Schoenfeld W, Tapia C, Brauchli P, Hawle H, Pilop C, Rothgiesser K, Bigler M, Pagani O, von Moos R, Weder P, Riniker S, Thürlimann B. Phase I trial of the androgen receptor modulator CR1447 in breast cancer patients. *Endocr Connect* 2017; 6:549-556.

Leyland-Jones B, Maibach R, Price K, Coates A, Goldhirsch A, Gelber R, Pagani O, Viale G, Rae J, Regan M, Arnould L, Neven P, Harvey V, Gray K, Abramovitz M, Bouzyk M, Young B, Long B, Kammler R, Dell'Orto P, Biasi M, Thürlimann B, BIG 1-98 Collaborative Group. ESR1 and ESR2 polymorphisms in the BIG 1-98 trial comparing adjuvant letrozole versus tamoxifen or their sequence for early breast cancer. *Breast Cancer Res Treat* 2015; 154:543-55.

Regan M, Sessa F, Peg Cámara V, Rodríguez Peralto J, MacGrogan G, Colleoni M, Goldhirsch A, Price K, Coates A, Gelber R, Viale G, Öhlschlegel C, Pizzolitto S, Pagani O, Francis P, Fleming G, Walley B, Kammler R, Dell'Orto P, Russo L, Szóke J, Doimi F, Villani L, SOFT and TEXT Investigators and International Breast Cancer Study Group. Predictive value and clinical utility of centrally assessed ER, PgR, and Ki-67 to select adjuvant endocrine therapy for premenopausal women with hormone receptor-positive, HER2-negative early breast cancer: TEXT and SOFT trials. *Breast Cancer Res Treat* 2015

Bernhard J, Regan M, Pagani O, Fleming G, Francis P, Price K, Coates A, Gelber R, Goldhirsch A, Parmar V, Pavesi L, Puglisi F, Luo W, Ribi K, Colleoni M, Burstein H, Tondini C, Pinotti G, Spazzapan S, Ruhstaller T, Walley B. Patient-reported outcomes with adjuvant exemestane versus tamoxifen in premenopausal women with early breast cancer undergoing ovarian suppression (TEXT and SOFT): a combined analysis of two phase 3 randomised trials. *Lancet Oncol* 2015; 16:848-58.

Leyland-Jones B, Neven P, Treilleux I, Rasmussen B, Maibach R, Price K, Coates A, Goldhirsch A, Pagani O, Viale G, Rae J, Harvey V, Ditzel H, Gray K, Abramovitz M, Bouzyk M, Young B, Long B, Kammler R, Dell'Orto P, Biasi M, Thürlimann B, Lyng M, Regan M. CYP19A1 polymorphisms and clinical outcomes in postmenopausal women with hormone receptor-positive breast cancer in the BIG 1-98 trial. *Breast Cancer Res Treat* 2015; 151:373-84.

Pagani O, Winer E, Rabaglio-Poretti M, Maibach R, Ruepp B, Giobbie-Hurder A, Price K, Bernhard J, Luo W, Ribi K, Viale G, Coates A, Gelber R, Goldhirsch A, Francis P, TEXT and SOFT Investigators, Ruhstaller T, Crivellari D, Puglisi F, Regan M, Walley B, Fleming G, Colleoni M, Láng I, Gomez H, Tondini C, Burstein H, Perez E, Ciruelos E, Stearns V, Bonnefoi H, Martino S, Geyer C, Pinotti G, International Breast Cancer Study Group. Adjuvant exemestane with ovarian suppression in premenopausal breast cancer. *N Engl J Med* 2014; 371:107-18.

Regan M, Debled M, Maibach R, Price K, Gelber R, Coates A, Goldhirsch A, Rae J, Viale G, Neven P, Ditzel H, Lyng M, Leyland-Jones B, Bouzyk M, Pagani O, Tang W, Kammler R, Dell'Orto P, Biasi M, Thürlimann B, Breast International Group (BIG) 1-98 Collaborative Group. CYP2D6 genotype and tamoxifen response in postmenopausal women with endocrine-responsive breast cancer: the breast international group 1-98 trial. *J Natl Cancer Inst* 2012; 104:441-51.

Phillips K, Gelber R, Price K, Goldhirsch A, Coates A, Pagani O, Cardoso F, Thürlimann B, Harvey V, Thompson A, Sun Z, Ribí K, Aldridge J, Bernhard J. Cognitive function in postmenopausal breast cancer patients one year after completing adjuvant endocrine therapy with letrozole and/or tamoxifen in the BIG 1-98 trial. *Breast Cancer Res Treat* 2010

Phillips K, Gelber R, Price K, Goldhirsch A, Coates A, Pagani O, Cardoso F, Thürlimann B, Harvey V, Thompson A, Stephens A, Sun Z, Ribí K, Bernhard J. Cognitive function in postmenopausal women receiving adjuvant letrozole or tamoxifen for breast cancer in the BIG 1-98 randomized trial. *Breast* 2010; 19:388-95.

Pagani O, Goldhirsch A, Coates A, Fey M, Collins J, Thürlimann B, Lindtner J, Holmberg S, Castiglione-Gertsch M, Gelber R, Price K, International Breast Cancer Study Group (IBCSG). Patterns of recurrence of early breast cancer according to estrogen receptor status: a therapeutic target for a quarter of a century. *Breast Cancer Res Treat* 2009; 117:319-24.

Pagani O, Goldhirsch A, Coates A, Forbes J, Murray E, Fey M, Thürlimann B, Lindtner J, Collins J, Crivellari D, Holmberg S, Gelber R, Price K, Castiglione-Gertsch M, Simoncini E, Gelber S, International Breast Cancer Study Group. Is adjuvant chemotherapy of benefit for postmenopausal women who receive endocrine treatment for highly endocrine-responsive, node-positive breast cancer? International Breast Cancer Study Group Trials VII and 12-93. *Breast Cancer Res Treat* 2009; 116:491-500.

International Breast Cancer Study Group, Coates A, Castiglione-Gertsch M, Price K, Gelber R, Pagani O, Simoncini E, Gelber S, Colleoni M, Goldhirsch A. Effects of a treatment gap during adjuvant chemotherapy in node-positive breast cancer: results of International Breast Cancer Study Group (IBCSG) Trials 13-93 and 14-93. *Ann Oncol* 2007; 18:1177-84.

Colleoni M, Thürlimann B, Crivellari D, Murray E, Mendiola C, Pagani O, Castiglione-Gertsch M, Coates A, Price K, Fey M, Collins J, Zahrieh D, Gelber R, Holmberg S, Mattsson J, Rudenstam C, Lindtner J, Erzen D, Snyder R, Goldhirsch A. Site of primary tumor has a prognostic role in operable breast cancer: the international breast cancer study group experience. *JCO* 2005; 23:1390-400.

Thürlimann B, Rochlitz C, Aebi S, Perey L, Pagani O, Ballabeni P, Senn I, Köberle D, Hess D, Goldhirsch A. Anastrozole ('Arimidex') versus tamoxifen as first-line therapy in postmenopausal women with advanced breast cancer: results of the double-blind cross-over SAKK trial 21/95--a sub-study of the TARGET (Tamoxifen or 'Arimidex' Randomized Group Efficacy and Tolerability) trial. *Breast Cancer Res Treat* 2004; 85:247-54.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)