



**Patrick Neven**

**Kontakt**

Patrick Neven

## Publikationen (23)

Rastogi P, O'Shaughnessy J, Martín M, Boyle F, Cortes J, Rugo H, Goetz M, Hamilton E, Huang C, Senkus E, Tryakin A, Cicin I, Testa L, Neven P, Huober J, Shao Z, Wei R, Andre V, Munoz M, San Antonio B, Shahir A, Harbeck N, Johnston S. Adjuvant Abemaciclib Plus Endocrine Therapy for Hormone Receptor-Positive, Human Epidermal Growth Factor Receptor 2-Negative, High-Risk Early Breast Cancer: Results From a Preplanned monarchE Overall Survival Interim Analysis, Including 5-Year Efficacy Outcomes. *J Clin Oncol* 2024;JCO2301994.

Paluch-Shimon S, Neven P, Huober J, Cicin I, Goetz M, Shimizu C, Huang C, Lueck H, Beith J, Tokunaga E, Contreras J, de Sant'Ana R, Wei R, Shahir A, Nabinger S, Forrester T, Johnston S, Harbeck N. Efficacy and safety results by menopausal status in monarchE: adjuvant abemaciclib combined with endocrine therapy in patients with HR+, HER2-, node-positive, high-risk early breast cancer. *Ther Adv Med Oncol* 2023; 15:17588359231151840.

Luen S, Viale G, Nik-Zainal S, Savas P, Kammler R, Dell'Orto P, Biasi O, Degasperi A, Brown L, Láng I, MacGrogan G, Tondini C, Bellet M, Villa F, Bernardo A, Ciruelos E, Karlsson P, Neven P, Climent M, Müller-Hübenthal B, Jochum W, Bonnefoi H, Martino S, Davidson N, Geyer C, Chia S, Ingle J, Coleman R, Solbach C, Thürlimann B, Colleoni M, Coates A, Goldhirsch A, Fleming G, Francis P, Speed T, Regan M, Loi S. Genomic characterisation of hormone receptor-positive breast cancer arising in very young women. *Ann Oncol* 2023; 34:397-409.

Johnston S, Toi M, O'Shaughnessy J, Rastogi P, Campone M, Neven P, Huang C, Huober J, Jaliffe G, Cicin I, Tolaney S, Goetz M, Rugo H, Senkus E, Testa L, Del Mastro L, Shimizu C, Wei R, Shahir A, Munoz M, San Antonio B, Andre V, Harbeck N, Martín M. Abemaciclib plus endocrine therapy for hormone receptor-positive, HER2-negative, node-positive, high-risk early breast cancer (monarchE): results from a preplanned interim analysis of a randomised, open-label, phase 3 trial. *Lancet Oncol* 2022

Leone J, Vaz-Luis I, Colleoni M, Di Leo A, Goldhirsch A, Wardley A, Bonnefoi H, Láng I, Neven P, Harvey V, Ejlertsen B, Gelber R, Giobbie-Hurder A, Rabaglio M, Coates A, Thürlimann B, Regan M, Cole B, Lin N. Clinical behavior of recurrent hormone receptor-positive breast cancer by adjuvant endocrine therapy within the Breast International Group 1-98 clinical trial. *Cancer* 2020

Rabaglio M, Thürlimann B, Colleoni M, Goldhirsch A, Gelber R, Coates A, Castiglione M, Ruepp B, Wardley A, Bonnefoi H, Láng I, Neven P, Harvey V, Ejlertsen B, Giobbie-Hurder A, Maibach R, Sun Z, Regan M. Cumulative incidence of cardiovascular events under tamoxifen and letrozole alone and in sequence: a report from the BIG 1-98 trial. *Breast Cancer Res Treat* 2020

Johnston S, Huober J, Wardley A, Tolaney S, Cicin I, Smith I, Frenzel M, Headley D, Wei R, San Antonio B, Hulstijn M, Cox J, O'Shaughnessy J, Rastogi P, Cortes J, Neven P, Harbeck N, Hegg R, Toi M, Martín M, Shao Z, Zhang Q, Martinez Rodriguez J, Campone M, Hamilton E, Sohn J, Guarneri V, Okada M, Boyle F, monarchE Committee Members and Investigators. Abemaciclib Combined With Endocrine Therapy for the Adjuvant Treatment of HR+, HER2-, Node-Positive, High-Risk, Early Breast Cancer (monarchE). *J Clin Oncol* 2020; 38:3987-3998.

Mueller-Schoell A, Schwab M, Zgheib N, Tfayli A, Chowbay B, Chen S, Eccles D, Copson E, Mathijssen R, Koolen S, Neven P, Jörgler M, Huisinga W, Brauch H, Michelet R, Mürdter T, Schroth W, Klopp-Schulze L, Kloft C. Obesity Alters Endoxifen Plasma Levels in Young Breast Cancer Patients: A Pharmacometric Simulation Approach. *Clin Pharmacol Ther* 2020; 108:661-670.

Klopp-Schulze L, Mueller-Schoell A, Neven P, Koolen S, Mathijssen R, Jörgler M, Kloft C. Integrated Data Analysis of Six Clinical Studies Points Toward Model-Informed Precision Dosing of Tamoxifen. *Front Pharmacol* 2020; 11:283.

Ruhstaller T, Simoncini E, Gianni L, Rochlitz C, Kralidis E, Zaman K, Jassem J, Piccart-Gebhart M, Di Leo A, Gelber R, Coates A, Goldhirsch A, Thürlimann B, Regan M, Veyret C, Del Mastro L, Giobbie-Hurder A, Colleoni M, Jensen M, Ejlertsen B, de Azambuja E, Neven P, Láng I, Jakobsen E, Gladieff L, Bonnefoi H, Harvey V, Spazzapan S, Tondini C, members of the BIG 1-98 Collaborative Group and the International Breast Cancer Study Group. Adjuvant Letrozole and Tamoxifen Alone or Sequentially for Postmenopausal Women With Hormone Receptor-Positive Breast Cancer: Long-Term Follow-Up of the BIG 1-98 Trial. *J Clin Oncol* 2018;JCO1800440.

Van Asten K, Van Calster B, Christodoulou E, Vergote I, Thürlimann B, Viale G, Regan M, Giobbie-Hurder A, Paridaens R, Smeets A, Weltens C, Van Limbergen E, Floris G, Wildiers H, Brouckaert O, Jongen L, Olbrecht S, Slembrouck L, Neven P. Prognostic Value of the Progesterone Receptor by Subtype in Patients with Estrogen Receptor-Positive, HER-2 Negative Breast Cancer. *Oncologist* 2018

Neven P, Vuylsteke P, Wynendaele W, Casteels M, Van Huffel S, Lybaert W, Van Ginderachter J, Paridaens R, Vergote I, Dezentjé V, Van Calster B, Jörgen M, Verhoeven D, Berteloot P, Jongen L, Lintermans A, Van Asten K, Blomme C, Lambrechts D, Poppe A, Wildiers H, Dieudonné A, Brouckaert O, Decloedt J, Guchelaar H. Tamoxifen Metabolism and Efficacy in Breast Cancer: A Prospective Multicenter Trial. *Clin Cancer Res* 2018; 24:2312-2318.

Colleoni M, Di Lauro V, Gombos A, Ruhstaller T, Burstein H, Ribi K, Bernhard J, Viale G, Maibach R, Rabaglio-Poretti M, Gelber R, Coates A, Di Leo A, Regan M, Goldhirsch A, O'Reilly S, Müller B, Marth C, Luo W, Karlsson P, Chirgwin J, Aebi S, Jerusalem G, Neven P, Hitre E, Graas M, Simoncini E, Kamby C, Thompson A, Loibl S, Gavilá J, Kuroi K, SOLE Investigators. Extended adjuvant intermittent letrozole versus continuous letrozole in postmenopausal women with breast cancer (SOLE): a multicentre, open-label, randomised, phase 3 trial. *Lancet Oncol* 2017; 19:127-138.

Chirgwin J, Colleoni M, Láng I, Neven P, Forbes J, Rabaglio M, Smith I, Goldhirsch A, Gelber R, Debled M, Ejlertsen B, Price K, Coates A, Giobbie-Hurder A, Thürlimann B. Treatment Adherence and Its Impact on Disease-Free Survival in the Breast International Group 1-98 Trial of Tamoxifen and Letrozole, Alone and in Sequence. *J Clin Oncol* 2016; 34:2452-9.

Ribi K, Torres R, Lombardi D, Puglisi F, Karlsson P, Ruhstaller T, Colleoni M, Coates A, Goldhirsch A, Price K, Gelber R, Regan M, Neven P, Perelló A, Kerbrat P, Luo W, Bernhard J, Francis P, Burstein H, Ciruelos E, Bellet M, Pavesi L, Lluch A, Visini M, Parmar V, Tondini C, Fleming G. Adjuvant Tamoxifen Plus Ovarian Function Suppression Versus Tamoxifen Alone in Premenopausal Women With Early Breast Cancer: Patient-Reported Outcomes in the Suppression of Ovarian Function Trial. *J Clin Oncol* 2016; 34:1601-10.

Leyland-Jones B, Maibach R, Price K, Coates A, Goldhirsch A, Gelber R, Pagani O, Viale G, Rae J, Regan M, Arnould L, Neven P, Harvey V, Gray K, Abramovitz M, Bouzyk M, Young B, Long B, Kammler R, Dell'Orto P, Biasi M, Thürlimann B, BIG 1-98 Collaborative Group. ESR1 and ESR2 polymorphisms in the BIG 1-98 trial comparing adjuvant letrozole versus tamoxifen or their sequence for early breast cancer. *Breast Cancer Res Treat* 2015; 154:543-55.

Leyland-Jones B, Neven P, Treilleux I, Rasmussen B, Maibach R, Price K, Coates A, Goldhirsch A, Pagani O, Viale G, Rae J, Harvey V, Ditzel H, Gray K, Abramovitz M, Bouzyk M, Young B, Long B, Kammler R, Dell'Orto P, Biasi M, Thürlimann B, Lyng M, Regan M. CYP19A1 polymorphisms and clinical outcomes in postmenopausal women with hormone receptor-positive breast cancer in the BIG 1-98 trial. *Breast Cancer Res Treat* 2015; 151:373-84.

Zaman K, Rondeau S, Hawle H, Rudolf C, Perey L, Wildiers H, Berset C, Mueller A, Rochlitz C, Hasler-Strub U, Mamot C, Winterhalder R, Neven P. Fulvestrant with or without selumetinib, a MEK 1/2 inhibitor, in breast cancer progressing after aromatase inhibitor therapy: a multicentre randomised placebo-controlled double-blind phase II trial, SAKK 21/08. *Eur J Cancer* 2015; 51:1212-20.

Fontanella C, Schneeweiss A, Paepke S, Jackisch C, Mehta K, Nekljudova V, Untch M, Neven P, von Minckwitz G, Huober J, Hilfrich J, Hanusch C, Lederer B, Gade S, Vanoppen M, Blohmer J, Costa S, Denkert C, Eidtmann H, Gerber B, Loibl S. Impact of body mass index on neoadjuvant treatment outcome: a pooled analysis of eight prospective neoadjuvant breast cancer trials. *Breast Cancer Res Treat* 2015; 150:127-39.

Regan M, Debled M, Maibach R, Price K, Gelber R, Coates A, Goldhirsch A, Rae J, Viale G, Neven P, Ditzel H, Lyng M, Leyland-Jones B, Bouzyk M, Pagani O, Tang W, Kammler R, Dell'Orto P, Biasi M, Thürlimann B, Breast International Group (BIG) 1-98 Collaborative Group. CYP2D6 genotype and tamoxifen response in postmenopausal women with endocrine-responsive breast cancer: the breast international group 1-98 trial. *J Natl Cancer Inst* 2012; 104:441-51.

Regan M, BIG 1-98 Collaborative Group, Thürlimann B, Coates A, Gelber R, Price K, Rabaglio M, Wardley A, Láng I, Smith I, Forbes J, Mauriac L, Ejlertsen B, Goldhirsch A, Giobbie-Hurder A, Neven P, International Breast Cancer Study Group (IBCSG). Assessment of letrozole and tamoxifen alone and in sequence for postmenopausal women with steroid hormone receptor-positive breast cancer: the BIG 1-98 randomised clinical trial at 8.1 years median follow-up. *Lancet Oncol* 2011; 12:1101-8.

Viale G, Olszewski W, Knox F, Thürlimann B, Price K, Castiglione-Gertsch M, Gelber R, Gusterson B, Goldhirsch A, Orosz Z, Neven P, Öhlschlegel C, Giobbie-Hurder A, Regan M, Coates A, Mastropasqua M, Dell'Orto P, Maiorano E, MacGrogan G, Braye S, Breast International Group Trial 1-98. Prognostic and predictive value of centrally reviewed Ki-67 labeling index in postmenopausal women with endocrine-responsive breast cancer: results from Breast International Group Trial 1-98 comparing adjuvant tamoxifen with letrozole. *J Clin Oncol* 2008; 26:5569-75.

Viale G, Gusterson B, Goldhirsch A, Price K, Castiglione-Gertsch M, Gelber R, Thürlimann B, Öhlschlegel C, Braye S, Orosz Z, Neven P, Raffoul J, Rasmussen B, Dell'Orto P, Mastropasqua M, Maiorano E, Regan M, Coates A. Prognostic and predictive value of centrally reviewed expression of estrogen and progesterone receptors in a randomized trial comparing letrozole and tamoxifen adjuvant therapy for postmenopausal early breast cancer: BIG 1-98. *J Clin Oncol* 2007; 25:3846-52.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)