



**Lucien Perey**

**Kontakt**

Lucien Perey

## Publikationen (4)

Zaman K, Rondeau S, Hawle H, Rudolf C, Perey L, Wiliders H, Berset C, Mueller A, Rochlitz C, Hasler-Strub U, Mamot C, Winterhalder R, Neven P. Fulvestrant with or without selumetinib, a MEK 1/2 inhibitor, in breast cancer progressing after aromatase inhibitor therapy: a multicentre randomised placebo-controlled double-blind phase II trial, SAKK 21/08. *Eur J Cancer* 2015; 51:1212-20.

Sabbioni M, Hürny C, Goldhirsch A, Herrmann R, Perey L, Bonnefoi H, Thürlimann B, Gertsch M, Schmitz S, Siegrist H, Bernhard J, Swiss Group for Clinical Cancer Research (SAKK). Does subjective burden of early breast cancer and its treatment affect immune measures during adjuvant therapy?. *Breast Cancer Res Treat* 2004; 87:75-86.

Thürlimann B, Rochlitz C, Aebi S, Perey L, Pagani O, Ballabeni P, Senn I, Köberle D, Hess D, Goldhirsch A. Anastrozole ('Arimidex') versus tamoxifen as first-line therapy in postmenopausal women with advanced breast cancer: results of the double-blind cross-over SAKK trial 21/95--a sub-study of the TARGET (Tamoxifen or 'Arimidex' Randomized Group Efficacy and Tolerability) trial. *Breast Cancer Res Treat* 2004; 85:247-54.

Köberle D, Perey L, Thürlimann B, Swiss Group for Clinical Cancer Research (SAKK). Re: Playing the old piano: another tune for endocrine therapy. *Journal of the National Cancer Institute* 2004; 96:555-6; author reply 556-7.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)