



P Buser

Kontakt

P Buser

Publikationen (5)

Bolliger D, Seeberger M, Kasper J, Skarvan K, Seeberger E, Lurati Buse G, Buser P, Filipovic M. Remifentanil does not impair left ventricular systolic and diastolic function in young healthy patients. *Br J Anaesth* 2011; 106:573-9.

Bolliger D, Seeberger M, Kasper J, Bernheim A, Schumann R, Skarvan K, Buser P, Filipovic M. Different effects of sevoflurane, desflurane, and isoflurane on early and late left ventricular diastolic function in young healthy adults. *Br J Anaesth* 2010; 104:547-54.

Wang J, Seeberger M, Skarvan K, Michaux I, Bernet F, Arsenic R, Buser P, Filipovic M. Intra-operative myocardial ischaemia cannot be detected by analysis of transmitral inflow patterns in patients undergoing off-pump coronary surgery. *European journal of anaesthesiology* 2008; 25:1-7.

Filipovic M, Seeberger M, Rohlf s R, Dergeloo O, Studer W, Atar D, Buser P, Skarvan K. Doppler indices of diastolic transmitral flow velocity are invalid indicators of myocardial ischaemia during high-dose dobutamine infusion in anaesthetized patients. *European journal of anaesthesiology* 2002; 19:789-95.

Seeberger M, Filipovic M, Rohlf s R, Dergeloo O, Studer W, Atar D, Buser P, Skarvan K. The diagnostic value of Doppler echocardiographic indexes of diastolic filling for detecting demand ischemia in anesthetized patients. *International journal of cardiac imaging* 2000; 16:437-46.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch