



Axel Mischo

Kontakt

Axel Mischo

Publikationen (5)

Samaras P, Renner C, Stahel R, Knuth A, Taverna C, Schäfer N, Mischo A, Schanz U, Siciliano R, Honegger H, Haile S, Buset E, Petrusch U, Zardavas D, Stenner-Liewen F. Prognostic factors for survival in lymphoma patients after autologous stem cell transplantation. *Swiss Med Wkly* 2013; 143:w13791.

Samaras P, Stenner-Liewen F, Knuth A, Bauer S, Taverna C, Stussi G, Schanz U, Honegger H, Zweifel M, Mischo A, Petrusch U, Siciliano R, Haile S, Blickenstorfer M, Renner C. Validation of prognostic factors and survival of patients with multiple myeloma in a real-life autologous stem cell transplantation setting: a Swiss single centre experience. *Swiss Med Wkly* 2011; 141:w13203.

Samaras P, Renner C, Knuth A, Stahel R, Stussi G, Schanz U, Pestalozzi B, Honegger H, Mischo A, Petrusch U, Haile S, Siciliano R, Buset E, Stenner-Liewen F. Equivalence of Pegfilgrastim and Filgrastim in Lymphoma Patients Treated with BEAM Followed by Autologous Stem Cell Transplantation. *Oncology* 2010; 79:93-97.

Samaras P, Stenner-Liewen F, Knuth A, Stahel R, Stussi G, Schanz U, Honegger H, Mischo A, Petrusch U, Buset E, Haile S, Siciliano R, Blickenstorfer M, Renner C. Pegfilgrastim reduces the length of hospitalization and the time to engraftment in multiple myeloma patients treated with melphalan 200 and auto-SCT compared with filgrastim. *Ann Hematol* 2010; 90:89-94.

Samaras P, Stenner-Liewen F, Knuth A, Zweifel M, Mischo A, Meisel A, Siciliano R, Schaefer N, Petrusch U, Haile S, Heider H, Renner C. Concomitant statin use does not impair the clinical outcome of patients with diffuse large B cell lymphoma treated with rituximab-CHOP. *Ann Hematol* 2010; 89:783-7.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch