



## Markus Kuster

### Kontakt

Markus Kuster

### Bereiche

Orthopädische Chirurgie und Traumatologie des Bewegungsapparates

## Publikationen (36)

Behrend H, Lengnick H, Zdravkovic V, Ladurner A, Rudin D, Erschbamer M, Jörger M, Kuster M. Vitamin C demand is increased after total knee arthroplasty: a double-blind placebo-controlled-randomized study. *Knee Surg Sports Traumatol Arthrosc* 2018

Grob K, Fretz C, Kuster M, Gilbey H, Ackland T. Knee Pain Associated with Rupture of Tensor Vastus Intermedius, a case report. *J Clin Case Rep* 2016; 6:838–828.

Grob K, Monahan R, Gilbey H, Yap F, Filgueira L, Kuster M. Distal extension of the direct anterior approach to the hip poses risk to neurovascular structures: an anatomical study. *J Bone Joint Surg Am* 2015; 97:126–32.

von der Heide N, Ebnetter L, Behrend H, Stutz G, Kuster M. Improvement of primary stability in ACL reconstruction by mesh augmentation of an established method of free tendon graft fixation. A biomechanical study on a porcine model. *Knee* 2013; 20:79–84.

Giesinger J, Kuster M, Behrend H, Giesinger K. Association of psychological status and patient-reported physical outcome measures in joint arthroplasty: a lack of divergent validity. *Health Qual Life Outcomes* 2013; 11:1477–7525–11–64.

Giesinger J, Kuster M, Holzner B, Giesinger K. Development Of A Computer-Adaptive Version Of The Forgotten Joint Score. *J Arthroplasty* 2012

Erhardt J, Stoffel K, Kampshoff J, Badur N, Yates P, Kuster M. The position and number of screws influence screw perforation of the humeral head in modern locking plates: a cadaver study. *J Orthop Trauma* 2012; 26:e188–92.

Röderer G, Erhardt J, Kuster M, Vegt P, Bahrs C, Kinzl L, Gebhard F. Second generation locked plating of proximal humerus fractures--a prospective multicentre observational study. *Int Orthop* 2010; 35:425–32.

Rukavina A, Kerkhoffs G, Schneider P, Kuster M. Recurrent hemarthrosis after total knee arthroplasty. *Knee Surg Sports Traumatol Arthrosc* 2010; 18:898–900.

Erhardt J, Kuster M. [Periprosthetic fractures of the knee joint.]. *Der Orthopäde* 2010; 39:97–108.

Kuster M, Jeffcote B, Schirm A, Jacob H, Nicholls R. Assessment of isometricity before and after total knee arthroplasty: a cadaver study. *The Knee* 2009; 16:352–7.

Kampshoff J, Stoffel K, Yates P, Erhardt J, Kuster M. The treatment of periprosthetic fractures with locking plates: effect of drill and screw type on cement mantles: a biomechanical analysis. *Archives of orthopaedic and trauma surgery* 2009

Kessler M, Behrend H, Henz S, Stutz G, Rukavina A, Kuster M. Function, osteoarthritis and activity after ACL-rupture: 11 years follow-up results of conservative versus reconstructive treatment. *Knee surgery, sports traumatology, arthroscopy : official journal of the ESSKA* 2008; 16:442–8.

Stoffel K, Leys T, Damen N, Nicholls R, Kuster M. A new technique for cement augmentation of the sliding hip screw in proximal femur fractures. *Clinical biomechanics (Bristol, Avon)* 2008; 23:45–51.

Jeffcote B, Nicholls R, Schirm A, Kuster M. The variation in medial and lateral collateral ligament strain and tibiofemoral forces following changes in the flexion and extension gaps in total knee replacement. A laboratory experiment using cadaver knees. *The Journal of bone and joint surgery. British volume* 2007; 89:1528-33.

Nicholls R, Schirm A, Jeffcote B, Kuster M. Tibiofemoral force following total knee arthroplasty: comparison of four prosthesis designs in vitro. *Journal of orthopaedic research : official publication of the Orthopaedic Research Society* 2007; 25:1506-12.

Stoffel K, Willers C, Korshid O, Kuster M. Patellofemoral contact pressure following high tibial osteotomy: a cadaveric study. *Knee surgery, sports traumatology, arthroscopy : official journal of the ESSKA* 2007; 15:1094-100.

Stoffel K, Lorenz K, Kuster M. Biomechanical considerations in plate osteosynthesis: the effect of plate-to-bone compression with and without angular screw stability. *Journal of orthopaedic trauma* 2007; 21:362-8.

Stoffel K, Engler H, Kuster M, Riesen W. Changes in biochemical markers after lower limb fractures. *Clinical chemistry* 2007; 53:131-4.

Stoffel K, Booth G, Rohrl S, Kuster M. A comparison of conventional versus locking plates in intraarticular calcaneus fractures: a biomechanical study in human cadavers. *Clinical biomechanics (Bristol, Avon)* 2007; 22:100-5.

Blythe M, Stoffel K, Jarrett P, Kuster M. Volar versus dorsal locking plates with and without radial styloid locking plates for the fixation of dorsally comminuted distal radius fractures: A biomechanical study in cadavers. *The Journal of hand surgery* 2006; 31:1587-93.

Behrend H, Stutz G, Bähris H, Kuster M. Knee ligament injuries. *Praxis* 2006; 95:1663-71.

Durst H, Kuster M. [Extracorporeal shock-wave lithotripsy for the treatment of calcific tendonitis of the gluteus maximus tendon]. *Zeitschrift für Orthopädie und ihre Grenzgebiete* 2006; 144:516-8.

Nicholls R, Green D, Kuster M. Patella intraosseous blood flow disturbance during a medial or lateral arthrotomy in total knee arthroplasty: a laser Doppler flowmetry study. *Knee surgery, sports traumatology, arthroscopy : official journal of the ESSKA* 2006; 14:411-6.

Stoffel K, Stachowiak G, Kuster M. Open wedge high tibial osteotomy: biomechanical investigation of the modified Arthrex Osteotomy Plate (Puddu Plate) and the TomoFix Plate. *Clinical biomechanics (Bristol, Avon)* 2004; 19:944-50.

Stoffel K, Stachowiak G, Forster T, Gächter A, Kuster M. Oblique screws at the plate ends increase the fixation strength in synthetic bone test medium. *Journal of orthopaedic trauma* 2004; 18:611-6.

Keel J, Kuster M. Massive wear of an incompatible metal-on-metal articulation in total hip arthroplasty. *The Journal of arthroplasty* 2004; 19:638-42.

Kuster M, Bitschnau B, Votruba T. Influence of collateral ligament laxity on patient satisfaction after total knee arthroplasty: a comparative bilateral study. *Archives of orthopaedic and trauma surgery* 2004; 124:415-7.

Stoffel K, Dieter U, Stachowiak G, Gächter A, Kuster M. Biomechanical testing of the LCP--how can stability in locked internal fixators be controlled?. *Injury* 2003; 34 Suppl 2:B11-9.

Durst H, Blatter G, Kuster M. Osteonecrosis of the humeral head after extracorporeal shock-wave lithotripsy. The Journal of bone and joint surgery. British volume 2002; 84:744-6.

Kuster M, Stachowiak G. Factors affecting polyethylene wear in total knee arthroplasty. Orthopedics 2002; 25:s235-42.

Kuster M. Exercise recommendations after total joint replacement: a review of the current literature and proposal of scientifically based guidelines. Sports medicine (Auckland, N.Z.) 2002; 32:433-45.

Kuster M. [Is joint stability only a matter of ligaments?]. Praxis 2001; 90:1293-5.

Kuster M, Horz S, Spalinger E, Stachowiak G, Gächter A. The effects of conformity and load in total knee replacement. Clinical orthopaedics and related research 2000:302-12.

Kuster M, Spalinger E, Blanksby B, Gächter A. Endurance sports after total knee replacement: a biomechanical investigation. Medicine and science in sports and exercise 2000; 32:721-4.

Stutz G, Kuster M, Kleinstück F, Gächter A. Arthroscopic management of septic arthritis: stages of infection and results. Knee surgery, sports traumatology, arthroscopy : official journal of the ESSKA 2000; 8:270-4.

## Projekte (0)

Keine Resultate gefunden.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)