



Carsten Denkert

Kontakt

Carsten Denkert

Publikationen (59)

Reimer T, Stachs A, Veselinovic K, Kühn T, Heil J, Polata S, Marme F, Müller T, Hildebrandt G, Krug D, Ataseven B, Reitsamer R, Ruth S, Denkert C, Bekes I, Zahm D, Thill M, Golatta M, Holtschmidt J, Knauer M, Nekljudova V, Loibl S, Gerber B. Axillary Surgery in Breast Cancer – Primary Results of the INSEMA Trial. *N Engl J Med* 2024

Denkert C, Schneeweiss A, Rey J, Karn T, Hattesoht A, Weber K, Rachakonda S, Braun M, Huober J, Jank P, Sinn H, Zahm D, Felder B, Hanusch C, Teply-Szymanski J, Marme F, Fehm T, Thomalla J, Sinn B, Stiewe T, Marczyk M, Blohmer J, van Mackelenbergh M, Schem C, Staib P, Link T, Müller V, Stickeler E, Stover D, Solbach C, Metzger-Filho O, Jackisch C, Geyer C, Fasching P, Pusztai L, Nekljudova V, Untch M, Loibl S. Molecular adaptation to neoadjuvant immunotherapy in triple-negative breast cancer. *Cell Rep Med* 2024; 5:101825.

Sinn B, Sychra K, Untch M, Karn T, van Mackelenbergh M, Huober J, Schmitt W, Marme F, Schem C, Solbach C, Stickeler E, Tesch H, Fasching P, Schneeweiss A, Müller V, Holtschmidt J, Nekljudova V, Loibl S, Denkert C. On-treatment biopsies to predict response to neoadjuvant chemotherapy for breast cancer. *Breast Cancer Res* 2024; 26:138.

Möbus V, Lück H, Ladda E, Klare P, Engels K, Schmidt M, Schneeweiss A, Grischke E, Wachsmann G, Forstbauer H, Untch M, Marme F, Blohmer J, Jackisch C, Huober J, Stickeler E, Reinisch M, Link T, Sinn B, Janni W, Denkert C, Seiler S, Solbach C, Schmatloch S, Rey J, Loibl S. GAIN2 trial overall survival with intense versus tailored dose dense chemotherapy in early breast cancer. *NPJ Breast Cancer* 2024; 10:66.

Jank P, Karn T, van Mackelenbergh M, Lindner J, Treue D, Huober J, Engels K, Solbach C, Diebold K, Marme F, Müller V, Schneeweiss A, Sinn H, Fehm T, Schem C, Stickeler E, Fasching P, Budczies J, Felder B, Nekljudova V, Holtschmidt J, Untch M, Denkert C, Loibl S. An analysis of PIK3CA hotspot mutations and response to neoadjuvant therapy in breast cancer patients from four prospective clinical trials. *Clin Cancer Res* 2024

Meyer-Wilmes P, Huober J, Untch M, Blohmer J, Janni W, Denkert C, Klare P, Link T, Rhiem K, Bayer C, Reinisch M, Bjelic-Radisic V, Zahm D, Hanusch C, Solbach C, Heinrich G, Hartkopf A, Schneeweiss A, Fasching P, Filmann N, Nekljudova V, Holtschmidt J, Stickeler E, Loibl S. Long-term outcomes of a randomized, open-label, phase II study comparing cabazitaxel versus paclitaxel as neoadjuvant treatment in patients with triple-negative or luminal B/HER2-negative breast cancer (GENEVIEVE). *ESMO Open* 2024; 9:103009.

Massa C, Karn T, Weber K, Schneeweiss A, Hanusch C, Blohmer J, Zahm D, Jackisch C, van Mackelenbergh M, Thomalla J, Marme F, Huober J, Müller V, Schem C, Mueller A, Stickeler E, Biehl K, Fasching P, Untch M, Loibl S, Denkert C, Seliger B. Baseline CD4 and expansion of $\gamma\delta$ T cells correlate with response to durvalumab in triple-negative breast cancer patients. *Clin Transl Med* 2024; 14:e1617.

Krug D, Banys-Paluchowski M, Brucker S, Denkert C, Ditsch N, Fasching P, Haidinger R, Harbeck N, Heil J, Huober J, Jackisch C, Janni W, Kolberg H, Loibl S, Luftner D, van Mackelenbergh M, Radosa J, Reimer T, Welslau M, Wuerstlein R, Untch M, Budach W. Radiotherapy statements of the 18th St. Gallen International Breast Cancer Consensus Conference—a German expert perspective. *Strahlenther Onkol* 2024

Link T, Blohmer J, Schmitt W, Kuhlmann J, Just M, Untch M, Stötzer O, Fasching P, Thill M, Reinisch M, Schneeweiss A, Wimberger P, Seiler S, Huober J, Jackisch C, Rhiem K, Hanusch C, Sinn B, Nekljudova V, Loibl S, Denkert C. RANK expression as an independent predictor for response to neoadjuvant chemotherapy in luminal-like breast cancer – a translational insight from the GeparX trial. *Clin Cancer Res* 2023

Untch M, Banys-Paluchowski M, Brucker S, Budach W, Denkert C, Ditsch N, Fasching P, Haidinger R, Heil J, Jackisch C, Janni W, Kolberg H, Krug D, Loibl S, Luftner D, van Mackelenbergh M, Radosa J, Reimer T, Welslau M, Wuerstlein R, Harbeck N, Huober J. Treatment of Early Breast Cancer: The 18th St. Gallen International Breast Cancer Consensus Conference against the Background of Current German Treatment Recommendations. *Geburtshilfe Frauenheilkd* 2023; 83:1102–1116.

Huober J, van Mackelenbergh M, Schneeweiss A, Seither F, Blohmer J, Denkert C, Tesch H, Hanusch C, Salat C, Rhiem K, Solbach C, Fasching P, Jackisch C, Reinisch M, Lederer B, Mehta K, Link T, Nekljudova V, Loibl S, Untch M. Identifying breast cancer patients at risk of relapse despite pathological complete response after neoadjuvant therapy. *NPJ Breast Cancer* 2023; 9:23.

Kolberg-Liedtke C, Untch M, Thomssen C, Schneeweiss A, Müller V, Loibl S, Kühn T, Krug D, Janni W, Jackisch C, Huober J, Harbeck N, Haidinger R, Fasching P, Denkert C, Budach W, Brucker S, Luftner D, Thill M. Practice-Changing Perspectives regarding Systemic Therapy in Early Breast Cancer: Opinions of German Experts regarding the 17th St. Gallen International Consensus Conference. *Breast Care (Basel)* 2022; 17:336-345.

Gerber B, Untch M, Kast K, Jackisch C, Thomalla J, Seither F, Blohmer J, Rhiem K, Fasching P, Nekljudova V, Loibl S, Hahn M, Klare P, Ataseven B, Schneeweiss A, Möbus V, Golatta M, Tesch H, Krug D, Hanusch C, Denkert C, Lübke K, Heil J, Huober J, Kühn T. Pathological Response in the Breast and Axillary Lymph Nodes after Neoadjuvant Systemic Treatment in Patients with Initially Node-Positive Breast Cancer Correlates with Disease Free Survival: An Exploratory Analysis of the GeparOcto Trial. *Cancers (Basel)* 2022; 14

Blohmer J, Jackisch C, Rhiem K, Solbach C, Hanusch C, Seither F, Denkert C, Engels K, Nekljudova V, Loibl S, Thill M, Huober J, Link T, Reinisch M, Just M, Untch M, Stötzer O, Fasching P, Schneeweiss A, Wimberger P, Seiler S, GBG and AGO-B. Effect of Denosumab Added to 2 Different nab-Paclitaxel Regimens as Neoadjuvant Therapy in Patients With Primary Breast Cancer: The GeparX 2 × 2 Randomized Clinical Trial. *JAMA Oncol* 2022; 8:1010-1018.

Schneeweiss A, Blohmer J, Fasching P, Solbach C, Schmutzler R, Huober J, Rhiem K, Nekljudova V, Lübke K, Loibl S, Jackisch C, Untch M, Link T, Michel L, Möbus V, Tesch H, Klare P, Hahnen E, Denkert C, Kast K, Pohl-Rescigno E, Hanusch C, GBG and AGO-B. Survival analysis of the randomised phase III GeparOcto trial comparing neoadjuvant chemotherapy of intense dose-dense epirubicin, paclitaxel, cyclophosphamide versus weekly paclitaxel, liposomal doxorubicin (plus carboplatin in triple-negative breast cancer) for patients with high-risk early breast cancer. *Eur J Cancer* 2021

Metzger-Filho O, von Minckwitz G, Rastogi P, Li L, Cheng L, Maag D, Wolmark N, Denkert C, Symmans W, Geyer C, Loibl S, Sikov W, Golshan M, Collier K, Asad S, Ansell P, Watson M, Bae J, Cherian M, O'Shaughnessy J, Untch M, Rugo H, Huober J, Stover D. Matched cohort study of germline BRCA mutation carriers with triple negative breast cancer in brightness. *NPJ Breast Cancer* 2021; 7:142.

Möbus V, Reinisch M, Link T, Sinn B, Janni W, Denkert C, Furlanetto J, Engels K, Solbach C, Schmatloch S, Rey J, Burchardi N, Loibl S, Stickeler E, Huober J, Lück H, Ladda E, Klare P, Schmidt M, Schneeweiss A, Grischke E, Wachsmann G, Forstbauer H, Untch M, Marme F, Blohmer J, Jackisch C, GBG and AGO-B. Phase III randomised trial comparing intense dose-dense chemotherapy to tailored dose-dense chemotherapy in high-risk early breast cancer (GAIN-2). *Eur J Cancer* 2021; 156:138-148.

Denkert C, Huober J, Rhiem K, Marme F, Reimer T, Schmidt M, Sinn B, Janni W, Stickeler E, Michel L, Stötzer O, Hahnen E, Furlanetto J, Seiler S, Nekljudova V, Untch M, Solbach C, Lübke K, Seither F, Schneeweiss A, Link T, Blohmer J, Just M, Wimberger P, Forberger A, Tesch H, Jackisch C, Schmatloch S, Reinisch M, Solomayer E, Schmitt W, Hanusch C, Fasching P, Loibl S. Clinical and molecular characteristics of HER2-low-positive breast cancer: pooled analysis of individual patient data from four prospective, neoadjuvant clinical trials. *Lancet Oncol* 2021; 22:1151-1161.

Marme F, Loibl S, Lederer B, Tesch H, Hanusch C, Denkert C, Rey J, Rhiem K, Link T, Nekljudova V, Jackisch C, Fasching P, Huober J, Blohmer J, Schneeweiss A, Michel L, Solbach C, Untch M. Utility of the CPS + EG scoring system in triple-negative breast cancer treated with neoadjuvant chemotherapy. *Eur J Cancer* 2021; 153:203-212.

Untch M, Harbeck N, Thill M, Schneeweiss A, Müller V, Luftner D, Loibl S, Kühn T, Krug D, Kolberg-Liedtke C, Janni W, Jackisch C, Huober J, Haidinger R, Denkert C, Budach W, Brucker S, Fasching P, Thomssen C. Treatment of Patients with Early Breast Cancer: Evidence, Controversies, Consensus: German Expert Opinions on the 17th International St. Gallen Consensus Conference. *Geburtshilfe Frauenheilkd* 2021; 81:637-653.

Filho O, Rugo H, Huober J, Golshan M, Sikov W, von Minckwitz G, Rastogi P, Maag D, Wolmark N, Denkert C, Untch M, O'Shaughnessy J, Stover D, Asad S, Ansell P, Watson M, Loibl S, Geyer C, Bae J, Collier K, Cherian M, Symmans W. Association of Immunophenotype With Pathologic Complete Response to Neoadjuvant Chemotherapy for Triple-Negative Breast Cancer: A Secondary Analysis of the BrighTNess Phase 3 Randomized Clinical Trial. *JAMA Oncol* 2021; 7:603-608.

Villegas S, Huober J, Lederer B, van Mackelenbergh M, Tesch H, Jackisch C, Rezai M, Sinn P, Sinn B, Hackmann J, Kiechle M, Schneeweiss A, Weichert W, Denkert C, Schmitt W, Hanusch C, Nekljudova V, Pfarr N, Engel J, Untch M, Schrodi S, Holms F, Ulmer H, Fasching P, Weber K, Albig C, Heinrichs C, Marme F, Hartmann A, Loibl S. Therapy response and prognosis of patients with early breast cancer with low positivity for hormone receptors - An analysis of 2765 patients from neoadjuvant clinical trials. *Eur J Cancer* 2021; 148:159-170.

Werutsky G, Nekljudova V, Vladimirova V, Kühn T, Rhiem K, Huober J, Krug D, Link T, Schneeweiss A, Gerber B, Jackisch C, Tesch H, Denkert C, Seiler S, Blohmer J, Fasching P, Hanusch C, Untch M, Loibl S. Locoregional recurrence risk after neoadjuvant chemotherapy: A pooled analysis of nine prospective neoadjuvant breast cancer trials. *Eur J Cancer* 2020; 130:92-101.

Karn T, Schem C, Young B, Hanusch C, Stickeler E, Huober J, van Mackelenbergh M, Leyland-Jones B, Fehm T, Nekljudova V, Untch M, Gerber B, Holtrich U, Müller V, Meissner T, Weber K, Solbach C, Denkert C, Engels K, Fasching P, Sinn B, Schrader I, Budczies J, Marme F, Loibl S. A Small Hypoxia Signature Predicted pCR Response to Bevacizumab in the Neoadjuvant GeparQuinto Breast Cancer Trial. *Clin Cancer Res* 2020; 26:1896-1904.

Massa C, Müller V, Schem C, Mueller A, Stickeler E, Biehl K, Fasching P, Untch M, Loibl S, Weber K, Huober J, Marme F, Karn T, Denkert C, Schneeweiss A, Hanusch C, Blohmer J, Zahm D, Jackisch C, van Mackelenbergh M, Thomalla J, Seliger B. Differential effect on different immune subsets of neoadjuvant chemotherapy in patients with TNBC. *J Immunother Cancer* 2020; 8

Sinn B, Denkert C, Seliger B, von Minckwitz G, Huober J, Ataseven B, Stickeler E, Schem C, Marme F, Klauschen F, Taube E, Karn T, Blohmer J, Symmans W, Fasching P, Schmitt W, Weber K, Loibl S. Human leucocyte antigen class I in hormone receptor-positive, HER2-negative breast cancer: association with response and survival after neoadjuvant chemotherapy. *Breast Cancer Res* 2019; 21:142.

Witzel I, Untch M, Stickeler E, Schem C, Marme F, Mackelenbergh M, Karn T, Huober J, Lück H, Weber K, Denkert C, Fasching P, Wirtz R, Loibl S, Müller V. Androgen receptor expression and response to chemotherapy in breast cancer patients treated in the neoadjuvant TECHNO and PREPARE trial. *Br J Cancer* 2019; 121:1009-1015.

Krug D, Huober J, Jackisch C, Kümmel S, Paepke S, Schem C, Schneeweiss A, Untch M, Debus J, von Minckwitz G, Kühn T, Hilfrich J, Heil J, Lederer B, Seither F, Nekljudova V, Ataseven B, Blohmer J, Costa S, Denkert C, Ditsch N, Gerber B, Hanusch C, Loibl S. Post-Mastectomy Radiotherapy After Neoadjuvant Chemotherapy in Breast Cancer: A Pooled Retrospective Analysis of Three Prospective Randomized Trials. *Ann Surg Oncol* 2019; 26:3892-3901.

Untch M, Hackmann J, Blohmer J, Rhiem K, Schmitt W, Furlanetto J, Gerber B, Huober J, Nekljudova V, von Minckwitz G, Hanusch C, Just M, Fasching P, Jackisch C, Schneeweiss A, Schmatloch S, Aktas B, Denkert C, Schem C, Wiebringhaus H, Kümmel S, Warm M, Loibl S. NAB-Paclitaxel Improves Disease-Free Survival in Early Breast Cancer: GBG 69-GeparSepto. *J Clin Oncol* 2019; 37:2226-2234.

Denkert C, Müller V, Klauschen F, Ataseven B, Engels K, Kammler R, Pfitzner B, Dietel M, Fasching P, Colleoni M, Blohmer J, Mehta K, Budczies J, Regan M, Loibl S, Dell'Orto P, von Minckwitz G, Mastropasqua M, Solbach C, Thürlimann B, Viale G. Clinical and analytical validation of Ki-67 in 9069 patients from IBCSG VIII + IX, BIG1-98 and GeparTrio trial: systematic modulation of interobserver variance in a comprehensive in silico ring trial. *Breast Cancer Res Treat* 2019; 176:557-568.

Schneeweiss A, Ingold-Heppner B, Blohmer J, Rezai M, Frank M, Engels K, Rhiem K, Fasching P, Nekljudova V, von Minckwitz G, Thomalla J, Jackisch C, Kast K, Möbus V, Tesch H, Hanusch C, Denkert C, Lübke K, Huober J, Klare P, Kümmel S, Untch M, Loibl S. Intense dose-dense epirubicin, paclitaxel, cyclophosphamide versus weekly paclitaxel, liposomal doxorubicin (plus carboplatin in triple-negative breast cancer) for neoadjuvant treatment of high-risk early breast cancer (GeparOcto-GBG 84): A randomised phase III trial. *Eur J Cancer* 2018; 106:181-192.

Bjelic-Radisic V, Dunst J, Münstedt K, Bick U, Fallenberg E, Tholen R, Hung R, Baumann F, Beckmann M, Blohmer J, Fasching P, Sinn H, Hirmüller S, Degenhardt F, Wenz F, Rick O, Hölzel D, Zaiss M, Kemper G, Budach V, Denkert C, Gerber B, Tesch H, Lux M, Harbeck N, Schmidt M, Schmutzler R, Schneeweiss A, Schütz F, Stickeler E, Thomssen C, Untch M, Wesselmann S, Bücken A, Buck A, Nöthlings U, Müller V, Hadji P, Hauner H, Heywang-Köbrunner S, Huober J, Hübner J, Jackisch C, Loibl S, Lück H, von Minckwitz G, Möbus V, Stangl S, Paradies K, Wöckel A, Kühn T, Langer T, Nothacker M, Scharl A, Schreier I, Link H, Engel J, Fehm T, Weis J, Welt A, Kreienberg R, Kopp I, Festl J, Stüber T, Brust K, Krockenberger M, Heuschmann P, Jírů-Hillmann S, Albert U, Budach W, Follmann M, Janni W, Steckelberg A, Feyer P, Petersen C, Bartsch H, Schulz-Wendtland R, Hahn M, Hanf V, Müller-Schimpfle M, Henschler U, Roncarati R, Katalinic A, Heitmann C, Siedentopf F, Lebeau A, König K, Hahne A, Baumgartner T, Kreipe H, Knoefel W, Denking M, Brucker S, Luftner D, Kubisch C, Gerlach C, Honegger C. Interdisciplinary Screening, Diagnosis, Therapy and Follow-up of Breast Cancer. Guideline of the DGGG and the DKG (S3-Level, AWMF Registry Number 032/045OL, December 2017) - Part 2 with Recommendations for the Therapy of Primary, Recurrent and Advanced Breast Cancer. *Geburtshilfe Frauenheilkd* 2018; 78:1056-1088.

Bjelic-Radisic V, Dunst J, Münstedt K, Bick U, Fallenberg E, Tholen R, Hung R, Baumann F, Beckmann M, Blohmer J, Sinn H, Hirmüller S, Tesch H, Degenhardt F, Wenz F, Rick O, Hölzel D, Zaiss M, Kemper G, Budach V, Denkert C, Gerber B, Fasching P, Lux M, Harbeck N, Schmidt M, Schmutzler R, Schneeweiss A, Schütz F, Stickeler E, Thomssen C, Untch M, Wesselmann S, Bücken A, Nöthlings U, Müller V, Möbus V, Hadji P, Hauner H, Heywang-Köbrunner S, Huober J, Hübner J, Jackisch C, Loibl S, Lück H, von Minckwitz G, Krockenberger M, Wöckel A, Langer T, Nothacker M, Scharl A, Schreier I, Link H, Engel J, Fehm T, Weis J, Welt A, Kühn T, Kreienberg R, Kopp I, Festl J, Stüber T, Brust K, Stangl S, Heuschmann P, Albert U, Budach W, Follmann M, Janni W, Steckelberg A, Feyer P, König K, Schulz-Wendtland R, Hahn M, Hanf V, Müller-Schimpfle M, Henschler U, Roncarati R, Katalinic A, Heitmann C, Honegger C, Bartsch H, Petersen C, Siedentopf F, Hahne A, Kreipe H, Knoefel W, Denking M, Brucker S, Luftner D, Kubisch C, Gerlach C, Lebeau A, Paradies K. Interdisciplinary Screening, Diagnosis, Therapy and Follow-up of Breast Cancer. Guideline of the DGGG and the DKG (S3-Level, AWMF Registry Number 032/045OL, December 2017) - Part 1 with Recommendations for the Screening, Diagnosis and Therapy of Breast Cancer. *Geburtshilfe Frauenheilkd* 2018; 78:927-948.

Loibl S, Kronenwett R, von Minckwitz G, Staebler A, Müller V, Darb-Esfahani S, Hartmann A, Furlanetto J, Kümmel S, Pfitzner B, Engels K, Schem C, Marme F, Krappmann K, Huober J, Weber K, Denkert C. Risk Assessment after Neoadjuvant Chemotherapy in Luminal Breast Cancer Using a Clinicomolecular Predictor. *Clin Cancer Res* 2018; 24:3358-3365.

Denkert C, Engels K, Schneeweiss A, Hartmann A, Noske A, Fasching P, Jackisch C, van Mackelenbergh M, Sinn P, Schem C, Hanusch C, Untch M, Kümmel S, Pfitzner B, Karn T, von Minckwitz G, Darb-Esfahani S, Lederer B, Heppner B, Weber K, Budczies J, Huober J, Klauschen F, Furlanetto J, Schmitt W, Blohmer J, Loibl S. Tumour-infiltrating lymphocytes and prognosis in different subtypes of breast cancer: a pooled analysis of 3771 patients treated with neoadjuvant therapy. *Lancet Oncol* 2017; 19:40-50.

Hahnen E, Huober J, Rhiem K, Costa S, Altmüller J, Hanusch C, Thiele H, Müller V, Nürnberg P, Karn T, Nekljudova V, Untch M, von Minckwitz G, Neidhardt G, Schem C, Lederer B, Hauke J, Loibl S, Kröber S, Schneeweiss A, Denkert C, Fasching P, Blohmer J, Jackisch C, Paepke S, Gerber B, Kümmel S, Schmutzler R. Germline Mutation Status, Pathological Complete Response, and Disease-Free Survival in Triple-Negative Breast Cancer: Secondary Analysis of the GeparSixto Randomized Clinical Trial. *JAMA Oncol* 2017; 3:1378-1385.

van Mackelenbergh M, Weber K, von Minckwitz G, Untch M, Schneeweiss A, Müller V, Kümmel S, Blohmer J, Fasching P, Huober J, Hanusch C, Jackisch C, Stickeler E, Marme F, Schem C, Karn T, Nekljudova V, Denkert C, Loibl S. Outcome after neoadjuvant chemotherapy in estrogen receptor-positive and progesterone receptor-negative breast cancer patients: a pooled analysis of individual patient data from ten prospectively randomized controlled neoadjuvant trials. *Breast Cancer Res Treat* 2017; 167:59-71.

Kümmel S, Burchardi N, von Minckwitz G, Fasching P, Klare P, Engels K, Denkert C, Schneeweiss A, Jackisch C, Hilfrich J, Hanusch C, Gerber B, Eiermann W, Blohmer J, Untch M, Schem C, Huober J, Paepke S, Loibl S. Randomised, open-label, phase II study comparing the efficacy and the safety of cabazitaxel versus weekly paclitaxel given as neoadjuvant treatment in patients with operable triple-negative or luminal B/HER2-negative breast cancer (GENEVIEVE). *Eur J Cancer* 2017; 84:1-8.

Untch M, Luftner D, Möbus V, Müller V, Rody A, Sinn P, Thill M, Thomssen C, Harbeck N, Kühn T, Janni W, Gerber B, Huober J, Jackisch C, Schneeweiss A, Brucker S, Dall P, Denkert C, Fasching P, Fehm T, Liedtke C. Initial Treatment of Patients with Primary Breast Cancer: Evidence, Controversies, Consensus: Spectrum of Opinion of German Specialists at the 15th International St. Gallen Breast Cancer Conference (Vienna 2017). *Geburtshilfe Frauenheilkd* 2017; 77:633-644.

Reinisch M, Nekljudova V V, Untch M, Lederer B, Rhiem K, Schneeweiss A, Kümmel S, Jackisch C, Hanusch C, Denkert C, Blohmer J, von Minckwitz G, Huober J, Loibl S. pCR rates in patients with bilateral breast cancer after neoadjuvant anthracycline-taxane based-chemotherapy - A retrospective pooled analysis of individual patients data of four German neoadjuvant trials. *Breast* 2017; 32:73-78.

Loibl S, Untch M, von Minckwitz G, Mehta K, Jackisch C, Tiemann K, Fasching P, Pfitzner B, Eidtmann H, Hartmann A, Lederer B, Furlanetto J, Klimowicz A, Huober J, Darb-Esfahani S, Denkert C. Integrated Analysis of PTEN and p4EBP1 Protein Expression as Predictors for pCR in HER2-Positive Breast Cancer. *Clin Cancer Res* 2016; 22:2675-83.

Marme F, von Minckwitz G, Untch M, Paepke S, Loibl S, Kümmel S, Jackisch C, Huober J, Hilfrich J, Hanusch C, Gerber B, Eidtmann H, Denkert C, Costa S, Blohmer J, Lederer B, Schneeweiss A. Utility of the CPS+EG staging system in hormone receptor-positive, human epidermal growth factor receptor 2-negative breast cancer treated with neoadjuvant chemotherapy. *Eur J Cancer* 2015; 53:65-74.

von Minckwitz G, Thomssen C, Huober J, Denkert C, Alfer J, Jackisch C, Nekljudova V, Burchardi N, Loibl S, Simon E, Stickeler E, Potenberg J, Conrad B, Reimer T, Decker T, Eidtmann H, Eiermann W, Hackmann J, Möbus V, Marme F, German Breast Group Investigators. A randomized phase 2 study comparing EC or CMF versus nab-paclitaxel plus capecitabine as adjuvant chemotherapy for nonfrail elderly patients with moderate to high-risk early breast cancer (ICE II-GBG 52). *Cancer* 2015; 121:3639-48.

Loibl S, Mehta K, Nekljudova V, Blohmer J, Costa S, Denkert C, Eidtmann H, Gerber B, Hanusch C, Hilfrich J, Huober J, Schneeweiss A, Kümmel S, Paepke S, Untch M, Lederer B, Jackisch C, von Minckwitz G. Outcome after neoadjuvant chemotherapy in young breast cancer patients: a pooled analysis of individual patient data from eight prospectively randomized controlled trials. *Breast Cancer Res Treat* 2015; 152:377-87.

Hanusch C, Burchardi N, Engels K, Blohmer J, Costa S, Denkert C, Eidtmann H, Gerber B, Hilfrich J, Huober J, Jackisch C, Kümmel S, Paepke S, Untch M, Loibl S, Schneeweiss A, von Minckwitz G. Dual Blockade with Afatinib and Trastuzumab as Neoadjuvant Treatment for Patients with Locally Advanced or Operable Breast Cancer Receiving Taxane-Anthracycline Containing Chemotherapy-DAFNE (GBG-70). *Clin Cancer Res* 2015; 21:2924-31.

Fontanella C, Schneeweiss A, Paepke S, Jackisch C, Mehta K, Nekljudova V, Untch M, Neven P, von Minckwitz G, Huober J, Hilfrich J, Hanusch C, Lederer B, Gade S, Vanoppen M, Blohmer J, Costa S, Denkert C, Eidtmann H, Gerber B, Loibl S. Impact of body mass index on neoadjuvant treatment outcome: a pooled analysis of eight prospective neoadjuvant breast cancer trials. *Breast Cancer Res Treat* 2015; 150:127-39.

Klauschen F, Denkert C, Dietel M, Lederer B, Mehta K, Erbstößer E, Rüdiger T, Huober J, Blohmer J, Gerber B, Loibl S, Schmitt W, Wienert S, von Minckwitz G. Standardized Ki67 Diagnostics Using Automated Scoring--Clinical Validation in the GeparTrio Breast Cancer Study. *Clin Cancer Res* 2014; 21:3651-7.

Loibl S, Fasching P, Andre F, Lindner J, Sotiriou C, Dykgers A, Guo S, Gade S, Nekljudova V, Loi S, Untch M, Pfitzner B, Huober J, Heinrichs C, von Minckwitz G, Schneeweiss A, Paepke S, Lehmann A, Rezai M, Zahm D, Sinn P, Khandan F, Eidtmann H, Dohnal K, Denkert C. PIK3CA mutations are associated with lower rates of pathologic complete response to anti-human epidermal growth factor receptor 2 (her2) therapy in primary HER2-overexpressing breast cancer. *J Clin Oncol* 2014; 32:3212-20.

von Minckwitz G, Huober J, Costa S, Tesch H, Hanusch C, Hilfrich J, Khandan F, Fasching P, Sinn B, Engels K, Mehta K, Nekljudova V, Klare P, Eidtmann H, Schneeweiss A, Loibl S, Salat C, Denkert C, Rezai M, Blohmer J, Jackisch C, Paepke S, Gerber B, Zahm D, Kümmel S, Untch M. Neoadjuvant carboplatin in patients with triple-negative and HER2-positive early breast cancer (GeparSixto; GBG 66): a randomised phase 2 trial. *Lancet Oncol* 2014; 15:747-56.

Loibl S, Denkert C, Hilfrich J, Konecny G, Fett W, Stickeler E, Harbeck N, Mehta K, Nekljudova V, von Minckwitz G, Huober J, Kümmel S, Volz C, Mau C, Blohmer J, Costa S, Eidtmann H, Fasching P, Gerber B, Hanusch C, Jackisch C, Untch M. Response and prognosis after neoadjuvant chemotherapy in 1,051 patients with infiltrating lobular breast carcinoma. *Breast Cancer Res Treat* 2014; 144:153-62.

Hilvo M, Orešič M, Denkert C, von Minckwitz G, Huober J, Untch M, Sysi-Aho M, Seppänen-Laakso T, Nekljudova V, Hyötyläinen T, Gade S, Loibl S. Monounsaturated fatty acids in serum triacylglycerols are associated with response to neoadjuvant chemotherapy in breast cancer patients. *Int J Cancer* 2013; 134:1725-33.

von Minckwitz G, Mehta K, Zahm D, Untch M, Schneeweiss A, Paepke S, Kümmel S, Kaufmann M, Jackisch C, Huober J, Hilfrich J, Hanusch C, Gerber B, Eiermann W, Eidtmann H, Denkert C, Costa S, Blohmer J, Loibl S. Response-guided neoadjuvant chemotherapy for breast cancer. *J Clin Oncol* 2013; 31:3623-30.

von Minckwitz G, Fehm T, Barinoff J, Rüdiger T, Erbstoesser E, Fasching P, Karn T, Müller V, Jackisch C, Huober J, Hilfrich J, Tesch H, Schmitt W, Loibl S, Müller B, Blohmer J, Sinn B, Eidtmann H, Eiermann W, Gerber B, Denkert C. Ki67 measured after neoadjuvant chemotherapy for primary breast cancer. *Clin Cancer Res* 2013; 19:4521-31.

Denkert C, von Minckwitz G, Tesch H, Hansmann M, Reinisch M, Engels K, Sinn B, Fasching P, Mehta K, Solbach C, Brase J, Darb-Esfahani S, Kronenwett R, Prinzler J, Loibl S, Huober J, Untch M. HER2 and ESR1 mRNA expression levels and response to neoadjuvant trastuzumab plus chemotherapy in patients with primary breast cancer. *Breast Cancer Res* 2013; 15:R11.

von Minckwitz G, Mehta K, Nekljudova V, Denkert C, Konecny G, Kaufmann M, Jackisch C, Huober J, Hilfrich J, Eiermann W, Gerber B, Fasching P, Eidtmann H, Costa S, Blohmer J, Untch M, Loibl S. Definition and impact of pathologic complete response on prognosis after neoadjuvant chemotherapy in various intrinsic breast cancer subtypes. *J Clin Oncol* 2012; 30:1796-804.

von Minckwitz G, Blohmer J, Huober J, Hauschild M, Fehm T, Müller B, Denkert C, Loibl S, Nekljudova V, Untch M, German Breast Group, Kunz G, Jackisch C, Gerber B, Eidtmann H, Rezai M, Fasching P, Tesch H, Eggemann H, Schrader I, Kittel K, Hanusch C, Kreienberg R, Solbach C, Arbeitsgemeinschaft Gynäkologische Onkologie-Breast Study Groups. Neoadjuvant chemotherapy and bevacizumab for HER2-negative breast cancer. *N Engl J Med* 2012; 366:299-309.

von Minckwitz G, Untch M, Diebold K, Tiemann K, Hoffmann G, Henschen S, Schrader I, Hanusch C, Clemens M, Just M, Dietrich K, Eidtmann H, Holms F, Solbach C, Tesch H, Huober J, Loibl S, Darb-Esfahani S, Denkert C. Responsiveness of adjacent ductal carcinoma in situ and changes in HER2 status after neoadjuvant chemotherapy/trastuzumab treatment in early breast cancer—results from the GeparQuattro study (GBG 40). *Breast Cancer Res Treat* 2011

von Minckwitz G, Zahm D, Khandan F, Hoffmann G, Gerber B, Eidtmann H, Fend F, Dietel M, Mehta K, du Bois A, Blohmer J, Müller B, Loibl S, Budczies J, Hanusch C, Darb-Esfahani S, Hilfrich J, Weiss E, Huober J, Denkert C. Cytoplasmic poly(adenosine diphosphate-ribose) polymerase expression is predictive and prognostic in patients with breast cancer treated with neoadjuvant chemotherapy. *J Clin Oncol* 2011; 29:2150-7.

Huober J, Mehta K, Darb-Esfahani S, Högel B, Thomssen C, Hauschild M, Khandan F, Belau A, Zahm D, Weiss E, Tesch H, Denkert C, von Minckwitz G, Loibl S. Effect of neoadjuvant anthracycline-taxane-based chemotherapy in different biological breast cancer phenotypes: overall results from the GeparTrio study. *Breast Cancer Res Treat* 2010; 124:133-40.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch