



Michael Heberer

Kontakt

Michael Heberer

Publikationen (17)

Adamina M, Spagnoli G, Marti W, Oertli D, Heberer M, Jacob A, Huegli R, Bolli M, Viehl C, Frey D, Weber W, Rosenthal R, Zajac P. Intranodal immunization with a vaccinia virus encoding multiple antigenic epitopes and costimulatory molecules in metastatic melanoma. *Mol Ther* 2010; 18:651-9.

Rosenthal R, Heberer M, Oertli D, von Holzen U, Frey D, Weber W, Bolli M, Iezzi G, Zajac P, Feder-Mengus C, Adamina M, Bracci L, Groeper C, Spagnoli G. Differential responsiveness to IL-2, IL-7, and IL-15 common receptor gamma chain cytokines by antigen-specific peripheral blood naive or memory cytotoxic CD8+ T cells from healthy donors and melanoma patients. *J Immunother* 2009; 32:252-61.

Rosenthal R, Viehl C, Gueller U, Weber W, Adamina M, Spagnoli G, Heberer M, Zuber M. Active specific immunotherapy phase III trials for malignant melanoma: systematic analysis and critical appraisal. *J Am Coll Surg* 2008; 207:95-105.

Adamina M, Heberer M, Zuber M, Oertli D, Frey D, Gueller U, Zajac P, Schumacher R, Rosenthal R, Weber W, Spagnoli G. Heterologous prime-boost immunotherapy of melanoma patients with Influenza virosomes, and recombinant Vaccinia virus encoding 5 melanoma epitopes and 3 co-stimulatory molecules. A multi-centre phase I/II open labeled clinical trial. *Contemp Clin Trials* 2007; 29:165-81.

Groeper C, Gambazzi F, Zajac P, Bubendorf L, Adamina M, Rosenthal R, Zerkowski H, Heberer M, Spagnoli G. Cancer/testis antigen expression and specific cytotoxic T lymphocyte responses in non small cell lung cancer. *Int J Cancer* 2007; 120:337-43.

Adamina M, Guller U, Bracci L, Heberer M, Spagnoli G, Schumacher R. Clinical applications of virosomes in cancer immunotherapy. *Expert Opin Biol Ther* 2006; 6:1113-21.

Adamina M, Oertli D, Spagnoli G, Amacker M, Zurbriggen R, Feder C, Groeper C, Rosenthal R, Weber W, Zajac P, Schumacher R, Heberer M. Advanced liposomal vectors as cancer vaccines in melanoma immunotherapy. *J Liposome Res* 2006; 16:195-204.

Schumacher R, Amacker M, Neuhaus D, Rosenthal R, Groeper C, Heberer M, Spagnoli G, Zurbriggen R, Adamina M. Efficient induction of tumoricidal cytotoxic T lymphocytes by HLA-A0201 restricted, melanoma associated, L(27)Melan-A/MART-1(26-35) peptide encapsulated into virosomes in vitro. *Vaccine* 2005; 23:5572-82.

Gueller U, Safford S, Pietrobon R, Heberer M, Oertli D, Jain N. High hospital volume is associated with better outcomes for breast cancer surgery: analysis of 233,247 patients. *World J Surg* 2005; 29:994-9; discussion 999-1000.

von Holzen U, Heberer M, Oertli D, Marti W, Schumacher R, Feder C, Reschner A, Groeper C, Zajac P, Weber W, Bolli M, Adamina M, Spagnoli G. Selective responsiveness to common gamma chain cytokines in peripheral blood-derived cytotoxic T lymphocytes induced by Melan-A/MART-1(27-35) targeted active specific immunotherapy. *Int J Cancer* 2005; 115:248-55.

Spagnoli G, Adamina M, Bolli M, Weber W, Zajac P, Marti W, Oertli D, Heberer M, Harder F. Active antigen-specific immunotherapy of melanoma: from basic science to clinical investigation. *World J Surg* 2005; 29:692-9.

Gueller U, Jain N, Curtis L, Oertli D, Heberer M, Pietrobon R. Insurance status and race represent independent predictors of undergoing laparoscopic surgery for appendicitis: secondary data analysis of 145,546 patients. *J Am Coll Surg* 2004; 199:567-75; discussion 575-7.

Schumacher R, Adamina M, Zurbriggen R, Bolli M, Padovan E, Zajac P, Heberer M, Spagnoli G. Influenza virosomes enhance class I restricted CTL induction through CD4+ T cell activation. *Vaccine* 2004; 22:714-23.

Bolli M, Sauter G, Heberer M, Harder F, Gambazzi F, Mirlacher M, Haas P, Dalquen P, Guller U, Adamina M, Kocher T, Spagnoli G. Tissue microarray evaluation of Melanoma antigen E (MAGE) tumor-associated antigen expression: potential indications for specific immunotherapy and prognostic relevance in squamous cell lung carcinoma. *Ann Surg* 2002; 236:785-93; discussion 793.

Gueller U, Heberer M, Harder F, Metzger U, Maurer R, Oertli D, Spagnoli G, Zuber M, Vorburger S, Bösch B, Schnider A, Zajac P, Marti W. Disseminated single tumor cells as detected by real-time quantitative polymerase chain reaction represent a prognostic factor in patients undergoing surgery for colorectal cancer. *Ann Surg* 2002; 236:768-75; discussion 775-6.

Oertli D, Heberer M, Harder F, Schumacher R, Adamina M, Padovan E, Kocher T, Noppen C, Zajac P, Marti W, Spagnoli G. Rapid induction of specific cytotoxic T lymphocytes against melanoma-associated antigens by a recombinant vaccinia virus vector expressing multiple immunodominant epitopes and costimulatory molecules in vivo. *Hum Gene Ther* 2002; 13:569-75.

Spagnoli G, Zajac P, Marti W, Oertli D, Padovan E, Noppen C, Kocher T, Adamina M, Heberer M. Cytotoxic T-cell induction in metastatic melanoma patients undergoing recombinant vaccinia virus-based immuno-gene therapy. *Recent Results Cancer Res* 2002; 160:195-201.

Projekte (0)

Keine Resultate gefunden.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch