



## Dr. med. Dimitrios Tsinalis

### Contact

Dr. med. Dimitrios Tsinalis  
Switzerland

[dimitrios.tsinalis@kssg.ch](mailto:dimitrios.tsinalis@kssg.ch)

### Units

Nephrologie | Transplantationsmedizin

## Publications (15)

Beglinger C, Kim M, Tsinalis D,ENZLER-Tschudy A, Jung K, Brändle M, Binet F. Vitamin-D-Intoxikation als seltene Ursache einer schweren Hyperkalzämie - Wenn YouTube alles besser weiss .... Swiss Med Forum 2018; 18:796-799.

Thiel G, Nolte C, Tsinalis D, Steiger J, Bachmann L. Investigating kidney donation as a risk factor for hypertension and microalbuminuria: findings from the Swiss prospective follow-up of living kidney donors. BMJ Open 2016; 6:e010869.

Thiel G, Nolte C, Tsinalis D. Prospective Swiss cohort study of living-kidney donors: study protocol. BMJ Open 2011; 1:e000202.

Hoffmann M, Tsinalis D, Vernazza P, Fierz W, Binet F. Assessment of an Interferon-gamma release assay for the diagnosis of latent tuberculosis infection in haemodialysis patient. Swiss Med Wkly 2010; 140:286-92.

Tsinalis D, Thiel G. An easy to calculate equation to estimate GFR based on inulin clearance. Nephrology, dialysis, transplantation : official publication of the European Dialysis and Transplant Association - European Renal Association 2009; 24:3055-61.

Hoffmann M, Fierz W, Tsinalis D, Vernazza P, Binet F (2009). Accurate QuantiFERON Gold InTube® (QFT) Performance in Haemodialysis (HD) Patients.

Hoffmann M, Tsinalis D, Vernazza P, Fierz W, Binet F (2008). Accuracy of an Interferon-gamma Release Assay for the Diagnosis of Latent Tuberculosis Infection in Haemodialysis Patients.

Kim M, Tsinalis D, Franz S, Binet F, Gürke L, Mihatsch M, Steiger J, Thiel G, Dickenmann M. ATG-Fresenius or daclizumab induction therapy in immunologically high risk kidney recipients: a prospective randomized pilot trial. Annals of transplantation : quarterly of the Polish Transplantation Society 2008; 13:21-7.

Schiesser D, Binet F, Tsinalis D, Dickenmann M, Keusch G, Schmidli M, Ambühl P, Lüthi L, Wüthrich R. Weekly low-dose treatment with intravenous iron sucrose maintains iron status and decreases epoetin requirement in iron-replete haemodialysis patients. Nephrology, dialysis, transplantation : official publication of the European Dialysis and Transplant Association - European Renal Association 2006; 21:2841-5.

Thiel G, Nolte C, Tsinalis D. [The Swiss Organ Living Donor Health Registry (SOL-DHR)]. Therapeutische Umschau. Revue thérapeutique 2005; 62:449-57.

Thiel G, Nolte C, Tsinalis D. Gender imbalance in living kidney donation in Switzerland. Transplant Proc 2005; 37:592-4.

Dickenmann M, Nicleleit V, Tsinalis D, Gürke L, Mihatsch M, Thiel G. Why do kidney grafts fail? A long-term single-center experience. Transplant international : official journal of the European Society for Organ Transplantation 2002; 15:508-14.

Tsinalis D, Dickenmann M, Brunner F, Gürke L, Mihatsch M, Nicleleit V. Acute renal failure in a renal allograft recipient treated with intravenous immunoglobulin. American journal of kidney diseases : the official journal of the National Kidney Foundation 2002; 40:667-70.

**Iselin H, Tsinalis D, Brunner F. Sodium balance-neutral sodium profiling does not improve dialysis tolerance. Swiss medical weekly : official journal of the Swiss Society of Infectious Diseases, the Swiss Society of Internal Medicine, the Swiss Society of Pneumology 2001; 131:635-9.**

**Dickenmann M, Tamm M, Tsinalis D, Binet F, Thiel G, Steiger J. Blood eosinophilia in tacrolimus-treated patients: an indicator of Pneumocystis carinii pneumonia. Transplantation 1999; 68:1606-8.**

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)