



Thomas Rüdiger

Contact

Thomas Rüdiger

Publications (4)

Klauschen F, Denkert C, Dietel M, Lederer B, Mehta K, Erbstöber E, Rüdiger T, Huober J, Blohmer J, Gerber B, Loibl S, Schmitt W, Wienert S, von Minckwitz G. Standardized Ki67 Diagnostics Using Automated Scoring--Clinical Validation in the GeparTrio Breast Cancer Study. *Clin Cancer Res* 2014; 21:3651-7.

von Minckwitz G, Fehm T, Barinoff J, Rüdiger T, Erbstoesser E, Fasching P, Karn T, Müller V, Jackisch C, Huober J, Hilfrich J, Tesch H, Schmitt W, Loibl S, Müller B, Blohmer J, Sinn B, Eidtmann H, Eiermann W, Gerber B, Denkert C. Ki67 measured after neoadjuvant chemotherapy for primary breast cancer. *Clin Cancer Res* 2013; 19:4521-31.

Schulz H, Engert A, Diehl V, Schnell R, Borchmann P, Rüdiger T, Driessen C, Elter T, Morschhauser F, Rehwald U, Reiser M. Rituximab in relapsed lymphocyte-predominant Hodgkin lymphoma: long-term results of a phase 2 trial by the German Hodgkin Lymphoma Study Group (GHSg). *Blood* 2008; 111:109-11.

Rehwald U, Engert A, Diehl V, Muller-Hermelink K, Rüdiger T, Driessen C, Morschhauser F, Staak J, Sieber M, Reiser M, Schulz H, German Hodgkin Lymphoma Study Group (GHSg). Treatment of relapsed CD20+ Hodgkin lymphoma with the monoclonal antibody rituximab is effective and well tolerated: results of a phase 2 trial of the German Hodgkin Lymphoma Study Group. *Blood* 2003; 101:420-4.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch