



Oliver Riesterer

Contact

Oliver Riesterer

Publications (9)

Riesterer O, Pruschy M, Bender S, Sharma A, Bogowicz M, Tanadini-Lang S, Stieb S, Bertogg K, Weber S, Ikenberg K, Huber G, Schmid S, Bredell M, Veit-Haibach P, Rordorf T, Held U, Glanzmann C, Studer G. Consolidation cetuximab after concurrent triplet radiochemotherapy+cetuximab in patients with advanced head and neck cancer: A randomized phase II study. *Radiother Oncol* 2020; 150:62-69.

de Galiza Barbosa F, Stolzmann P, Huellner M, Huber G, Pruschy M, Studer G, Stieb S, Tanadini-Lang S, Riesterer O, Veit-Haibach P. Evaluation of 18F-FDG PET/CT as an early imaging biomarker for response monitoring after radiochemotherapy using cetuximab in head and neck squamous cell carcinoma. *Head & Neck* 2019; 42:163-170.

Elicin O, Giger R, Spielmann T, Prestwich R, Riesterer O, Kaydihan N, Shelan M, Guckenberger M, Ozsahin M, Anschuetz L, Adam L, Henke G, Studer G, Zimmermann F, Caparotti F, Aebersold D, Oehler C, Ermiş E, Şen M. Influencing Factors on Radiotherapy Outcome in Stage I-II Glottic Larynx Cancer-A Multicenter Study. *Front Oncol* 2019; 9:932.

Riesterer O, Krayenbuehl J, Weder W, Sabrina Stark L, Zimmermann F, Nackaerts K, Zwahlen D, Mahmut Ozsahin E, Plasswilm L, Aebersold D, Xyrafas A, Stahel R, Ciernik I, Swiss Group for Clinical Cancer Research (SAKK). Pattern of failure after adjuvant radiotherapy following extrapleural pneumonectomy of pleural mesothelioma in the SAKK 17/04 trial. *Radiother Oncol* 2019; 138:121-125.

Ernst J, Ikenberg K, Apel B, Schumann D, Huber G, Studer G, Rordorf T, Riesterer O, Rössle M, Korol D, Bredell M. Expression of CK19 is an independent predictor of negative outcome for patients with squamous cell carcinoma of the tongue. *Oncotarget* 2016; 7:76151-76158.

Stahel R, Caspar C, Eckhardt K, Schmid R, Aebersold D, Gautschi O, Nagel W, Töpfer M, Krayenbuehl J, Ribi K, Ciernik L, Mordasini C, Zippelius A, Riesterer O, Xyrafas A, Opitz I, Beyeler M, Ochsenbein A, Früh M, Cathomas R, Nackaerts K, Peters S, Mamot C, Weder W. Neoadjuvant chemotherapy and extrapleural pneumonectomy of malignant pleural mesothelioma with or without hemithoracic radiotherapy (SAKK 17/04): a randomised, international, multicentre phase 2 trial. *Lancet Oncol* 2015; 16:1651-8.

Studer G, Linsenmeier C, Riesterer O, Najafi Y, Brown M, Yousefi B, Bredell M, Huber G, Schmid S, Studer S, Zwahlen R, Rordorf T, Glanzmann C. Late term tolerance in head neck cancer patients irradiated in the IMRT era. *Radiat Oncol* 2013; 8:259.

Studer G, Brown M, Bredell M, Graetz K, Huber G, Linsenmeier C, Najafi Y, Riesterer O, Rordorf T, Schmid S, Glanzmann C. Follow up after IMRT in oral cavity cancer: update. *Radiat Oncol* 2012; 7:84.

Riesterer O, Oehler-Jänne C, Jochum W, Broggini-Tenzer A, Vuong V, Pruschy M. Ionizing radiation and inhibition of angiogenesis in a spontaneous mammary carcinoma and in a syngenic heterotopic allograft tumor model: a comparative study. *Radiat Oncol* 2011; 6:66.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch