



**Edward Wight**

**Contact**

Edward Wight

## Publications (8)

Langer I, Zuber M, Koechli O, Burger D, Infanger E, Wight E, Schnarwyler B, Bronz L, Viehl C, Hess T, Fehr M, Schaer G, Singer G, Berclaz G, Worni M, Gueller U, Swiss Multicenter Sentinel Lymph Node Study Group in Breast Cancer. Bone marrow micrometastases do not impact disease-free and overall survival in early stage sentinel lymph node-negative breast cancer patients. *Ann Surg Oncol* 2013; 21:401-7.

Viehl C, Langer I, Gueller U, Zanetti-Dällenbach R, Moch H, Wight E, Oertli D, Zuber M. Prognostic impact and therapeutic implications of sentinel lymph node micro-metastases in early-stage breast cancer patients. *J Surg Oncol* 2011; 103:531-3.

Langer I, Gueller U, Viehl C, Moch H, Wight E, Harder F, Oertli D, Zuber M. Axillary lymph node dissection for sentinel lymph node micrometastases may be safely omitted in early-stage breast cancer patients: long-term outcomes of a prospective study. *Indian J Surg Oncol* 2010; 1:59-67.

Langer I, Gueller U, Viehl C, Moch H, Wight E, Harder F, Oertli D, Zuber M. Axillary lymph node dissection for sentinel lymph node micrometastases may be safely omitted in early-stage breast cancer patients: long-term outcomes of a prospective study. *Ann Surg Oncol* 2009; 16:3366-74.

Langer I, Zuber M, Burger D, Infanger E, Uehlinger U, Wight E, Schnarwyler B, Bronz L, Oertli D, Hess T, Fehr M, Schaer G, Moch H, Koechli O, Berclaz G, Gueller U, Swiss Multicenter Study Group Sentinel Lymph Node in Breast Cancer. Accuracy of frozen section of sentinel lymph nodes: a prospective analysis of 659 breast cancer patients of the Swiss multicenter study. *Breast Cancer Res Treat* 2008; 113:129-36.

Langer I, Zuber M, Burger D, Infanger E, Uehlinger U, Wight E, Schnarwyler B, Bronz L, Oertli D, Hess T, Fehr M, Schaer G, Singer G, Berclaz G, Koechli O, Gueller U, Swiss Multicenter Sentinel Lymph Node Study Group in Breast Cancer. Association of the presence of bone marrow micrometastases with the sentinel lymph node status in 410 early stage breast cancer patients: results of the Swiss Multicenter Study. *Ann Surg Oncol* 2007; 14:1896-903.

Langer I, Burger D, Infanger E, Uehlinger U, Wight E, Schnarwyler B, Bronz L, Oertli D, Hess T, Fehr M, Schaer G, Koechli O, Berclaz G, Gueller U, Zuber M. Morbidity of sentinel lymph node biopsy (SLN) alone versus SLN and completion axillary lymph node dissection after breast cancer surgery: a prospective Swiss multicenter study on 659 patients. *Ann Surg* 2007; 245:452-61.

Hornung R, Eppenberger U, Wight E, Staub U, Haller U, Fink D. Analysis of potential prognostic factors in 111 patients with ovarian cancer. *Cancer Letters* 2004; 206:97-106.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)