



Dr. Tom Cupedo

Contact

Dr. Tom Cupedo

Publications (4)

Cosgrove J, Uggioni M, Legler D, Lacey C, Coatesworth A, Polak W, Cupedo T, Manoury B, Thelen M, Stein J, Wolf M, Leake M, Timmis J, Ludewig B, Heller M, Venetz D, Taylor E, Novkovic M, Albrecht S, Pikor N, Zhou Z, Onder L, Mörbe U, Cupovic J, Miller H, Alden K, Thuery A, O'Toole P, Pinter R, Jarrett S, Coles M. B cell zone reticular cell microenvironments shape CXCL13 gradient formation. *Nat Commun* 2020; 11:3677.

Aparicio-Domingo P, Turley S, Pinschewer D, Cupedo T, Ludewig B, Papazian N, Alouche N, Favre S, Kallert S, Nguyen S, Buechler M, Cannelle H, Luther S. Fibroblast-derived IL-33 is dispensable for lymph node homeostasis but critical for CD8 T-cell responses to acute and chronic viral infection. *Eur J Immunol* 2020

Cordeiro O, Lanza F, Cupedo T, Ludewig B, Léon C, Yagita H, Rot A, Coles M, Eckly A, Li Z, Bénézech C, Romera-Hernandez M, Alloush F, Rauber S, Brouard N, Chypre M, Mueller C. Integrin-Alpha IIb Identifies Murine Lymph Node Lymphatic Endothelial Cells Responsive to RANKL. *PLoS one* 2016; 11:e0151848.

Onder L, Coles M, Cupedo T, Westermann J, Kaye P, Richie E, Halin C, Hoorweg K, Iolyeva M, Chai Q, Scandella E, Narang P, Ludewig B. IL-7-producing stromal cells are critical for lymph node remodeling. *Blood* 2012; 120:4675-83.

Projects (1)

Stroma Cell- Immune Cell Interactions in Health and Disease

Fundamental Research - Jan 1, 2012 - Dec 31, 2015

Completed

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch