



**Aleksey Shatunov**

**Contact**

Aleksey Shatunov

## Publications (8)

Al Khleifat A, Iacoangeli A, Jones A, Van Vugt J, Moisse M, Shatunov A, Zwamborn R, van der Spek R, Cooper-Knock J, Topp S, van Rheenen W, Kenna B, van Eijk K, Kenna K, Byrne R, López V, Opie-Martin S, Vural A, Campos Y, Weber M, Smith B, Fogh I, Silani V, Morrison K, Dobson R, van Es M, McLaughlin R, Vourc'h P, Chio A, Corcia P, de Carvalho M, Gotkine M, Panades M, Mora J, Shaw P, Landers J, Glass J, Shaw C, Başak N, Hardiman O, Robberecht W, Van Damme P, van den Berg L, Veldink J, Al-Chalabi A. Telomere length analysis in amyotrophic lateral sclerosis using large-scale whole genome sequence data. *Front Cell Neurosci* 2022; 16:1050596.

van Rheenen W, van der Spek R, Bakker M, Van Vugt J, Hop P, Zwamborn R, de Klein N, Westra H, Bakker O, Deelen P, Shireby G, Hannon E, Moisse M, Baird D, Restuadi R, Dolzhenko E, Dekker A, Gawor K, Westeneng H, Tazelaar G, van Eijk K, Kooyman M, Byrne R, Doherty M, Heverin M, Al Khleifat A, Iacoangeli A, Shatunov A, Ticozzi N, Cooper-Knock J, Smith B, Gromicho M, Chandran S, Pal S, Morrison K, Shaw P, Hardy J, Orrell R, Sendtner M, Meyer T, Başak N, van der Kooi A, Ratti A, Fogh I, Gellera C, Lauria G, Corti S, Cereda C, Sproviero D, D'Alfonso S, Sorarù G, Siciliano G, Filosto M, Padovani A, Chio A, Calvo A, Moglia C, Brunetti M, Canosa A, Grassano M, Beghi E, Pupillo E, Logroscino G, Nefussy B, Osmanovic A, Nordin A, Lerner Y, Zabari M, Gotkine M, Baloh R, Bell S, Vourc'h P, Corcia P, Couratier P, Millecamps S, Meininger V, Salachas F, Mora Pardina J, Assialioui A, Rojas-García R, Dion P, Ross J, Ludolph A, Weishaupt J, Brenner D, Freischmidt A, Bensimon G, Brice A, Dürr A, Payan C, Saker-Delye S, Wood N, Topp S, Rademakers R, Tittmann L, Lieb W, Franke A, Ripke S, Braun A, Kraft J, Whiteman D, Olsen C, Uitterlinden A, Hofman A, Rietschel M, Cichon S, Nöthen M, Amouyel P, SLALOM Consortium, PARALS Consortium, SLAGEN Consortium, SLAP Consortium, Traynor B, Singleton A, Mitne Neto M, Cauchi R, Ophoff R, Wiedau-Pazos M, Lomen-Hoerth C, Van Deerlin V, Grosskreutz J, Roediger A, Gaur N, Jörk A, Barthel T, Theele E, Ilse B, Stubendorff B, Witte O, Steinbach R, Hübner C, Graff C, Brylev L, Fominykh V, Demeshonok V, Ataulina A, Rogelj B, Koritnik B, Zidar J, Ravnik-Glavač M, Glavač D, Stević Z, Drory V, Povedano M, Blair I, Kiernan M, Benyamin B, Henderson R, Furlong S, Mathers S, McCombe P, Needham M, Ngo S, Nicholson G, Pamphlett R, Rowe D, Steyn F, Williams K, Mather K, Sachdev P, Henders A, Wallace L, de Carvalho M, Pinto S, Petri S, Weber M, Rouleau G, Silani V, Curtis C, Breen G, Glass J, Brown R, Landers J, Shaw C, Andersen P, Groen E, van Es M, Pasterkamp R, Fan D, Garton F, McRae A, Davey Smith G, Gaunt T, Eberle M, Mill J, McLaughlin R, Hardiman O, Kenna K, Wray N, Tsai E, Runz H, Franke L, Al-Chalabi A, Van Damme P, van den Berg L, Veldink J. Author Correction: Common and rare variant association analyses in amyotrophic lateral sclerosis identify 15 risk loci with distinct genetic architectures and neuron-specific biology. *Nat Genet* 2022; 54:361.

Al Khleifat A, Iacoangeli A, Van Vugt J, Bowles H, Moisse M, Zwamborn R, van der Spek R, Shatunov A, Cooper-Knock J, Topp S, Byrne R, Gellera C, López V, Jones A, Opie-Martin S, Vural A, Campos Y, van Rheenen W, Kenna B, van Eijk K, Kenna K, Weber M, Smith B, Fogh I, Silani V, Morrison K, Dobson R, van Es M, McLaughlin R, Vourc'h P, Chio A, Corcia P, de Carvalho M, Gotkine M, Panadés M, Mora J, Shaw P, Landers J, Glass J, Shaw C, Başak N, Hardiman O, Robberecht W, Van Damme P, van den Berg L, Veldink J, Al-Chalabi A. Structural variation analysis of 6,500 whole genome sequences in amyotrophic lateral sclerosis. *NPJ Genom Med* 2022; 7:8.

van Rheenen W, van der Spek R, Bakker M, Farei-Campagna J, Hop P, Zwamborn R, de Klein N, Westra H, Bakker O, Deelen P, Shireby G, Hannon E, Moisse M, Baird D, Restuadi R, Dolzhenko E, Dekker A, Gawor K, Westeneng H, Tazelaar G, van Eijk K, Kooyman M, Byrne R, Doherty M, Heverin M, Al Khleifat A, Iacoangeli A, Shatunov A, Ticozzi N, Cooper-Knock J, Smith B, Gromicho M, Chandran S, Pal S, Morrison K, Openshaw P, Hardy J, Orrell R, Sendtner M, Meyer T, Başak N, van der Kooi A, Ratti A, Fogh I, Gellera C, Lauria G, Corti S, Cereda C, Sproviero D, D'Alfonso S, Sorarù G, Siciliano G, Filosto M, Padovani A, Chio A, Calvo A, Moglia C, Brunetti M, Canosa A, Grassano M, Beghi E, Pupillo E, Logroscino G, Nefussy B, Osmanovic A, Nordin A, Lerner Y, Zabari M, Gotkine M, Baloh R, Bell S, Vourc'h P, Corcia P, Couratier P, Millecamps S, Meininger V, Salachas F, Mora J, Assialioui A, Rojas-García R, Dion P, Ross J, Ludolph A, Weishaupt J, Brenner D, Freischmidt A, Bensimon G, Brice A, Dürr A, Payan C, Saker-Delye S, Wood N, Topp S, Rademakers R, Tittmann L, Lieb W, Klein-Franke A, Ripke S, Braun A, Kraft J, Whiteman D, Olsen C, Uitterlinden A, Hofman A, Rietschel M, Cichon S, Nöthen M, Amouyel P, SLALOM Consortium, PARALS Consortium, SLAGEN Consortium, SLAP Consortium, Traynor B, Singleton A, Mitne Neto M, Cauchi R, Ophoff R, Wiedau-Pazos M, Lomen-Hoerth C, Van Deerlin V, Grosskreutz J, Roediger A, Gaur N, Jörk A, Barthel T, Theele E, Ilse B, Stubendorff B, Witte O, Steinbach R, Hübner C, Graff C, Brylev L, Fominykh V, Demeshonok V, Ataulina A, Rogelj B, Koritnik B, Zidar J, Ravnik-Glavač M, Glavač D, Stević Z, Drory V, Povedano M, Blair I, Kiernan M, Benyamin B, Henderson R, Furlong S, Mathers S, McCombe P, Needham M, Ngo S, Nicholson G, Pamphlett R, Rowe D, Steyn F, Williams K, Mather K, Sachdev P, Henders A, Wallace L, de Carvalho M, Pinto S, Petri S, Weber M, Rouleau G, Silani V, Curtis C, Breen G, Glass J, Brown R, Landers J, Shaw C, Andersen P, Groen E, van Es M, Pasterkamp R, Fan D, Garton F, McRae A, Davey Smith G, Gaunt T, Eberle M, Mill J, McLaughlin R, Hardiman O, Kenna K, Wray N, Tsai E, Runz H, Franke L, Al-Chalabi A, Van Damme P, van den Berg L, Veldink J. Common and rare variant association analyses in amyotrophic lateral sclerosis identify 15 risk loci with distinct genetic architectures and neuron-specific biology. *Nat Genet* 2021; 53:1636-1648.

Zhang K, Arcuti S, Brunetti M, Moglia C, Calvo A, Ratti A, Tiloca C, Gellera C, Pensato V, Mazzini L, Capozzo R, Zecca C, Blair I, Stuit R, Muller B, Filosto M, Padovani A, Riva N, Penco S, Lunetta C, Sorarù G, Bertolin C, Blauw H, Curtis C, Hofman A, Estrada K, Rivadeneira F, Uitterlinden A, Dartigues J, Tzourio C, Amouyel P, van der Kooi A, de Visser M, D'Alfonso S, Comi G, Del Bo R, Cereda C, Pansarasa O, Smith B, Shaw C, Weber M, Goris A, Nöthen M, McCann E, Veldink J, Corcia P, Andersen P, Hardiman O, Landers J, Glass J, Brown R, Pers T, Franke L, Van Damme P, Vourc'h P, Silani V, van den Berg L, Al-Chalabi A, Breen G, Lewis C, Pasterkamp R, van Es M, de Bakker P, Visscher P, Wray N, Robberecht W, Weishaupt J, Stubendorff B, Prell T, Ringer T, Witte O, Grosskreutz J, Kiernan M, Pamphlett R, Rowe D, Nicholson G, Kurth I, Hübner C, Ludolph A, Powell J, Logroscino G, Tortelli R, Pupillo E, Beghi E, Chio A, Casale F, Leigh P, Fifita J, Chandran S, Koritnik B, Ravnik-Glavač M, Vrabec K, Rogelj B, Lin K, Ticozzi N, Vajda A, Menelaou A, Medic J, Zidar J, Leonardis L, Polak M, Rojas-García R, Mora J, Pinto S, de Carvalho M, Meininger V, Salachas F, Millecamps S, Grošelj L, Brands W, Schellevis R, Robinson M, de Jong S, Vösa U, van der Spek R, Pulit S, Diekstra F, McLaughlin R, Dekker A, Shatunov A, Yang J, Fogh I, Harschnitz O, van Eijk K, Kenna K, Jones A, Sproviero W, Blokhuis A, Koppers M, Tazelaar G, van Doormaal P, van Rheenen W, Colville S, Cichon S, Maurel C, Andres C, Radivojkov-Blagojevic M, Lichtner P, Meitinger T, Parman Y, Hamzeiy H, Tunca C, Basak A, Bensimon G, Landwehrmeyer B, Rietschel M, Franke A, Lieb W, Tittmann L, Wood N, Dürr A, Saker-Delye S, Payan C, Brice A, McCluskey L, Elman L, Topp S, Malaspina A, Fratta P, Sidle K, Pittman A, Orrell R, Hardy J, Shaw P, Morrison K, Petri S, Abdulla S, Trojanowski J, Van Deerlin V, Lomen-Hoerth C, Wiedau-Pazos M, Staats K, Ophoff R, Meyer T, Sendtner M, Drepper C, Swingler R. Genome-wide association analyses identify new risk variants and the genetic architecture of amyotrophic lateral sclerosis. *Nat Genet* 2016; 48:1043-8.

Diekstra F, Meininger V, Shatunov A, Shaw C, Leigh P, Shaw P, Morrison K, Fogh I, Chio A, Traynor B, Czell D, Weber M, Heutink P, de Bakker P, Silani V, Robberecht W, van den Berg L, Melki J, Van Damme P, Van Deerlin V, van Swieten J, Al-Chalabi A, Ludolph A, Weishaupt J, Hardiman O, Landers J, Brown R, van Es M, Pasterkamp R, Koppers M, Andersen P, Estrada K, Rivadeneira F, Hofman A, Uitterlinden A, Veldink J. C9orf72 and UNC13A are shared risk loci for amyotrophic lateral sclerosis and frontotemporal dementia: a genome-wide meta-analysis. *Ann Neurol* 2014; 76:120-33.

van Rheenen W, de Visser M, Weber M, Robberecht W, Hardiman O, Shaw P, Shaw C, Morrison K, Al-Chalabi A, Andersen P, Ludolph A, Veldink J, van der Kooi A, Schelhaas H, Waibel S, Diekstra F, van Doormaal P, Seelen M, Kenna K, McLaughlin R, Shatunov A, Czell D, van Es M, van Vught P, Van Damme P, Smith B, van den Berg L. H63D polymorphism in HFE is not associated with amyotrophic lateral sclerosis. *Neurobiol Aging* 2012; 34:1517.e5-7.

Shaw C, Shaw P, Robberecht W, Van Damme P, Veldink J, Van den Berg L, Ticozzi N, Taroni F, Gellera C, Silani V, Kirby J, Pall H, Morrison K, Al-Chalabi A, Weale M, Brown R, Landers J, Andersen P, Baas F, Vianney de Jong J, de Bellerocche J, Morris A, Asbroek A, Schelhaas H, Scott K, Troakes C, Lee Y, Miller J, Johnson L, Topp S, Vance C, Shatunov A, Newhouse S, Jones A, Gray I, Wright J, Nestor P, Weber M, Sapp P, Lovestone S, Lupton M, Powell J, Rogelj B, Al-Sarraj S, Hortobágyi T, Smith B. The C9ORF72 expansion mutation is a common cause of ALS+/-FTD in Europe and has a single founder. *Eur J Hum Genet* 2012; 21:102-8.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)