



**M Zuber**

## Contact

M Zuber

## Publications (5)

Weixler B, Warschkow R, Gueller U, Zettl A, von Holzen U, Schmied B, Zuber M. Isolated tumor cells in stage I & II colon cancer patients are associated with significantly worse disease-free and overall survival. *BMC cancer* 2016; 16:106.

Croner R, Stürzl M, Gueller U, Tarragona J, Matias-Guiu X, Zettl A, Rosenberg R, Späth C, Nitsche U, Bader F, Geppert C, Zuber M. Molecular staging of lymph node-negative colon carcinomas by one-step nucleic acid amplification (OSNA) results in upstaging of a quarter of patients in a prospective, European, multicentre study. *Br J Cancer* 2014; 110:2544-50.

Gueller U, Kempf O, Zuber M. The bumpy path to successful academic surgery: a roadmap for the surgical resident. *Eur Surg Res* 2009; 43:253-5.

Langer I, Oertli D, Harder F, Wight E, Moch H, Viehl C, Ladewig A, Hsu-Schmitz S, Gueller U, Zuber M. Sentinel lymph node biopsy is associated with improved survival compared to level I & II axillary lymph node dissection in node negative breast cancer patients. *Eur J Surg Oncol* 2008; 35:805-13.

Langer I, Kocher T, Gueller U, Torhorst J, Oertli D, Harder F, Zuber M. Long-term outcomes of breast cancer patients after endoscopic axillary lymph node dissection: a prospective analysis of 52 patients. *Breast Cancer Res Treat* 2005; 90:85-91.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)