



Reno Frei

Contact

Reno Frei

Publications (9)

Damonti L, Frei R, Orasch C, Conen A, Khanna N, Bregenzer T, Bille J, Lamoth F, Marchetti O, Bochud P, Fluckiger U, Bruderer T, Erard V, Garbino J, Schrenzel J, Zimmerli S, Mühlethaler K, Imhof A, Zbinden R, Fehr J, Boggian K, Fungal Infection Network of Switzerland (FUNGINOS). Correction to: Catheter retention as a consequence rather than a cause of unfavorable outcome in candidemia. *Intensive Care Med* 2018

Orasch C, Fluckiger U, Conen A, Khanna N, Frei R, Bregenzer T, Lamoth F, Erard V, Bochud P, Calandra T, Bille J, Marchetti O, Bruderer T, Boggian K, Zbinden R, Mertz D, Garbino J, Van Delden C, Emonet S, Schrenzel J, Zimmerli S, Damonti L, Mühlethaler K, Imhof A, Ruef C, Fehr J, Fungal Infection Network of Switzerland (FUNGINOS). Fluconazole non-susceptible breakthrough candidemia after prolonged low-dose prophylaxis: a prospective FUNGINOS study. *J Infect* 2018

Damonti L, Frei R, Orasch C, Conen A, Khanna N, Bregenzer T, Bille J, Lamoth F, Marchetti O, Bochud P, Fluckiger U, Bruderer T, Erard V, Garbino J, Schrenzel J, Zimmerli S, Mühlethaler K, Imhof A, Zbinden R, Fehr J, Boggian K, Fungal Infection Network of Switzerland (FUNGINOS). Catheter retention as a consequence rather than a cause of unfavorable outcome in candidemia. *Intensive Care Med* 2017; 43:935-939.

Stucki D, Jatton K, Rieder H, Pfyffer G, Siegrist H, Hoffmann M, Fehr J, Dolina M, Frei R, Schrenzel J, Böttger E, Gagneux S, Mazza Stalder J, Calmy A, Ballif M, Egger M, Furrer H, Altpeter E, Battegay M, Droz S, Bruderer T, Coscolla M, Borrell S, Zürcher K, Janssens J, Fenner L. Standard Genotyping Overestimates Transmission of Mycobacterium tuberculosis among Immigrants in a Low-Incidence Country. *J Clin Microbiol* 2016; 54:1862-70.

Babouee Flury B, Frei R, Hinic V, Staves P, Loy R, Doumith M, Turton J, Hopkins K, Ellington M, Woodford N. Association of Novel Nonsynonymous Single Nucleotide Polymorphisms in ampD with Cephalosporin Resistance and Phylogenetic Variations in ampC, ampR, ompF, and ompC in Enterobacter cloacae Isolates That Are Highly Resistant to Carbapenems. *Antimicrob Agents Chemother* 2016; 60:2383-90.

Babouee Flury B, Elzi L, Kolbe M, Frei R, Maja W, Schären S, Widmer A, Battegay M. Is switching to an oral antibiotic regimen safe after 2 weeks of intravenous treatment for primary bacterial vertebral osteomyelitis?. *BMC Infect Dis* 2014; 14:226.

Fenner L, Cavassini M, Calmy A, Dolina M, Frei R, Janssens J, Borrell S, Stucki D, Schrenzel J, Böttger E, Gagneux S, Bernasconi E, Hoffmann M, Egger M, Bodmer T, Furrer H, Ballif M, Battegay M, Helbling P, Fehr J, Gsponer T, Rieder H, Zwahlen M, Swiss HIV Cohort and Molecular Epidemiology of Tuberculosis Study Groups. HIV Infection Disrupts the Sympatric Host-Pathogen Relationship in Human Tuberculosis. *PLoS Genet* 2013; 9:e1003318.

Rosin C, Bernsmeier C, Entenza J, Moreillon P, Frei R, Maja W, Fluckiger U. Daptomycin for highly resistant Enterococcus faecium infection. *Swiss Med Wkly* 2012; 142:w13603.

Babouee Flury B, Elzi L, Frei R, Widmer A, Battegay M. A comment on Marschall et Al. *Clin Infect Dis* 2011; 53:748, author reply 748-9.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch