



Christoph M Woernle

Contact

Christoph M Woernle

Publications (8)

Neidert M, Regli L, Woernle C, Eisele G, Kofmehl R, Held U, Mohme M, Burkhardt J, Hostettler I, Bozinov O. The influence of intraoperative resection control modalities on survival following gross total resection of glioblastoma. *Neurosurg Rev* 2016; 39:401-9.

Stienen M, Bijlenga P, Schaller K, Hildebrandt G, Fandino J, Fathi A, Daniel R, Röthlisberger M, Fung C, Woernle C, Schatlo B, Battaglia M, Smoll N, SWISS SOS Investigators. Intracranial aneurysm rupture is predicted by measures of solar activity. *World Neurosurg* 2014

Burkhardt J, Serra C, Neidert M, Woernle C, Fierstra J, Regli L, Bozinov O. High-frequency intra-operative ultrasound-guided surgery of superficial intra-cerebral lesions via a single-burr-hole approach. *Ultrasound Med Biol* 2014; 40:1469-75.

Fischer C, Neidert M, Péus D, Ulrich N, Regli L, Krayenbühl N, Woernle C. Hydrocephalus after resection and adjuvant radiochemotherapy in patients with glioblastoma. *Clin Neurol Neurosurg* 2014; 120:27-31.

Foit N, Neidert M, Woernle C, Rushing E, Krayenbühl N. Bifocal extra- and intradural melanocytoma of the spine: case report and literature review. *Eur Spine J* 2013; 22 Suppl 3:S521-5.

Woernle C, Winkler K, Burkhardt J, Haile S, Bellut D, Neidert M, Bozinov O, Krayenbühl N, Bernays R. Hydrocephalus in 389 patients with aneurysm-associated subarachnoid hemorrhage. *J Clin Neurosci* 2013; 20:824-6.

Burkhardt J, Neidert M, Woernle C, Bozinov O, Bernays R. Intraoperative low-field MR-guided frameless stereotactic biopsy for intracerebral lesions. *Acta Neurochir (Wien)* 2013; 155:721-6.

Woernle C, Neidert M, Wulf M, Burkhardt J, Grunwald T, Bernays R. Excessively elevated C-reactive protein after surgery for temporal lobe epilepsy. *Clin Neurol Neurosurg* 2012; 115:1245-9.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch