



Nicolas R Smoll

Contact

Nicolas R Smoll

Publications (27)

Schaller K, Finkenstädt S, Dan-Ura H, Ferrari A, Bernays R, Eisenring C, Maduri R, Mostaguir K, Kulcsar Z, Maldaner N, Woernle C, Starnoni D, Z'Graggen W, Gasche Y, Sarrafzadeh A, Jakob S, Bijlenga P, Keller E, Raabe A, Beck J, Guzman R, Mariani L, Landolt H, Hildebrandt G, Levivier M, Regli L, Baumann F, Corniola M, Gralla J, Diepers M, Nevzati E, D'Alonzo D, Reinert M, Marbacher S, Bervini D, Burkhardt J, Daniel R, Zumofen D, Smoll N, Fandino J, Fathi A, Stienen M, Fung C, Ahlbom P, Mendes Pereira V, Roethlisberger M, Goldberg J, Schöni D, Rohde V, Robert T, Sailer M, Perren F, Venier A, Woernle K, Weyerbrock A, Remonda L, Kerkeni H, Seule M, Schatlo B. Incidence and Outcome of Aneurysmal Subarachnoid Hemorrhage: The Swiss Study on Subarachnoid Hemorrhage (Swiss SOS). *Stroke* 2020; 52:344–347.

Stienen M, Fung C, Bijlenga P, Zumofen D, Maduri R, Robert T, Seule M, Marbacher S, Geisseler O, Brugger P, Gutbrod K, Chicherio C, Monsch A, Beaud V, Rossi S, Früh S, Schmid N, Smoll N, Keller E, Regli L, MoCA-DCI study group. Measuring the Impact of Delayed Cerebral Ischemia on Neuropsychological Outcome After Aneurysmal Subarachnoid Hemorrhage—Protocol of a Swiss Nationwide Observational Study (MoCA-DCI Study). *Neurosurgery* 2019; 84:1124–1132.

Vasella F, Akeret K, Smoll N, Germans M, Jehli E, Bozinov O, Regli L, Stienen M, CORRECT SCAR study group. Improving the aesthetic outcome with burr hole cover placement in chronic subdural hematoma evacuation—a retrospective pilot study. *Acta Neurochir (Wien)* 2018; 160:2129–2135.

Stienen M, Germans M, Burkhardt J, Neidert M, Fung C, Bervini D, Zumofen D, Röthlisberger M, Marbacher S, Maduri R, Robert T, Seule M, Bijlenga P, Schaller K, Fandino J, Smoll N, Maldaner N, Finkenstädt S, Esposito G, Schatlo B, Keller E, Bozinov O, Regli L, Swiss SOS study group. Predictors of In-Hospital Death After Aneurysmal Subarachnoid Hemorrhage: Analysis of a Nationwide Database (Swiss SOS [Swiss Study on Aneurysmal Subarachnoid Hemorrhage]). *Stroke* 2018; 49:333–340.

Joswig H, Stienen M, Smoll N, Stienen M. Objective Functional Testing in Patients With Lumbar Degenerative Disc Disease. *Global Spine J* 2017; 7:384.

Stienen M, Smoll N, Joswig H, Corniola M, Schaller K, Hildebrandt G, Gautschi O. Validation of the baseline severity stratification of objective functional impairment in lumbar degenerative disc disease. *J Neurosurg Spine* 2017; 26:598–604.

Stienen M, Smoll N, Joswig H, Snagowski J, Corniola M, Schaller K, Hildebrandt G, Gautschi O. Influence of the mental health status on a new measure of objective functional impairment in lumbar degenerative disc disease. *Spine J* 2016

Gautschi O, Stienen M, Joswig H, Smoll N, Schaller K, Corniola M. The usefulness of radiological grading scales to predict pain intensity, functional impairment, and health-related quality of life after surgery for lumbar degenerative disc disease. *Acta Neurochir (Wien)* 2016; 159:271–279.

Stienen M, Joswig H, Smoll N, Corniola M, Schaller K, Hildebrandt G, Gautschi O. Influence of Body Mass Index on Subjective and Objective Measures of Pain, Functional Impairment, and Health-Related Quality of Life in Lumbar Degenerative Disc Disease. *World Neurosurg* 2016; 96:570–577.e1.

Gautschi O, Smoll N, Joswig H, Corniola M, Schaller K, Hildebrandt G, Stienen M. Influence of age on pain intensity, functional impairment and health-related quality of life before and after surgery for lumbar degenerative disc disease. *Clin Neurol Neurosurg* 2016; 150:33–39.

Gautschi O, Joswig H, Corniola M, Smoll N, Schaller K, Hildebrandt G, Stienen M. Pre- and postoperative correlation of patient-reported outcome measures with standardized Timed Up and Go (TUG) test results in lumbar degenerative disc disease. *Acta Neurochir (Wien)* 2016; 158:1875-81.

Stienen M, Joswig H, Smoll N, Corniola M, Schaller K, Hildebrandt G, Gautschi O. Short- and Long-Term Outcome of Microscopic Lumbar Spine Surgery in Patients with Predominant Back or Predominant Leg Pain. *World Neurosurg* 2016; 93:458-465.e1.

Gautschi O, Stienen M, Corniola M, Joswig H, Schaller K, Hildebrandt G, Smoll N. Assessment of the Minimum Clinically Important Difference in the Timed Up and Go Test After Surgery for Lumbar Degenerative Disc Disease. *Neurosurgery* 2016

Gautschi O, Corniola M, Smoll N, Joswig H, Schaller K, Hildebrandt G, Stienen M. Sex differences in subjective and objective measures of pain, functional impairment, and health-related quality of life in patients with lumbar degenerative disc disease. *Pain* 2016; 157:1065-71.

Gautschi O, Smoll N, Corniola M, Joswig H, Schaller K, Hildebrandt G, Stienen M. Sex differences in lumbar degenerative disc disease. *Clin Neurol Neurosurg* 2016; 145:52-7.

Stienen M, Joswig H, Smoll N, Tessitore E, Schaller K, Hildebrandt G, Gautschi O. Short- and long-term effects of smoking on pain and health-related quality of life after non-instrumented lumbar spine surgery. *Clin Neurol Neurosurg* 2016; 142:87-92.

Stienen M, Smoll N, Tessitore E, Schaller K, Hildebrandt G, Gautschi O. Surgical Resident Education in Noninstrumented Lumbar Spine Surgery: A Prospective Observational Study with a 4.5-Year Follow-Up. *World Neurosurg* 2015; 84:1589-97.

Gautschi O, Corniola M, Stienen M, Smoll N, Cadosch D. Postoperative segmental hypermobility after cervical arthroplasty: A possible pathomechanism for outcome failure. *J Clin Neurosci* 2015; 22:1194-6.

Gautschi O, Corniola M, Schaller K, Smoll N, Stienen M. The need for an objective outcome measurement in spine surgery—the timed-up-and-go test. *Spine J* 2014; 14:2521-2.

Gautschi O, Stienen M, Smoll N, Corniola M, Schaller K. Incidental deroofomy in lumbar spine surgery – is there still a role for flat bed rest?. *Spine J* 2014; 14:2522-3.

Stienen M, Smoll N, Hildebrandt G, Schaller K, Tessitore E, Gautschi O. Constipation after thoraco-lumbar fusion surgery. *Clin Neurol Neurosurg* 2014; 126C:137-142.

Gautschi O, Stienen M, Smoll N, Corniola M, Tessitore E, Schaller K. Incidental deroofomy in lumbar spine surgery—a three-nation survey to evaluate its management. *Acta Neurochir (Wien)* 2014; 156:1813-20.

Stienen M, Smoll N, Weisshaupt R, Fandino J, Hildebrandt G, Studerusgermann A, Schatlo B. Delayed cerebral ischemia predicts neurocognitive impairment following aneurysmal subarachnoid hemorrhage. *World Neurosurg* 2014; 82:e599-605.

Stienen M, Smoll N, Hildebrandt G, Schaller K, Gautschi O. Influence of smoking status at time of surgery for herniated lumbar disk on postoperative pain and health-related quality of life. *Clin Neurol Neurosurg* 2014; 122C: 12-19.

Stienen M, Smoll N, Hildebrandt G, Schaller K, Gautschi O. Early surgical education of residents is safe for microscopic lumbar disc surgery. *Acta Neurochir (Wien)* 2014; 156:1205-14.

Gautschi O, Huser M, Smoll N, Maedler S, Bednarz S, von Hessling A, Lussmann R, Hildebrandt G, Seule M. Long-term neurological and neuropsychological outcome in patients with severe traumatic brain injury. *Clin Neurol Neurosurg* 2013; 115:2482-8.

Smoll N, Stienen M, Schaller K, Gautschi O. Aseptic Bone Flap Osteonecrosis Following Cranioplasty after Decompressive Craniectomy. *Praxis (Bern 1994)* 2013; 102:809-12.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch