



**Haran Burri**

**Contact**

Haran Burri

## Publications (7)

Kovacs B, Schindler M, Haegeli L, Mayer K, Eriksson U, Herrera-Siklody C, Reichlin T, Steffel J, Saguner A, Kobza R, Dzemali O, Burri H, Buehler A, Reek S, Sticherling C, Schaer B, Linka A, Ammann P, Müller A, Duru F. High Incidence of Inappropriate Alarms in Patients with Wearable Cardioverter-Defibrillators: Findings from the Swiss WCD Registry. *J Clin Med* 2021; 10

Auricchio A, Notarangelo F, Braun-Dullaes R, Regoli F, Caputo M, Özkartal T, Zegard A, Martino A, Sticherling C, Conti M, Honarbakhsh S, Moccetti T, Casu G, Rinaldi C, Brugada P, Haïssaguerre M, Brugada J, Heibuchel H, Pappone C, Curti M, Klersy C, Derval N, Haugaa K, Levinstein M, Michowitz Y, Márquez M, Stokke M, Letsas K, Calo' L, Burri H, Frontera A, Schaer B, Arbelo E, de Asmundis C, Cicconte G, Lambiase P, Belhassen B, Leyva F, Porter B, Saenen J, de Potter T, Geller J, Medeiros-Domingo A, Sarquella Brugada G, Rordorf R, Luani B, Zardini M, Ammann P, Berne P, Zacà V, Conte G. Out-of-hospital cardiac arrest due to idiopathic ventricular fibrillation in patients with normal electrocardiograms: results from a multicentre long-term registry. *Europace* 2019; 21:1670-1677.

Regoli F, Fromer M, Krasniqi N, Zbinden R, Burri H, Naegli B, Stefano L, Ammann P, Duru F, Schaer B, Graf D, 4P Study Group. Arrhythmic episodes in patients implanted with a cardioverter-defibrillator - results from the Prospective Study on Predictive Quality with Preferencing PainFree ATP therapies (4P). *BMC Cardiovasc Disord* 2019; 19:146.

Asatryan B, Saguner A, Müller S, Duru F, Auricchio A, Ammann P, Sticherling C, Burri H, Reichlin T, Wilhelm M, Conte G, Haeberlin A, Schaller A, Seiler J, Servatius H, Noti F, Baldinger S, Tanner H, Roten L, Dillier R, Lam A, Medeiros-Domingo A. Usefulness of Genetic Testing in Sudden Cardiac Arrest Survivors With or Without Previous Clinical Evidence of Heart Disease. *Am J Cardiol* 2019; 123:2031-2038.

Zeljko I, Normand C, Linde C, Dickstein K, Delacretaz E, Auricchio A, Mueller A, Ammann P, Breitenstein A, Burri H, Sticherling C. Cardiac Resynchronisation Therapy (CRT) Survey II: CRT implantation in Europe and in Switzerland. *Swiss Med Wkly* 2018; 148:w14643.

Burri H, Prinzen F, Klersy C, Stettler C, Zerlik H, Ammann P, Sticherling C, Kobza R, Müller H, Auricchio A. Right Versus Left Apical transvenous pacing for bradycardia: Results of the RIVELA randomized study. *Indian Pacing Electrophysiol J* 2017; 17:171-175.

Boriani G, Burri H, Santini M, Biffi M, Navarro X, Mangoni di S Stefano L, Risi A, Romeo F, Iacopino S, Favale S, Quesada A, Ricci R, Da Costa A, MORE-CARE Investigators. The MOnitoring Resynchronization dEVICES and CARdiac patiEnts (MORE-CARE) randomized controlled trial: phase 1 results on dynamics of early intervention with remote monitoring. *J Med Internet Res* 2013; 15:e167.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)