



Patrik Kloos

Contact

Patrik Kloos

Units

Department of Ophthalmology

Publications (9)

Schmid S, Rothermundt C, Weber J, van Leyen K, Sulz M, Stöckli S, Krull I, Krek W, Kloos P, Heinimann K, Hader C, Greiner J, Engeler D, Brändle M, Binet F, Gillessen Sommer S, Hundsberger T. Management of von Hippel-Lindau Disease: An Interdisciplinary Review. *Oncol Res Treat* 2014; 37:761-771.

Böni C, Kloos P, Valmaggia C, Department of Ophthalmology, Cantonal Hospital St. Gallen, St. Gallen, Switzerland. New guidelines in the treatment of persistent central serous chorioretinopathy: PDT with half-dose verteporfin. *Klin Monbl Augenheilkd* 2012; 229:327-30.

Kloos P, Niederberger H, Valmaggia C. [Photodynamic therapy in "Secondary Sick RPE Syndrome" after repeated intravitreal injections of VEGF inhibitors in patients with wet age-related macular degeneration]. *Klin Monbl Augenheilkd* 2011; 228:340-4.

Valmaggia C, Haueter I, Kloos P, Lang C, Niederberger H. The treatment of choroidal neovascularizations in age-related macular degeneration using either Avastin or Lucentis. *Klinische Monatsblätter für Augenheilkunde* 2009; 226:294-8.

Kloos P, Laube I, Thoelen A. Obstructive sleep apnea in patients with central serous chorioretinopathy. *Graefes's archive for clinical and experimental ophthalmology = Albrecht von Graefes Archiv für klinische und experimentelle Ophthalmologie* 2008; 246:1225-8.

Valmaggia C, Niederberger H, Lang C, Kloos P, Haueter I. The treatment of choroidal neovascularisation with intravitreal injections of bevacizumab (Avastin). *Klinische Monatsblätter für Augenheilkunde* 2008; 225:380-4.

Kloos P, Bernasconi P, Estermann S, Bachmann B, Rutishauser Y, Thölen A. [Visual acuity and magnification requirement after ranibizumab in patients with wet age-related macular degeneration]. *Klin Monbl Augenheilkd* 2008; 225:385-91.

Billinger M, Kloos P, Eberli F, Windecker S, Meier B, Seiler C. Physiologically assessed coronary collateral flow and adverse cardiac ischemic events: a follow-up study in 403 patients with coronary artery disease. *Journal of the American College of Cardiology* 2002; 40:1545-50.

Kloos P, Mergenthaler S, Ranke M, Wollmann H, Eggermann T. Novel silent variant (c1722G>A) in the coding region of the insulin receptor substrate 1 (IRS1) gene. *Human mutation* 2000; 16:533.

Projects (3)

CHARMED Studie - Implementing elements of the Chronic Care Model in the care for neovascular age-related macular degeneration (wet AMD) . Is it superior to usual care?

Clinical Studies - Apr 25, 2011 - Nov 25, 2012

Completed

ranibizumab combined with photodynamic therapy in age-related macular degeneration

Clinical Studies - Jun 12, 2008 - Jul 12, 2009

Completed

ranibizumab in diabetic macular edema

Clinical Studies - May 1, 2008 - Nov 12, 2011

Completed

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch