



Marwan El-Koussy

Contact

Marwan El-Koussy

Publications (11)

De Marchis G, Katan M, Barro C, Fladt J, Traenka C, Seiffge D, Hert L, Gensicke H, Disanto G, Sutter R, Peters N, Sarikaya H, Simonetti B, El-Koussy M, Engelter S, Lyrer P, Christ-Crain M, Arnold M, Kuhle J, Bonati L. Serum neurofilament light chain in patients with acute cerebrovascular events. *Eur J Neurol* 2018; 25:562-568.

Fung C, Raabe A, Mattle H, Fischer U, Arnold M, Zbinden M, Schaller K, Gralla J, El-Koussy M, Gautschi O, Z'Graggen W, Fiechter M, Klinger-Gratz P, Murek M, Beck J. Effect of Decompressive Craniectomy on Perihematomal Edema in Patients with Intracerebral Hemorrhage. *PLoS one* 2016; 11:e0149169.

Arnold M, Jung S, Kägi G, El-Koussy M, Mono M, Schlager M, Meisterernst J, Broeg-Morvay A, Liesirova K, Sarikaya H. Dysphagia in Acute Stroke: Incidence, Burden and Impact on Clinical Outcome. *PLoS one* 2016; 11:e0148424.

De Marchis G, Katan M, Weck A, Fluri F, Foerch C, Findling O, Schuetz P, Buhl D, El-Koussy M, Gensicke H, Seiler M, Morgenthaler N, Mattle H, Müller-Stich B, Christ-Crain M, Arnold M. Copeptin adds prognostic information after ischemic stroke: results from the CoRisk study. *Neurology* 2013; 80:1278-86.

Mono M, Karameshev A, Slotboom J, Remonda L, Galimanis A, Jung S, Findling O, De Marchis G, Luedi R, Kiefer C, Stucker C, Mattle H, Schroth G, Arnold M, Nedeltchev K, El-Koussy M. Plaque characteristics of asymptomatic carotid stenosis and risk of stroke. *Cerebrovasc Dis* 2012; 34:343-50.

Kamm C, Naegelin Y, Kappos L, Tettenborn B, Slotboom J, Müller F, Goebels N, Müller M, Donati F, Schött D, Schwegler G, Burren Y, von Bredow F, Findling O, Humpert S, El-Koussy M, Mattle H. Atorvastatin added to interferon β for relapsing multiple sclerosis: a randomized controlled trial. *J Neurol* 2012; 259:2401-13.

Galimanis A, Jung S, Mono M, Fischer U, Findling O, Weck A, Meier N, De Marchis G, Brekenfeld C, El-Koussy M, Mattle H, Arnold M, Schroth G, Gralla J. Endovascular therapy of 623 patients with anterior circulation stroke. *Stroke* 2012; 43:1052-7.

Jung S, Mono M, Findling O, Fischer U, Galimanis A, Weck A, De Marchis G, Ballinari P, Gralla J, Brekenfeld C, Schroth G, Arnold M, Mattle H, El-Koussy M. White matter lesions and intra-arterial thrombolysis. *J Neurol* 2012; 259:1331-6.

Karameshev A, Arnold M, Schroth G, Kappeler L, Stein P, Gralla J, Brekenfeld C, Findling O, Mono M, De Marchis G, Fischer U, Mattle H, Nedeltchev K, El-Koussy M. Diffusion-weighted MRI helps predict outcome in basilar artery occlusion patients treated with intra-arterial thrombolysis. *Cerebrovasc Dis* 2011; 32:393-400.

Meier N, Fischer U, Schroth G, Findling O, Brekenfeld C, El-Koussy M, De Marchis G, Mono M, Jung S, Gralla J, Nedeltchev K, Mattle H, Arnold M. Outcome after thrombolysis for acute isolated posterior cerebral artery occlusion. *Cerebrovasc Dis* 2011; 32:79-88.

Jung S, Mono M, Fischer U, Galimanis A, Findling O, De Marchis G, Weck A, Nedeltchev K, Colucci G, Mordasini P, Brekenfeld C, El-Koussy M, Gralla J, Schroth G, Mattle H, Arnold M. Three-month and long-term outcomes and their predictors in acute basilar artery occlusion treated with intra-arterial thrombolysis. *Stroke* 2011; 42:1946-51.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch