



## **Dr. Johann Schiefer**

scientist (group leader)

Department of Radiation Oncology · Dept. IV

### **Contact**

Dr. Johann Schiefer  
Rorschacherstr. 95  
9007 St. Gallen  
Switzerland

T +41 71 494 2239  
johann.schiefer@kssg.ch

### **Units**

Department of Radiation Oncology

### **Profile Function**

scientist (group leader)

## Publications (57)

Gerken L, Weber D, Plasswilm L, Meer D, Psoroulas S, Schiefer J, Gerdes M, David H, Starsich F, Gogos A, Herrmann I. Catalytic activity imperative for nanoparticle dose enhancement in photon and proton therapy. *Nat Commun* 2022; 13:3248.

Viktorin-Baier P, Zürn K, Güsewell S, Schiefer J, Blick N, Müntener M, Stucki P, Suter S, Prikler L, Hochreiter W, Thoeni A, Schwab C, Plasswilm L, Schmid H, Putora P, Engeler D. Long-term oncological and functional follow-up in low-dose-rate brachytherapy for prostate cancer: results from the prospective nationwide Swiss registry. *BJU Int* 2020; 125:827-835.

Schmid H, Viktorin P, Putora P, Schiefer J, Schwab C, Plasswilm L, Engeler D. Langzeitresultate des prospektiven Schweizer Registers LDR-Brachytherapie des lokalisierten Prostatakarzinoms. *German Medical Science, www.egms.de* 2020

Buchauer K, Socoliuctoquant A, Plasswilm L, Schiefer J (2019). End-to-End testing method for SRS patient QA based on a new multidetector array and comparison with two other techniques.

Maletzki P, Schwab C, Markart P, Engeler D, Schiefer J, Plasswilm L, Schmid H. Late seed migration after prostate brachytherapy with Iod-125 permanent implants. *Prostate Int* 2018

Maletzki P, Schwab C, Markart P, Engeler D, Schiefer J, Plasswilm L, Schmid H. Late seed migration after prostate brachytherapy with Iod-125 permanent implants. *Prostate Int* 2017; 6:66-70.

Buchauer K, Plasswilm L, Schiefer J (2017). Temperature dependent dose error of Gafchromic EBT3 and EBT-XD film and clinical relevance in SRT.

Schiefer J, Buchauer K, Heinze S. Tomotherapy dosimetry intercomparison 2016. *SSRMP-Bulletin* 2016; 87:17-18.

Buchauer K, Plasswilm L, Schiefer J (2016). 3D-Druck zur Optimierung der Dosisverteilung eines HDR-Brachytherapie Oberflächenapplikators mit vertikal angeordneter Quelle.

Buchauer K, Henke G, Plasswilm L, Schiefer J (2016). Vertical type surface brachytherapy applicator improvement with a 3d printed dose compensation body.

Schiefer J, Buchauer K, Heinze S. Tomotherapy dosimetry intercomparison 2015. *SSRMP-Bulletin* 2016; 85:8-10.

Schiefer J. Design and implementation of a "cheese" phantom-based Tomotherapy TLD dose intercomparison. *Strahlentherapie und Onkologie* 2015; 191:855-861.

Buchauer K, Plasswilm L, Schiefer J (2015). 3d printed dose compensation body to remove dose artifacts of a HDR Brachytherapy surface applicator of the vertical type.

Engeler D, Schmid H, Plasswilm L, Schiefer J, Stucki P, Suter S, Prikler L, Hochreiter W, Thöni A, Schwab C, Putora P. PSA bounce after (125)I-brachytherapy for prostate cancer as a favorable prognosticator. *Strahlenther Onkol* 2015; 191:787-791.

<p>Schiefer J, Buchauer K, Heinze S, Henke G, Plasswilm L. Design and implementation of a "cheese" phantom-based Tomotherapy TLD dose intercomparison. <i>Strahlenther Onkol</i> 2015; 191:855–61.</p>
<p>Heinze S, Schiefer J, Buchauer K, Plasswilm L (2015). The SSRMP Tomotherapy Dosimetry Intercomparison 2014.</p>
<p>Schiefer J, Ingulfsen N, Kluckert J, Peters S, Plasswilm L. Measurements of isocenter path characteristics of the gantry rotation axis with a smartphone application. <i>Med Phys</i> 2015; 42:1184–92.</p>
<p>Maletzki P, Markart P, Engeler D, Schiefer J, Plasswilm L, Schmid H, Schwab C. Späte Seed-Migration nach LDR-Brachytherapie der Prostata mit J-125 Permanentimplantaten. <i>J Urol Urogynäkol</i> 2015; 22:4–9.</p>
<p>Engeler D, Schmid H, Plasswilm L, Schiefer J, Stucki P, Suter S, Prikler L, Hochreiter W, Thöni A, Schwab C, Putora P. PSA bounce after 125J-brachytherapy for prostate cancer as a favorable prognosticator. <i>Strahlenther Onkol</i> 2015; 191:787–91.</p>
<p>Schmid H, Schiefer J, Plasswilm L. Strahlenquellen im Körper bekämpfen den Prostatakrebs. <i>Ostschweiz am Sonntag</i> 2015; 35:19.</p>
<p>Schmid H, Plasswilm L, Schiefer J. Strahlenquellen im Körper bekämpfen den Prostatakrebs. <i>DUO</i> 2015:14–7.</p>
<p>Buchauer K, Henke G, Schiefer J, Plasswilm L. Surface dose characterisation of the Varian Ir-192 HDR conical surface applicator set with a vertically orientated source. <i>Strahlenther Onkol</i> 2014; 190:1163–8.</p>
<p>Schiefer J. A treatment planning study comparing Elekta VMAT and fixed field IMRT using the varian treatment planning system eclipse. <i>Radiation Oncology</i> 2014; 9</p>
<p>Buchauer K, Schiefer J, Plasswilm L (2014). Scanning protocol improvements in Gafchromic EBT-x dosimetry.</p>
<p>Schiefer J, Ingulfsen N, Kluckert J, Peters S, Buchauer K, Putora P, Henke G, Plasswilm L (2014). Investigation of isocenter path characteristics of the gantry rotation with a smartphone application. Presented at: 18th Annual SASRO meeting Lugano, Lugano</p>
<p>Buchauer K, Höng L, Henke G, Schiefer J, Plasswilm L (2014). Influence of Characteristic Surface Dose on Calibration and Clinical Use of the Varian IR-192 HDR Surface Applicator Set with Vertical Leipzig-Style Cones.</p>
<p>Schiefer J (2014). Investigation of isocenter path characteristics of the gantry rotation with a smartphone application. Presented at: SASRO Meeting – Lugano / 2014, Lugano</p>
<p>Schiefer J (2014). Metal artifacts correction algorithm for Siemens CT: MARIS.</p>
<p>Schwab C, Maletzki P, Markart P, Engeler D, Schiefer J, Plasswilm L, Schmid H. Seed-Migration nach LDR-Brachytherapie der Prostata mit Jod-125-Permanentimplantaten. <i>J Urol Urogynäkol</i>, 21 (Sonderheft 4):25 2014:25.</p>
<p>Schwab C, Maletzki P, Markart P, Engeler D, Schiefer J, Plasswilm L, Schmid H. Späte Seed-Migration nach LDR-Brachytherapie der Prostata mit J-125 Permanentimplantaten. <i>Urologe</i>, 53 (suppl 1):92 2014:92.</p>

<b>Schiefer J, Heinze S. Results of the TLD intercomparison 2014. 2014</b>
<b>Buchauer K, Schiefer J, Plasswilm L (2013). Tomotherapie: erste klinische Erfahrungen der Radio-Onkologie St. Gallen. Presented at: 30. Jahrestagung der Österreichischen Gesellschaft für Radioonkologie, Bregenz</b>
<b>Buchauer K, Schiefer J, Plasswilm L (2013). Analyse der Oberflächendosisverteilung von Varian Ir-192 HDR Applikatoren des vertikalen Leipzig Typ. Presented at: 30. Jahrestagung der Österreichischen Gesellschaft für Radioonkologie, Bregenz</b>
<b>Putora P, Plasswilm L, Seelentag W, Schiefer J, Markart P, Schmid H, Engeler D. Re-implantation after insufficient primary 125-I permanent prostate brachytherapy. Radiat Oncol 2013; 8:194.</b>
<b>Schiefer J (2013). VMAT planning for Elekta linacs in the Varian planning system Eclipse: a comparison study of VMAT plans with fixed field IMRT plans. Presented at: annual meeting SASRO 2013, Davos</b>
<b>Putora P, Plasswilm L, Seelentag W, Schiefer J, Markart P, Schmid H, Engeler D. Re-implantation after insufficient primary 125-I permanent prostate brachytherapy. Radiat Oncol 2013; 8:194.</b>
<b>Abt D, Markart P, Schwab C, Engeler D, Schiefer J, Plasswilm L, Schmid H (2013). Seed Migration nach LDR-Brachytherapie der Prostata mit J-125 Permanentimplantation.</b>
<b>Buchauer K, Schiefer J, Plasswilm L (2012). Surface dose optimization of the Varian Ir-192 HDR surface applicator set.</b>
<b>Naef G, Schiefer J, Peters S, Orvati C, Plasswilm L (2012). Dosimetric Validation of Eclipse VMAT Plans for Elekta Units Using a Modified Octavius Verification Technique.</b>
<b>Engeler D, Putora P, Plasswilm L, Seelentag W, Schiefer J, Schmid H (2011). Reimplantation nach insuffizienter primärer I-125 LDR-Brachytherapie beim Prostatakarzinom.</b>
<b>Breithuth F, Schiefer J, Arn M, Peters S, Seelentag W. Determination of the source dwell position of an afterloading device with a detector array. J Radiat Oncol Inform 2011;3:1:12-24 2011</b>
<b>Putora P, Fornaro J, Schiefer J, Brügge D, Plasswilm L (2011). Radiotherapy Treatment Interruption Compensation Calculator for Android Based Mobile Devices.</b>
<b>Collon J, Schiefer J, Stolz A, Naef G, Putora P, Schneider M, Fretz C, Plasswilm L (2011). A Training Method for Prostate Delineation Based on CT- and MR-Images.</b>
<b>Stolz A, Schiefer J, Collon J, Naef G, Putora P, Seelentag W, Plasswilm L (2011). Can the Number of Cone Beam CTs be Reduced Based on the Patient Displacements Applied in the first Therapy Week?.</b>
<b>Schiefer J, Krusche B, Dipasquale G, Reiner B, Pachoud M, Vallet V, Münch-Berndl K, Schnekenburger B, Roth J, Hasenbalg F, Born E, Seelentag W, Cozzi L, Nicolini G, Fogliata A, Fix M. The Swiss IMRT dosimetry intercomparison using a thorax phantom. Med Phys 2010; 37:4424-31.</b>

Engeler D, Putora P, Plasswilm L, Seelentag W, Schiefer J, Schmid H (2010). Re-Implantation after Insufficient Primary 125-I Permanent Brachytherapy of Prostate Cancer.

Toepfer M, Wille N, Putora P, Brügge D, Arn M, Schiefer J, Plasswilm L (2010). Patterns of Failure and Toxicity after Intensity-Modulated Radiotherapy with Simultaneous Integrated Boost for Head and Neck Cancer.

Putora P, Schmid H, Schiefer J, Collon J, Toepfer M, Vontoggenburg F, Markart P, Preusser S, Engeler D, Plasswilm L (2010). Erectile Function Preservation after Therapy of Localized Prostate Cancer: I125 Prostate Seed Implant Brachytherapy Versus Radical Prostatectomy.

Naef G, Arn M, Stolz A, Schiefer J, Collon J, Plasswilm L (2010). Three Irradiation Techniques for a Patient with Morbus Hodgkin Cancer in the Head and Thorax Regions.

Putora P, Collon J, Schiefer J, Toepfer M, Plasswilm L (2010). Automated Erythema Quantification in Radiation Therapy: Feasibility of the Development of a Custom Java Tool.

Schiefer J, Roth J, Krusche B, Prikler L, Leippold T, Schmid H, Lenggenhager C, Ries G, Plasswilm L, Seelentag W, Vontoggenburg F, Engeler D. Exposure of treating physician to radiation during prostate brachytherapy using iodine-125 seeds: dose measurements on both hands with thermoluminescence dosimeters. *Strahlentherapie und Onkologie : Organ der Deutschen Röntgengesellschaft ... [et al]* 2009; 185:689-95.

Putora P, Plasswilm L, Seelentag W, Schiefer J, Schmid H, Engeler D (2009). Re-Implantation after insufficient primary 125-I permanent brachytherapy of prostate cancer [Abstract].

Schiefer J, Roth J, Krusche B, Leippold T, Schmid H, Ries G, Plasswilm L, Seelentag W, Vontoggenburg F, Engeler D. Topological methods for the comparison of structures using LDR-brachytherapy of the prostate as an example. *Physics in medicine and biology* 2009; 54:4959-70.

Putora P, Plasswilm L, Seelentag W, Schiefer J, Schmid H, Engeler D (2009). Re-Implantation after insufficient primary 125-I permanent brachytherapy of prostate cancer.

Schiefer J. Prüfung und Kalibration der MLC-Positionierung mit einem portalen Bildgebungssystem. *Zeitschrift für medizinische Physik* 2008; 18:51-58.

Cozzi L, Nicolini G, Vanetti E, Clivio A, Glashörster M, Schiefer J, Fogliata A. Basic dosimetric verification in water of the anisotropic analytical algorithm for Varian, Elekta and Siemens linacs. *Zeitschrift für medizinische Physik* 2008; 18:128-35.

Schiefer J, Seelentag W, Roth J, Krusche B. [MLC positioning checks and calibration with a portal imaging system]. *Zeitschrift für medizinische Physik* 2008; 18:51-8.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)