



Sylvette Bas

Contact

Sylvette Bas

Publications (3)

Snelling S, Carr A, Hoffmeyer P, Gabay C, Finckh A, Suva D, Dakin S, Puskas G, Bas S, Lübbeke A. Presence of IL-17 in synovial fluid identifies a potential inflammatory osteoarthritic phenotype. *PLoS one* 2017; 12:e0175109.

Alpizar-Rodriguez D, Bas S, Gascon D, Lamacchia C, Roux-Lombard P, Lauper K, Nissen M, Courvoisier D, Gabay C, Mahler M, Zufferey P, Brulhart L, Müller R, Möller B, Dudler J, Ciurea A, Walker U, Von Mühlener I, Kyburz D, Finckh A. The prevalence of anticitrullinated protein antibodies increases with age in healthy individuals at risk for rheumatoid arthritis. *Clin Rheumatol* 2017

Bas S, Finckh A, Puskas G, Suva D, Hoffmeyer P, Gabay C, Lübbeke A. Adipokines correlate with pain in lower limb osteoarthritis: different associations in hip and knee. *Int Orthop* 2014; 38:2577-83.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch