



**Francois H T Duong**

**Contact**

Francois H T Duong

## Publications (5)

Bernsmeier C, Heim M, Marra F, Tornillo L, Semela D, Muscogiuri G, Krol I, Makowska Z, Provenzano A, Dill M, Duong F. Hepatic Notch1 deletion predisposes to diabetes and steatosis via glucose-6-phosphatase and perilipin-5 upregulation. *Lab Invest* 2016; 96:972-80.

Terczyńska-Dyla E, Moradpour D, Mullhaupt B, Negro F, Santoro R, Semela D, Semmo N, Swiss Hepatitis C Cohort Study Group, Heim M, Bochud P, Mangia A, Malinverni R, Bibert S, Duong F, Krol I, Jørgensen S, Collinet E, Kutalik Z, Aubert V, Cerny A, Kaiser L, Hartmann R. Corrigendum: reduced IFN $\lambda$ 4 activity is associated with improved HCV clearance and reduced expression of interferon-stimulated genes. *Nat Commun* 2015; 6:7280.

Terczyńska-Dyla E, Moradpour D, Mullhaupt B, Negro F, Santoro R, Semela D, Semmo N, Swiss Hepatitis C Cohort Study Group, Heim M, Bochud P, Mangia A, Malinverni R, Bibert S, Duong F, Krol I, Jørgensen S, Collinet E, Kutalik Z, Aubert V, Cerny A, Kaiser L, Hartmann R. Reduced IFN $\lambda$ 4 activity is associated with improved HCV clearance and reduced expression of interferon-stimulated genes. *Nat Commun* 2014; 5:5699.

Filipowicz M, Bernsmeier C, Terracciano L, Duong F, Heim M. S-adenosyl-methionine and betaine improve early virological response in chronic hepatitis C patients with previous nonresponse. *PloS one* 2010; 5:e15492.

Bernsmeier C, Duong F, Christen V, Pugnale P, Negro F, Terracciano L, Heim M. Virus-induced over-expression of protein phosphatase 2A inhibits insulin signalling in chronic hepatitis C. *J Hepatol* 2008; 49:429-40.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)