



**Birgit Burkhardt**

**Contact**

Birgit Burkhardt

## Publications (3)

Paul U, Stein H, Hansmann M, Möller P, Szczepanowski M, Burkhardt B, Pfreundschuh M, Schmitz N, Loeffler M, Trümper L, Siebert R, Cogliatti S, Feller A, Rosenwald A, Richter J, Stuhlmann-Laietz C, Kreuz M, Nagel I, Horn H, Staiger A, Aukema S, Hummel M, Ott G, Spang R, Klapper W. Advanced patient age at diagnosis of diffuse large B-cell lymphoma is associated with molecular characteristics including ABC-subtype and high expression of MYC. *Leuk Lymphoma* 2017;1-9.

Wagener R, Betts M, Russell R, Bernhart S, Hoffmann S, Rosenstiel P, Schilhabel M, Szczepanowski M, Trümper L, Klapper W, Siebert R, ICGC MMML-Seq-Project, Rohde M, Richter J, Möller P, Aukema S, Schlesner M, Haake A, Burkhardt B, Claviez A, Drexler H, Hummel M, Kreuz M, Loeffler M, Rosolowski M, López C, "Molecular Mechanisms in Malignant Lymphomas" Network Project of the Deutsche Krebshilfe. The PCBP1 gene encoding poly(rC) binding protein I is recurrently mutated in Burkitt lymphoma. *Genes, chromosomes & cancer* 2015; 54:555-64.

Salaverria I, Oschlies I, Rosolowski M, Russell R, Rymkiewicz G, Schindler D, Schlesner M, Scholtysik R, Schwaenen C, Spang R, Szczepanowski M, Trümper L, Vater I, Wessendorf S, Klapper W, Siebert R, Molecular Mechanisms in Malignant Lymphoma Network Project, Nagel I, Macleod R, Löffler M, Martin-Guerrero I, Wagener R, Kreuz M, Kohler C, Richter J, Pienkowska-Grela B, Adam P, Burkhardt B, Claviez A, Damm-Welk C, Drexler H, Hummel M, Jaffe E, Küppers R, Lefebvre C, Lisfeld J, Berlin-Frankfurt-Münster Non-Hodgkin Lymphoma Group. A recurrent 11q aberration pattern characterizes a subset of MYC-negative high-grade B-cell lymphomas resembling Burkitt lymphoma. *Blood* 2014; 123:1187-98.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)