



David J Kurz

Contact

David J Kurz

Publications (7)

Stauber A, Mueller A, Rommers N, Aeschbacher S, Rodondi N, Bonati L, Beer J, Jeger R, Kurz D, Liedtke C, Ammann P, Di Valentino M, Chocano-Bedoya P, Kobza R, Kühne M, Conen D, Osswald S, Bernheim A. Association of chocolate consumption with neurological and cardiovascular outcomes in atrial fibrillation: data from two Swiss atrial fibrillation cohort studies (Swiss-AF and BEAT-AF). *Swiss Med Wkly* 2023; 153:40109.

Iglesias J, Windecker S, Valgimigli M, Heg D, Kaiser C, Weilenmann D, Kurz D, Roffi M, Losdat S, Muller O, Pilgrim T. Multivessel percutaneous coronary intervention with thin-strut biodegradable versus durable polymer drug-eluting stents in ST-segment elevation myocardial infarction: A subgroup analysis of the BIOSTEMI randomized trial. *Int J Cardiol* 2021; 334:37-41.

Meyer M, Radovanovic D, Pedrazzini G, Rickli H, Roffi M, Rosemann T, Eberli F, Kurz D. Differences in presentation and clinical outcomes between left or right bundle branch block and ST segment elevation in patients with acute myocardial infarction. *Eur Heart J Acute Cardiovasc Care* 2020:2048872620905101.

Iglesias J, Windecker S, Jüni P, Zwahlen M, Odutayo A, Valgimigli M, Eeckhout E, Losdat S, Stortecky S, Tapponnier M, Kaiser C, Weilenmann D, Moarof I, Kurz D, Roffi M, Heg D, Muller O, Pilgrim T. Biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents in patients with ST-segment elevation myocardial infarction (BIOSTEMI): a single-blind, prospective, randomised superiority trial. *Lancet* 2019; 394:1243-1253.

Jeger R, Weilenmann D, Rickli H, Hansen K, Rickenbacher P, Conen D, Müller C, Osswald S, Gilgen N, Vuillomenet A, Pedrazzini G, Pfisterer M, Vogt D, Galatius S, Abildgaard U, Naber C, Alber H, Eberli F, Kurz D, Kaiser C. Competing risks of major bleeding and thrombotic events with prasugrel-based dual antiplatelet therapy after stent implantation - An observational analysis from BASKET-PROVE II. *PLoS one* 2019; 14:e0210821.

Iglesias J, Windecker S, Jüni P, Eeckhout E, Valgimigli M, Heg D, Tapponnier M, Kaiser C, Weilenmann D, Vuillomenet A, Kurz D, Roffi M, Zaugg S, Muller O, Pilgrim T. A comparison of an ultrathin-strut biodegradable polymer sirolimus-eluting stent with a durable polymer everolimus-eluting stent for patients with acute ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention: rationale and design of the BIOSTEMI trial. *EuroIntervention* 2018; 14:692-699.

Kaiser C, Vuillomenet A, Steiner M, von Felten S, Vogt D, Wadt Hansen K, Rickenbacher P, Conen D, Müller C, Buser P, Hoffmann A, Pfisterer M, Weilenmann D, Rickli H, Galatius S, Jeger R, Gilgen N, Skov Jensen J, Naber C, Alber H, Wanitschek M, Eberli F, Kurz D, Pedrazzini G, Moccetti T, BASKET-PROVE II study group. Long-term efficacy and safety of biodegradable-polymer biolimus-eluting stents: main results of the Basel Stent Kosten-Effektivitäts Trial-PROspective Validation Examination II (BASKET-PROVE II), a randomized, controlled noninferiority 2-year outcome trial. *Circulation* 2014; 131:74-81.

Projects (0)

No results found.

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch