



## Takehiko Nagao

### Contact

Takehiko Nagao

## Publications (2)

Kimura S, Toyoda K, Yoshimura S, Minematsu K, Yasaka M, Paciaroni M, Werring D, Yamagami H, Nagao T, Yoshimura S, Polymeris A, Zietz A, Engelter S, Kallmünzer B, Cappellari M, Chiba T, Yoshimoto T, Shiozawa M, Kitazono T, Koga M, SAMURAI, RELAXED, RAF, RAF-NOAC, CROMIS-2, NOACISP LONGTERM, Erlangen Registry and Verona Registry Investigators. Practical "1-2-3-4-Day" Rule for Starting Direct Oral Anticoagulants After Ischemic Stroke With Atrial Fibrillation: Combined Hospital-Based Cohort Study. *Stroke* 2022; 53:1540-1549.

Seiffge D, Hooff R, Nolte C, Béjot Y, Turc G, Ikenberg B, Berge E, Persike M, Dequatre-Ponchelle N, Strbian D, Pfeilschifter W, Zini A, Tveiten A, Næss H, Michel P, Sztajzel R, Luft A, Gensicke H, Traenka C, Hert L, Scheitz J, De Marchis G, Bonati L, Peters N, Charidimou A, Werring D, Palm F, Reinhard M, Niesen W, Nagao T, Pezzini A, Caso V, Nederkoorn P, Kägi G, von Hessling A, Padjen V, Cordonnier C, Erdur H, Lyrer P, Brouns R, Steiner T, Tatlisumak T, Engelter S, NOACISP Study Group\*. Recanalization therapies in acute ischemic stroke patients: impact of prior treatment with novel oral anticoagulants on bleeding complications and outcome. *Circulation* 2015; 132:1261-9.

## Projects (0)

No results found.

---

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

[support.forschung@kssg.ch](mailto:support.forschung@kssg.ch)